



DEPARTMENT OF THE ARMY
CAMP STANLEY STORAGE ACTIVITY, RRAD
25800 RALPH FAIR ROAD, BOERNE, TX 78015-4800

June 4, 2004

U-066-04

Subject: Sampling of Water Well JW-29,

Camp Stanley Storage Activity (CSSA) collected groundwater samples from your well (JW-29) on 3/02/04. These samples were submitted to a laboratory contracted by CSSA's environmental contractor for volatile organic compound (VOC) analysis. This letter provides you with the VOC data from the laboratory results and a formal thank you for your assistance in this groundwater monitoring effort.

Based on the analytical data, no VOCs related to CSSA's groundwater investigation were identified in water samples from your well. Results from the laboratory analysis are provided as an attachment for the March 2004 event.

As part of the ongoing CSSA environmental program, we are continuing to investigate and cleanup VOC source areas on the installation and to track these compounds in groundwater on- and off-post. As part of this effort, we may contact you in the future to schedule another sampling event for your well listed above.

Again, we would like to thank you for your cooperation. If you have any questions concerning this letter, please contact me at 295-7416.

Sincerely,

A handwritten signature in black ink, reading "Jason Shirley", is written over a printed name and title.

Jason D. Shirley
Installation Manager

Attachments

cc: Mr. Greg Lyssy, EPA Region 6
Mr. Sonny Rayos, TCEQ Central Office
Mr. Henry Karnei, TCEQ Region 13
Ms. Kyle Cunningham, San Antonio Metropolitan Health Dist.
Ms. Julie Burdey, Parsons

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 040304AN-73447
 Lab Name: APPL, Inc Contract #: F41624-03-D-8613, TO 08
 Field Sample ID: JW-29 Lab Sample ID: AP66379 Matrix: Water
 % Solids: NA Initial Calibration ID: N040303
 Date Received: 03-Mar-04 Date Prepared: 04-Mar-04 Date Analyzed: 04-Mar-04
 Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1-DCE	0.12	1.2	0.12	1		
Bromodichloromethane	0.06	0.8	0.06	1		
Bromoform	0.13	1.2	0.13	1		
Chloroform	0.06	0.3	0.06	1		
Cis-1,2-DCE	0.07	1.2	0.07	1		
Dibromochloromethane	0.06	0.5	0.06	1		
Dichlorodifluoromethane	0.11	1.0	0.11	1		
Methylene chloride	0.51	2.0	0.51	1		
Naphthalene	0.07	0.4	0.07	1		
TCE	0.05	1.0	0.05	1		
Tetrachloroethene	0.06	1.4	0.06	1		
Toluene	0.06	1.1	0.06	1		
Trans-1,2-DCE	0.08	0.6	0.08	1		
Vinyl chloride	0.08	1.1	0.08	1		

Surrogate	Recovery	Control Limits	Qualifier
1,2-DCA-D4(S)	105	69-139	
4-Bromofluorobenzene(S)	114	75-125	
Dibromofluoromethane(S)	99.9	75-125	
Toluene-D8(S)	110	75-125	

Internal Std	Qualifier
1,4-Dichlorobenzene-D1S	
Chlorobenzene-D5(IS)	
Fluorobenzene(IS)	

Comments: ARF: 43871

AMENDED PAGE