



DEPARTMENT OF THE ARMY
CAMP STANLEY STORAGE ACTIVITY, MCAAP
25800 RALPH FAIR ROAD, BOERNE, TX 78015-4800

August 18, 2010

U-121-10

SUBJECT: Sampling of Water Wells:
FO-J1, Located at Lot 29 Jackson Woods;
FO-17, Located at 26365 Old Fredericksburg Road

Camp Stanley Storage Activity (CSSA) collected a groundwater sample from your wells (FO-J1 and FO-17) on 6/2/10 and 6/1/10, respectively. These samples were submitted to a laboratory contracted by CSSA's environmental contractor for volatile organic compound (VOC) analysis. This letter provides you with the VOC data from the laboratory results and a formal thank you for your assistance in this groundwater monitoring effort.

Based on the analytical data, no VOCs related to CSSA's groundwater investigation were identified in the water samples from your wells. Results from the laboratory analysis are provided as an attachment for the above sampling event.

As part of the ongoing CSSA environmental program, we are continuing to investigate and cleanup VOC source areas on the installation and to track these compounds in groundwater on- and off-post. As part of this effort, we will collect another sample from your well FO-J1 in September 2010. Well FO-17 is sampled annually and will be sampled again in June 2011.

Again, we would like to thank you for your cooperation. We remain committed to making sure your water is safe to use and keeping you informed. If you have any questions concerning this letter, please contact Gabriel Moreno-Fergusson, Environmental Program Manager, at (210) 698-5208.

Sincerely,


Jason D. Shirley
Installation Manager

Enclosure

cc: Mr. Greg Lyssy, EPA Region 6
Mr. Sonny Rayos, TCEQ Central Office
Mr. Henry Karnei, TCEQ Region 13
Ms. Kyle Cunningham, San Antonio Metropolitan Health Dist.
Ms. Julie Burdey, Parsons

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 100603BC-143838
 Lab Name: APPL, Inc Contract #: W9126G07D00280050
 Field Sample ID: FO-J1 Lab Sample ID: AY16352 Matrix: Water
 % Solids: NA Initial Calibration ID: C100601
 Date Received: 03-Jun-10 Date Prepared: 04-Jun-10 Date Analyzed: 04-Jun-10
 Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1-DCE	0.12	1.2	0.12	1		U
Cis-1,2-DCE	0.07	1.2	0.07	1		U
TCE	0.05	1.0	0.05	1		U
Tetrachloroethene	0.06	1.4	0.06	1		U
Trans-1,2-DCE	0.08	0.6	0.08	1		U
Vinyl chloride	0.08	1.1	0.08	1		U

Surrogate	Recovery	Control Limits	Qualifier
Surrogate: 1,2-Dichloroethane-d4 (S)	80.3	69-139	
Surrogate: 4-Bromofluorobenzene (S)	117	75-125	
Surrogate: Dibromofluoromethane (S)	84.2	75-125	
Surrogate: Toluene-D8 (S)	91.4	75-125	

Internal Std	Qualifier
1,4-Dichlorobenzene-D4 (IS)	
Chlorobenzene-D5 (IS)	
Fluorobenzene (IS)	

Comments:

ARF: 61764

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 100603BC-143838
 Lab Name: APPL, Inc Contract #: W9126G07D00280050
 Field Sample ID: FO-17 Lab Sample ID: AY16347 Matrix: Water
 % Solids: NA Initial Calibration ID: C100601
 Date Received: 03-Jun-10 Date Prepared: 04-Jun-10 Date Analyzed: 04-Jun-10
 Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1-DCE	0.12	1.2	0.12	1		U
Cis-1,2-DCE	0.07	1.2	0.07	1		U
TCE	0.05	1.0	0.05	1		U
Tetrachloroethene	0.06	1.4	0.06	1		U
Trans-1,2-DCE	0.08	0.6	0.08	1		U
Vinyl chloride	0.08	1.1	0.08	1		U

Surrogate	Recovery	Control Limits	Qualifier
Surrogate: 1,2-Dichloroethane-d4 (S)	79.6	69-139	
Surrogate: 4-Bromofluorobenzene (S)	119	75-125	
Surrogate: Dibromofluoromethane (S)	87.8	75-125	
Surrogate: Toluene-D8 (S)	93.3	75-125	

Internal Std	Qualifier
1,4-Dichlorobenzene-D4 (IS)	
Chlorobenzene-D5 (IS)	
Fluorobenzene (IS)	

Comments:

ARF: 61764