



DEPARTMENT OF THE ARMY
CAMP STANLEY STORAGE ACTIVITY, MCAAP
25800 RALPH FAIR ROAD, BOERNE, TX 78015-4800

November 1, 2011

U-155-11

[REDACTED]
[REDACTED]
28703 IH-10 West
Boerne, TX 78006

SUBJECT: Sampling of Water Well I10-4, Located at 25690 IH-10 West

Dear [REDACTED]

Camp Stanley Storage Activity (CSSA) collected a groundwater sample from the above listed well (I10-4) on 9/7/11. This sample was submitted to a laboratory contracted by CSSA's environmental contractor for volatile organic compound (VOC) analysis. This letter provides you with the VOC data from the laboratory results and a formal thank you for your assistance in this groundwater monitoring effort.

An abbreviated summary of analytical results compared to maximum contaminant levels (MCLs) allowed in drinking water by the U.S. EPA under the Safe Drinking Water Act is provided below:

Date Sampled	VOC Compound	Result (ppb)	MCL (ppb)
Well I10-4, located at 25690 IH-10 West			
9/7/11	Tetrachloroethene (PCE)	4.12	5
	Trichloroethene (TCE)	1.84	5
	<i>cis</i> -1,2-Dichloroethene (DCE)	<0.07 (non-detect)	70

Based on the analytical data, levels of the VOCs PCE and TCE were identified in the water sample from your well I10-4. These levels are below the applicable MCL and do not affect usability of your well. In the past, results have shown PCE concentrations above the MCL. Based on previous correspondence, you notified CSSA that there is no plan to use this well. In the future should this well be put back into service, a granular activated carbon (GAC) filtration system would probably need to be installed at the expense and maintenance of Camp Stanley. The GAC filtration system will clean the VOC contaminants from the water before delivery for consumption. Attached you can find a copy of the laboratory report.

As part of the ongoing CSSA environmental program, we are continuing to investigate and cleanup VOC source areas on the installation and to track these compounds in groundwater on- and off-post. As part of this effort, your well is scheduled to be sampled again in December 2011.

Again, we would like to thank you for your cooperation. We regret that your well has been impacted, but remain committed to making sure your water is safe to use and keeping you

informed. If you have any questions concerning this letter, please contact Gabriel Moreno-Fergusson, Environmental Program Manager, at (210) 698-5208.

Sincerely,



Jason D. Shirley
Installation Manager

Enclosure

cc: Mr. Greg Lyssy, EPA Region 6
Mr. Kirk Coulter, TCEQ Central Office
Mr. Henry Karnei, TCEQ Region 13
Ms. Kyle Cunningham, San Antonio Metropolitan Health Dist.
Ms. Julie Burdey, Parsons

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 110917AS-159360
 Lab Name: APPL, Inc Contract #: 2010*1286022*000
 Field Sample ID: I10-4 Lab Sample ID: AY45992 Matrix: Water
 % Solids: NA Initial Calibration ID: S110914
 Date Received: 10-Sep-11 Date Prepared: 19-Sep-11 Date Analyzed: 19-Sep-11
 Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1-DCE	0.12	1.2	0.12	1		U
CIS-1,2-DCE	0.07	1.2	0.07	1		U
TCE	0.05	1.0	1.84	1		
TETRACHLOROETHENE	0.06	1.4	4.12	1		
TRANS-1,2-DCE	0.08	0.6	0.08	1		U
VINYL CHLORIDE	0.08	1.1	0.08	1		U

Surrogate	Recovery	Control Limits	Qualifier
SURROGATE: 1,2-DICHLOROETHANE-	89.1	69-139	
SURROGATE: 4-BROMOFLUOROBENZ	96.5	75-125	
SURROGATE: DIBROMOFLUOROMETH	91.1	75-125	
SURROGATE: TOLUENE-D8 (S)	102	75-125	

Internal Std	Qualifier
1,4-DICHLOROBENZENE-D4 (IS)	
CHLOROBENZENE-D5 (IS)	
FLUOROBENZENE (IS)	

Comments:

ARF: 65633