



DEPARTMENT OF THE ARMY
CAMP STANLEY STORAGE ACTIVITY, RRAD
25800 RALPH FAIR ROAD, BOERNE, TX 78015-4800

August 26, 2005

U-298-05

Subject: Sampling of Water Well LS-5.

Camp Stanley Storage Activity (CSSA) collected groundwater samples from well LS-5 on 6/20/05. These samples were submitted to a laboratory contracted by CSSA's environmental contractor for volatile organic compound (VOC) analysis. As a tenant, this letter provides you with the VOC data from the laboratory results and a formal thank you for your assistance in this groundwater monitoring effort. A similar letter has been sent to the Korean Catholic Martyrs Church.

An abbreviated summary of analytical results compared to maximum contaminant levels (MCLs) allowed in drinking water by the U.S. EPA under the Safe Drinking Water Act is provided below:

Date Sampled	VOC Compound	Result (ppb)	MCL (ppb)
Well LS-5.			
6/20/05	Tetrachloroethene (PCE)	<0.06 (non-detect)	5
	Trichloroethene (TCE)	0.10F	5
	<i>cis</i> -1,2-Dichloroethene (DCE)	<0.07 (non-detect)	70

*The "F" qualifier indicates the value is above the laboratory method detection limit, but below the laboratory reporting limit for the compound.

Based on the analytical data, low levels of the VOC TCE were identified in water samples from your well LS-5. These values are below the MCL and do not affect the usability of your wells. Results from the laboratory analysis for the sample are provided as an attachment for the 6/22/05 event.

As part of the ongoing CSSA environmental program, we are continuing to investigate and cleanup VOC source areas on the installation and to track these compounds in groundwater on- and off-post. As part of this effort, we may contact you in the future to schedule another sampling event for the well listed above.

Again, we would like to thank you for your cooperation. We remain committed to making sure your water is safe to use and keeping you informed. If you have any questions concerning this letter, please contact me at 295-7416.

Sincerely,


Jason D. Shirley
Installation Manager

Attachments

cc: Mr. Greg Lyssy, EPA Region 6
Mr. Sonny Rayos, TCEQ Central Office
Mr. Henry Karnei, TCEQ Region 13
Ms. Kyle Cunningham, San Antonio Metropolitan Health Dist.
Ms. Julie Burdey, Parsons
Ms. Kimberly Vaughn, Parsons

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 050701AH-88849
 Lab Name: APPL, Inc Contract #: F41624-03-D-8613, TO 08
 Field Sample ID: LS-5 Lab Sample ID: AX22262 Matrix: Water
 % Solids: NA Initial Calibration ID: H050629
 Date Received: 22-Jun-05 Date Prepared: 02-Jul-05 Date Analyzed: 02-Jul-05
 Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1-DCE	0.12	1.2	0.12	1		U
Bromodichloromethane	0.06	0.8	0.06	1		U
Bromoform	0.13	1.2	0.13	1		U
Chloroform	0.06	0.3	0.06	1		U
Cis-1,2-DCE	0.07	1.2	0.07	1		U
Dibromochloromethane	0.06	0.5	0.06	1		U
Dichlorodifluoromethane	0.11	1.0	0.11	1		U
Methylene chloride	0.51	2.0	0.51	1		U
Naphthalene	0.07	0.4	0.07	1		R
TCE	0.05	1.0	0.10	1		F
Tetrachloroethene	0.06	1.4	0.06	1		U
Toluene	0.06	1.1	0.06	1		U
Trans-1,2-DCE	0.08	0.6	0.08	1		U
Vinyl chloride	0.08	1.1	0.08	1		U

Surrogate	Recovery	Control Limits	Qualifier
1,2-DCA-D4(S)	73.2	69-139	
4-Bromofluorobenzene(S)	109	75-125	
Dibromofluoromethane(S)	79.9	75-125	
Toluene-D8(S)	100	75-125	

Internal Std	Qualifier
1,4-Dichlorobenzene-D(IS)	
Chlorobenzene-D5(IS)	
Fluorobenzene(IS)	

Comments: ARF: 47820

See next page for the naphthalene results. TC 7/19/05

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RE-ANALYSIS RESULTS

①
7/18/05
8836

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 050705AN-88845
 Lab Name: APPL, Inc Contract #: F41624-03-D-8613, TO 08
 Field Sample ID: LS-5 Lab Sample ID: AX22262 Matrix: Water
 % Solids: NA Initial Calibration ID: N050630B
 Date Received: 22-Jun-05 Date Prepared: 05-Jul-05 Date Analyzed: 05-Jul-05
 Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
Naphthalene	0.07	0.4	0.07	1		U

Surrogate	Recovery	Control Limits	Qualifier
1,2-DCA-D4(S)	99.3	69-139	
4-Bromofluorobenzene(S)	93.6	75-125	
Dibromofluoromethane(S)	101	75-125	
Toluene-D8(S)	90.0	75-125	

Internal Std	Qualifier
1,4-Dichlorobenzene-D(IS)	
Chlorobenzene-D5(IS)	
Fluorobenzene(IS)	

Comments: ARF: 47820

Analysis was performed one day passing the holding time. TC 7/19/05