DEPARTMENT OF THE ARMY
CAMP STANLEY STORAGE ACTIVITY, MCAAP
25800 RALPH FAIR ROAD, BOERNE, TX 78015-4800

April 26, 2010

U-062-10

SUBJECT: Sampling of Water Wells:
OFR-1, Located at 26044 Old Fredericksburg Rd.;
OFR-4, Located at 26180 Old Fredericksburg Rd.

Camp Stanley Storage Activity (CSSA) collected groundwater samples from your wells (OFR-1 & OFR-4) on 3/3/10 and 3/5/10. These samples were submitted to a laboratory contracted by CSSA's environmental contractor for volatile organic compound (VOC) analysis. This letter provides you with the VOC data from the laboratory results and a formal thank you for your assistance in this groundwater monitoring effort.

An abbreviated summary of analytical results compared to maximum contaminant levels (MCLs) allowed in drinking water by the U.S. EPA under the Safe Drinking Water Act is provided below:

Date Sampled	VOC Compound	Result (ppb)	MCL (ppb)
Well OFR-1, located at 26044 Old Fredericksburg Rd.			
3/3/10	Tetrachloroethene (PCE)	0.31F	5
	Trichloroethene (TCE)	<0.05 (non-detect)	5
	cis-1,2-Dichloroethene (DCE)	<0.07 (non-detect)	70
Well OFR-4, located at 26180 Old Fredericksburg Rd.			
3/5/10	Tetrachloroethene (PCE)	<0.06 (non-detect)	5
	Trichloroethene (TCE)	<0.05 (non-detect)	5
	cis-1,2-Dichloroethene (DCE)	<0.07 (non-detect)	70
Well OFR-4, field duplicate			
3/5/10	Tetrachloroethene (PCE)	<0.06 (non-detect)	5
	Trichloroethene (TCE)	<0.05 (non-detect)	5
	cis-1,2-Dichloroethene (DCE)	<0.07 (non-detect)	70

*The "F" qualifier indicates the value is above the laboratory method detection limit, but below the laboratory reporting limit for the compound.

Based on the analytical data, a low level of the VOC PCE was identified in the water sample from your well OFR-1. This level is below the applicable MCL and does not

affect usability of your well. No VOCs related to CSSA's groundwater investigation were identified in the water sample from your well OFR-4. Results from the laboratory analysis are provided as an attachment for the event included in the summary table above.

As part of the ongoing CSSA environmental program, we are continuing to investigate and cleanup VOC source areas on the installation and to track these compounds in groundwater on- and off-post. As part of this effort, we will contact you in June 2010 to collect another sample from your well OFR-1. Well OFR-4 is sampled annually and will be sampled again in March 2011.

Again, we would like to thank you for your cooperation. We remain committed to making sure your water is safe to use and keeping you informed. If you have any questions concerning this letter, please contact Glare Sanchez, Environmental Program Manager, at (210) 698-5208.

Sincerely,

Jason D. Shirley
Installation Manager

Enclosure

cc: Mr. Greg Lyssy, EPA Region 6
Mr. Sonny Rayos, TCEQ Central Office
Mr. Henry Karnei, TCEQ Region 13
Ms. Kyle Cunningham, San Antonio Metropolitan Health Dist.
Ms. Julie Burdey, Parsons

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 100305AM-141253
Lab Name: APPL, Inc Contract #: W9126G07D00280011
Field Sample ID: OFR-1 Lab Sample ID: AY12281 Matrix: Water
% Solids: NA Initial Calibration ID: M100305
Date Received: 05-Mar-10 Date Prepared: 06-Mar-10 Date Analyzed: 06-Mar-10
Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1-DCE	0.12	1.2	0.12	1		U
Cis-1,2-DCE	0.07	1.2	0.07	1		U
TCE	0.05	1.0	0.05	1		U
Tetrachloroethene	0.06	1.4	0.31	1		F
Trans-1,2-DCE	0.08	0.6	0.08	1		U
Vinyl chloride	0.08	1.1	0.08	1		U

Surrogate	Recovery	Control Limits	Qualifier
Surrogate: 1,2-Dichloroethane-d4 (S)	102	69-139	
Surrogate: 4-Bromofluorobenzene (S)	99.5	75-125	
Surrogate: Dibromofluoromethane (S)	97.9	75-125	
Surrogate: Toluene-D8 (S)	97.2	75-125	

Internal Std	Qualifier
1,4-Dichlorobenzene-D4 (IS)	
Chlorobenzene-D5 (IS)	
Fluorobenzene (IS)	

Comments:

ARF: 61071

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 100310BM-141423
Lab Name: APPL, Inc Contract #: W9126G07D00280050
Field Sample ID: OFR-4 FD Lab Sample ID: AY12559 Matrix: Water
% Solids: NA Initial Calibration ID: M100305
Date Received: 10-Mar-10 Date Prepared: 11-Mar-10 Date Analyzed: 11-Mar-10
Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1-DCE	0.12	1.2	0.12	1		U
Cis-1,2-DCE	0.07	1.2	0.07	1		U
TCE	0.05	1.0	0.05	1		U
Tetrachloroethene	0.06	1.4	0.06	1		U
Trans-1,2-DCE	0.08	0.6	0.08	1		U
Vinyl chloride	0.08	1.1	0.08	1		U

Surrogate	Recovery	Control Limits	Qualifier
Surrogate: 1,2-Dichloroethane-d4 (S)	88.3	69-139	
Surrogate: 4-Bromofluorobenzene (S)	97.8	75-125	
Surrogate: Dibromofluoromethane (S)	87.5	75-125	
Surrogate: Toluene-D8 (S)	94.7	75-125	

Internal Std	Qualifier
1,4-Dichlorobenzene-D4 (IS)	
Chlorobenzene-D5 (IS)	
Fluorobenzene (IS)	

Comments:

ARF: 61110

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 100310BM-141423
Lab Name: APPL, Inc Contract #: W9126G07D00280050
Field Sample ID: OFR-4 Lab Sample ID: AY12560 Matrix: Water
% Solids: NA Initial Calibration ID: M100305
Date Received: 10-Mar-10 Date Prepared: 11-Mar-10 Date Analyzed: 11-Mar-10
Concentration Units: ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1-DCE	0.12	1.2	0.12	1		U
Cis-1,2-DCE	0.07	1.2	0.07	1		U
TCE	0.05	1.0	0.05	1		U
Tetrachloroethene	0.06	1.4	0.06	1		U
Trans-1,2-DCE	0.08	0.6	0.08	1		U
Vinyl chloride	0.08	1.1	0.08	1		U

Surrogate	Recovery	Control Limits	Qualifier
Surrogate: 1,2-Dichloroethane-d4 (S)	93.1	69-139	
Surrogate: 4-Bromofluorobenzene (S)	100	75-125	
Surrogate: Dibromofluoromethane (S)	90.4	75-125	
Surrogate: Toluene-D8 (S)	95.6	75-125	

Internal Std	Qualifier
1,4-Dichlorobenzene-D4 (IS)	
Chlorobenzene-D5 (IS)	
Fluorobenzene (IS)	

Comments:

ARF: 61110