



DEPARTMENT OF THE ARMY
CAMP STANLEY STORAGE ACTIVITY, MCAAP
25800 RALPH FAIR ROAD, BOERNE, TX 78015-4800

February 7, 2013

U-046-13

[REDACTED]
[REDACTED]
Boerne, TX 78006

SUBJECT: Sampling of Water Well I10-8, Located at 25930 IH-10 West

Dear [REDACTED]:


Camp Stanley Storage Activity (CSSA) collected a groundwater sample from your well (I10-8) on 12/5/12. This sample was submitted to a laboratory contracted by CSSA's environmental contractor for volatile organic compound (VOC) analysis. This letter provides you with the VOC data from the laboratory results and a formal thank you for your assistance in this groundwater monitoring effort.

Based on the analytical data, no VOCs related to CSSA's groundwater investigation were identified in the water sample from your well. Results from the laboratory analysis are provided as an attachment for the above sampling event.

As part of the ongoing CSSA environmental program, we are continuing to investigate and cleanup VOC source areas on the installation and to track these compounds in groundwater on- and off-post. As part of this effort, your well is scheduled to be sampled again in September 2013.

Again, we would like to thank you for your cooperation. We remain committed to making sure your water is safe to use and keeping you informed. If you have any questions concerning this letter, please contact Gabriel Moreno-Fergusson, Environmental Program Manager, at (210) 295-7014.

Sincerely,


Jason D. Shirley
Installation Manager

Enclosure

cc: Mr. Greg Lyssy, EPA Region 6
Mr. Kirk Coulter, TCEQ Central Office
Mr. Jorge Salazar, TCEQ Region 13
Ms. Kyle Cunningham, San Antonio Metropolitan Health Dist.
Ms. Julie Burdey, Parsons

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: EPA 8260B Preparatory Method: 5030B AAB #: 121211AM-173586
 Lab Name: APPL, Inc Contract #: *G012
 Field Sample ID: I10-8 Lab Sample ID: AY72671 Matrix: Water
 % Solids: NA Initial Calibration ID: M121206
 Date Received: 07-Dec-12 Date Prepared: 11-Dec-12 Date Analyzed: 11-Dec-12
 Concentration Units: ug/L

| Analyte | MDL | RL | Concentration | Dilution | Confirm | Qualifier |
|-------------------|------|-----|---------------|----------|---------|-----------|
| 1,1-DCE | 0.12 | 1.2 | 0.12 | 1 | | U |
| CIS-1,2-DCE | 0.07 | 1.2 | 0.07 | 1 | | U |
| TCE | 0.05 | 1.0 | 0.05 | 1 | | U |
| TETRACHLOROETHENE | 0.06 | 1.4 | 0.06 | 1 | | U |
| TRANS-1,2-DCE | 0.08 | 0.6 | 0.08 | 1 | | U |
| VINYL CHLORIDE | 0.08 | 1.1 | 0.08 | 1 | | U |

| Surrogate | Recovery | Control Limits | Qualifier |
|--------------------------------|----------|----------------|-----------|
| SURROGATE: 1,2-DICHLOROETHANE- | 92.7 | 69-139 | |
| SURROGATE: 4-BROMOFLUOROBENZ | 99.9 | 75-125 | |
| SURROGATE: DIBROMOFLUOROMETH | 93.3 | 75-125 | |
| SURROGATE: TOLUENE-D8 (S) | 98.8 | 75-125 | |

| Internal Std | Qualifier |
|-----------------------------|-----------|
| 1,4-DICHLOROBENZENE-D4 (IS) | |
| CHLOROBENZENE-D5 (IS) | |
| FLUOROBENZENE (IS) | |

Comments:

ARF: 69467