

**Summary of Historical Detections by Well
1999 through August 2003**

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
AOC65-MW1-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	04/12/2001	0.270 F	04/12/2001	0.270 F	1	80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	04/12/2001	1.70	04/12/2001	1.70	1	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	04/12/2001	11.0	04/12/2001	11.0	1	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	04/12/2001	17.0	04/12/2001	17.0	1	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	04/12/2001	45.9	04/12/2001	45.9	1	200
	Chromium	SW6010	10	04/12/2001	7.00 F	04/12/2001	7.00 F	1	100
	Copper		10						1300
	Nickel	SW6010		04/12/2001	20.0	04/12/2001	20.0	1	100
	Zinc	SW6010	10	04/12/2001	57.0	04/12/2001	57.0	1	
	Arsenic		30						50
	Cadmium		1						5
	Lead	SW6020 or SW7421	5	04/12/2001	1.10 F	04/12/2001	1.10 F	1	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-1									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane	SW8260	0.8	03/19/2003	2.60	03/19/2003	2.60	1	80 ⁵
	Bromoform	SW8260	1	03/19/2003	3.40	03/19/2003	3.40	1	80 ⁵
	Chloroform	SW8260	0.3	03/19/2003	1.80	06/17/2002	0.0760 F	8	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane	SW8260	0.5	03/19/2003	3.70	03/19/2003	3.70	1	80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/19/2003	1.20 F	09/09/1999	0.210 F	4	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	12/14/1999	0.170 F	03/19/2003	0.0800 F	9	5
	Toluene	SW8260	1.1	03/19/2003	3.70 B	03/19/2002	0.240 F	3	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	12/12/2000	1.20	03/19/2003	0.150 F	16	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	06/12/2001	37.7	03/20/2000	27.8	16	200
	Chromium	SW6010	10	09/13/2000	6.00 F	09/09/1999	2.00 F	8	100
	Copper	SW6010	10	12/10/2002	22.0	06/14/2000	2.00 F	15	1300
	Nickel	SW6010		12/11/2001	3.00 F	03/19/2001	1.40 F	6	100
	Zinc	SW6010	10	12/12/2000	1780	06/12/2001	265	15	
	Arsenic	SW6020 or SW7060	30	09/13/2000	2.00 F	03/19/2003	0.430 F	9	50
	Cadmium	SW6010	1	12/12/2000	15.4 J	06/17/2002	0.0270 F	4	5
	Lead	SW6020 or SW7421	5	09/13/2000	85.1 J	09/09/1999	1.70 F	16	15
	Mercury	SW7470	1	09/17/2001	0.200 F	09/17/2001	0.200 F	1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-10									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	12/10/2002	0.560	06/17/2002	0.0530 F	12	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/19/2002	0.460 F	09/10/1999	0.120 F	4	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/19/2001	0.110 F	09/10/2002	0.0860 F	4	5
	Toluene	SW8260	1.1	03/19/2003	4.60 B	03/19/2003	1.60 B	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	06/12/2001	40.6	06/17/2002	34.9	15	200
	Chromium	SW6010	10	09/13/2000	6.00 F	03/19/2003	0.740	9	100
	Copper	SW6010	10	06/12/2001	9.00 F	09/10/2002	1.40 F	13	1300
	Nickel	SW6010		09/17/2001	9.00 F	03/19/2001	1.30 F	10	100
	Zinc	SW6010	10	06/17/2002	125 J	06/13/2000	14.0	15	
	Arsenic	SW6020 or SW7060	30	03/20/2000	1.90 F	12/10/2002	0.530 F	5	50
	Cadmium	SW6010	1	09/17/2001	0.200 F	12/10/2002	0.0260 F	5	5
	Lead	SW6020 or SW7421	5	09/17/2001	3.20 F	09/10/2002	0.480 F	9	15
	Mercury	SW7470	1	09/17/2001	0.200 F	09/17/2001	0.200 F	1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-11									
	Dichloroethene, 1,1-	SW8260	1.2	09/10/2002	0.0320 F	09/10/2002	0.0320 F	1	70
	Bromodichloromethane	SW8260	0.8	09/10/1999	0.233 F	09/10/1999	0.215 F	2	80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	09/10/1999	52.6 R	06/17/2002	0.130 F	7	80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/19/2001	0.380 F	12/11/2001	0.300 F	2	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/10/1999	0.830 F	09/10/1999	0.680 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	06/14/2000	0.410 F	03/14/2002	0.0620 F	3	5
	Toluene	SW8260	1.1	03/19/2003	2.30	03/19/2003	2.30	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	03/19/2001	0.200 F	03/19/2001	0.200 F	1	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/10/1999	64.0	03/19/2001	33.4	10	200
	Chromium	SW6010	10	09/13/2000	5.00 F	03/19/2001	2.00 F	7	100
	Copper	SW6010	10	06/14/2000	F	12/15/1999	2.00 F	9	1300
	Nickel	SW6010		09/10/1999	4.00 F	12/12/2000	1.60 F	4	100
	Zinc	SW6010	10	06/17/2002	5800	06/14/2000	422	10	
	Arsenic	SW6020 or SW7060	30	03/20/2000	0.800 F	03/14/2002	0.500 F	3	50
	Cadmium	SW6010	1	03/14/2002	0.0620 F	03/14/2002	0.0620 F	1	5
	Lead	SW6020 or SW7421	5	12/12/2000	21.5 J	06/14/2000	2.60 F	9	15
	Mercury	SW7470	1	09/13/2000	0.120 F	09/13/2000	0.120 F	1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-16									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	09/15/2000	0.120 F	09/15/2000	0.120 F	1	70
	Bromoform		0.8						80 ⁵
	Chloroform	SW8260	1						80 ⁵
	cis-1,2-Dichloroethene	SW8260	0.3	12/14/1999	1.32 F	06/18/2002	0.0960 F	12	80 ⁵
	Dibromochloromethane	SW8260	1.2	12/13/2000	245 R	03/14/2002	22.0	24	70
	Dichlorodifluoromethane		0.5						80 ⁵
	Methylene chloride	SW8260	1						
	Naphthalene		0.3	12/14/1999	9.60 F	12/14/1999	9.60 F	1	5
	Tetrachloroethene	SW8260	0.4						
	Toluene		1.4	09/15/2000	361 R	03/14/2002	28.0	24	5
	trans-1,2-Dichloroethene	SW8260	1.1						1000
	Trichloroethene	SW8260	0.6	12/14/1999	9.59	03/14/2002	0.0520 F	18	100
	Vinyl chloride	SW8260	1	09/15/2000	369 R	03/14/2002	26.0	24	5
	Barium	SW6010	1.1						2
	Chromium	SW6010	5	06/13/2001	39.7	06/13/2000	29.8	13	200
	Copper	SW6010	10	12/14/1999	6.00 F	09/13/2001	2.00 F	9	100
	Nickel	SW6010	10	06/13/2001	5.00 F	12/13/2000	1.00 F	3	1300
	Zinc	SW6010		09/14/1999	216	12/13/2000	1.70 F	2	100
	Arsenic	SW6010	10	03/14/2002	779	09/12/2000	5.00 F	13	
	Cadmium	SW6020 or SW7060	30	06/18/2002	0.670 F	03/14/2002	0.330 F	3	50
	Lead	SW6010	1	06/13/2001	0.200 F	06/18/2002	0.0280 F	2	5
	Mercury	SW6020 or SW7421	5	09/13/2001	1.90 F	06/18/2002	0.370 F	4	15
		SW7470	1	09/12/2000	0.200 F	09/12/2000	0.200 F	1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-2									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	03/20/2003	0.120 F	12/16/2002	0.110 F	2	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/16/2002	0.340 F	12/16/2002	0.340 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	09/07/1999	1.12 F	09/10/2002	0.0730 F	7	5
	Toluene	SW8260	1.1	03/20/2003	8.70 J	03/20/2003	8.70 J	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	12/14/2001	0.170 F	12/14/2001	0.170 F	1	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/07/1999	40.1	12/14/2001	31.8	20	200
	Chromium	SW6010	10	06/18/2002	39.0 J	06/13/2001	2.00 F	19	100
	Copper	SW6010	10	06/13/2001	4.00 F	12/13/2000	0.500 U	9	1300
	Nickel	SW6010		12/13/2000	23.4 J	09/12/2000	2.00 F	17	100
	Zinc	SW6010	10	09/13/2000	1320	12/13/2000	2.90 F	18	
	Arsenic	SW6020 or SW7060	30	06/18/2002	0.970 F	03/14/2002	0.590 F	4	50
	Cadmium	SW6010	1	06/18/2002	0.0320 F	06/18/2002	0.0290 F	2	5
	Lead	SW6020 or SW7421	5	09/13/2000	14.2 J	03/14/2002	0.730 F	6	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-3									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	12/16/1999	0.990 F	12/16/1999	0.990 F	1	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	12/16/1999	26.5	12/16/1999	26.5	1	200
	Chromium	SW6010	10	12/16/1999	5.00 F	12/16/1999	5.00 F	1	100
	Copper	SW6010	10	12/16/1999	4.00 F	12/16/1999	4.00 F	1	1300
	Nickel	SW6010		12/16/1999	2.00 F	12/16/1999	2.00 F	1	100
	Zinc	SW6010	10	12/16/1999	13.0	12/16/1999	13.0	1	
	Arsenic		30						50
	Cadmium		1						5
	Lead		5						15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-4									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Vinyl chloride		1.1						2
	Chromium		10						100
	Nickel								100
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-9									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/19/2003	0.360 F	09/08/1999	0.170 F	4	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/19/2001	0.110 F	03/19/2003	0.0550 F	2	5
	Toluene	SW8260	1.1	03/19/2003	3.00 B	03/19/2003	2.50 B	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	12/10/2002	39.0	12/13/1999	33.1	14	200
	Chromium	SW6010	10	12/13/1999	6.00 F	03/19/2001	3.00 F	6	100
	Copper	SW6010	10	06/17/2002	13.8	09/10/2002	2.60 F	13	1300
	Nickel	SW6010		03/19/2002	3.00 F	09/08/1999	1.00 F	5	100
	Zinc	SW6010	10	03/20/2000	717	03/19/2002	87.0 J	14	
	Arsenic	SW6020 or SW7060	30	06/17/2002	1.10 F	12/10/2002	0.340 F	4	50
	Cadmium	SW6010	1	09/17/2001	0.300 F	09/10/2002	0.0320 F	4	5
	Lead	SW6020 or SW7421	5	06/17/2002	10.9	09/10/2002	0.650 F	14	15
	Mercury	SW7470	1	06/17/2002	1.30	09/17/2001	0.200 F	2	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-D									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	09/09/2002	0.120 F	03/20/2003	0.0610 F	5	70
	Bromoform		0.8						80 ⁵
	Chloroform	SW8260	1						80 ⁵
	cis-1,2-Dichloroethene	SW8260	0.3	03/20/2003	0.210 F	06/18/2002	0.100 F	11	80 ⁵
	Dibromochloromethane	SW8260	1.2	03/20/2003	250	03/20/2001	61.7 R	25	70
	Dichlorodifluoromethane		0.5						80 ⁵
	Methylene chloride	SW8260	1						
	Naphthalene		0.3	03/14/2002	4.90 R	12/14/2001	0.770 F	3	5
	Tetrachloroethene	SW8260	0.4						
	Tetrachloroethene	SW8260	1.4	03/20/2003	180	03/20/2001	50.5 R	25	5
	Toluene	SW8260	1.4	09/09/2002	180 R	03/20/2001	50.5 R	25	5
	trans-1,2-Dichloroethene	SW8260	1.1	03/20/2003	2.90 R	03/20/2003	1.30 J	4	1000
	Trichloroethene	SW8260	0.6	03/20/2003	12.0 J	12/14/2001	0.430 F	21	100
	Vinyl chloride	SW8260	1	03/20/2003	260	03/20/2001	68.7 R	25	5
	Barium	SW8260	1.1	03/20/2003	0.0300	03/20/2003	0.0300	1	2
	Chromium	SW6010	5	03/14/2002	30.4	06/18/2002	27.3	8	200
	Copper	SW6010	10	03/20/2001	4.00 F	03/20/2001	4.00 F	2	100
	Nickel	SW6010	10	06/13/2001	6.00 F	03/20/2001	1.00 F	2	1300
	Zinc	SW6010		12/14/2001	9.00 F	03/20/2001	1.60 F	5	100
	Arsenic	SW6010	10	12/14/2001	79.0	12/13/2000	13.1	8	
	Cadmium	SW6020 or SW7060	30	06/18/2002	0.460 F	03/14/2002	0.290 F	2	50
	Lead	SW6010	1	06/13/2001	0.700 F	06/18/2002	0.110 F	3	5
	Mercury	SW6020 or SW7421	5	06/18/2002	4.40	12/13/2000	0.600 F	6	15
			1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-G									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/18/2001	0.400 F	03/13/2002	0.240 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/17/2003	0.330 R	09/11/2002	0.0600	3	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/08/1999	32.0	06/19/2002	20.6	7	200
	Chromium	SW6010	10	09/08/1999	3.00 F	09/12/2001	2.00 F	2	100
	Copper	SW6010	10	09/12/2001	20.0	03/13/2002	5.60 F	3	1300
	Nickel	SW6010		09/08/1999	2.00 F	09/08/1999	2.00 F	1	100
	Zinc	SW6010	10	09/08/1999	4850	09/11/2002	9.50 F	7	
	Arsenic	SW6020 or SW7060	30	09/12/2001	0.900 F	09/11/2002	0.320 F	4	50
	Cadmium	SW6010	1	09/08/1999	1.70	06/19/2002	0.0380 F	4	5
	Lead	SW6020 or SW7421	5	09/12/2001	36.9	12/18/2001	1.50 F	5	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-H									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform	SW8260	1	03/17/2003	0.100	03/17/2003	0.100	1	80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane	SW8260	0.5	03/17/2003	0.0300	03/17/2003	0.0300	1	80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	06/19/2002	0.230 F	03/13/2002	0.200 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/17/2003	4.00 B	06/12/2001	0.310 F	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	06/12/2001	34.3	12/18/2001	19.1	6	200
	Chromium	SW6010	10	03/17/2003	8.10 F	09/12/2001	2.00 F	4	100
	Copper	SW6010	10	09/12/2001	28.0	06/19/2002	9.20 F	3	1300
	Nickel	SW6010		03/17/2003	17.0	06/12/2001	2.00 F	2	100
	Zinc	SW6010	10	09/12/2001	813	03/13/2002	83.9 J	6	
	Arsenic	SW6020 or SW7060	30	09/12/2001	1.20 F	03/17/2003	0.370 F	4	50
	Cadmium	SW6010	1	09/12/2001	1.00	03/17/2003	0.0300 F	5	5
	Lead	SW6020 or SW7421	5	09/12/2001	47.0 J	03/17/2003	3.00	6	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-I									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/13/2002	0.230 F	03/13/2002	0.230 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	03/13/2002	161 J	09/12/2001	103 J	11	200
	Chromium	SW6010	10	03/13/2002	9.10 F	06/12/2001	2.00 F	9	100
	Copper	SW6010	10	03/13/2002	57.2	03/20/2001	1.00 F	10	1300
	Nickel	SW6010		03/13/2002	6.90 F	12/12/2000	1.50 F	10	100
	Zinc	SW6010	10	06/12/2001	3470000	03/21/2000	1510	14	
	Arsenic	SW6020 or SW7060	30	03/13/2002	1.90 F	03/21/2000	0.600 F	2	50
	Cadmium	SW6010	1	12/17/2001	0.300 F	03/13/2002	0.220 F	2	5
	Lead	SW6020 or SW7421	5	03/13/2002	87.0	12/12/2000	2.00 F	6	15
	Mercury	SW7470	1	03/13/2002	0.660 F	12/17/2001	0.200 F	3	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW10-CC									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/12/2002	0.510 F	03/12/2002	0.510 F	1	5
	Naphthalene	SW8260	0.4	03/20/2003	0.230 F	03/20/2003	0.230 F	1	
	Tetrachloroethene	SW8260	1.4	09/13/2002	0.0580 F	09/13/2002	0.0580 F	1	5
	Toluene	SW8260	1.1	03/20/2003	2.10 J	03/20/2003	2.10 J	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/26/2001	77.3 J	06/18/2002	24.3	4	200
	Chromium	SW6010	10	09/26/2001	7.00 F	09/26/2001	7.00 F	1	100
	Copper	SW6010	10	09/26/2001		09/26/2001		1	1300
	Nickel	SW6010		09/26/2001	26.0	03/12/2002	5.80 F	3	100
	Zinc	SW6010	10	12/13/2001	60.0	06/18/2002	7.00 F	4	
	Arsenic	SW6020 or SW7060	30	12/13/2001	5.80	06/18/2002	3.30 F	3	50
	Cadmium	SW6010	1	06/18/2002	0.0340 F	06/18/2002	0.0340 F	1	5
	Lead	SW6020 or SW7421	5	09/26/2001	4.80 F	12/13/2001	1.60 F	2	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW10-LGR									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	03/20/2003	0.0520 F	03/20/2003	0.0520 F	1	70
	Bromoform		0.8						80 ⁵
	Chloroform	SW8260	1						80 ⁵
	cis-1,2-Dichloroethene		0.3	03/20/2003	0.130 F	12/13/2001	0.100 F	8	80 ⁵
	Dibromochloromethane		1.2						70
	Dichlorodifluoromethane		0.5						80 ⁵
	Methylene chloride	SW8260	1						
	Naphthalene		0.3	03/12/2002	0.490 F	03/12/2002	0.490 F	1	5
	Tetrachloroethene	SW8260	0.4						
	Toluene	SW8260	1.4	09/26/2001	2.80	03/20/2003	2.10	8	5
	trans-1,2-Dichloroethene		1.1	03/20/2003	2.60 J	03/20/2003	2.60 J	1	1000
	Trichloroethene	SW8260	0.6						100
	Vinyl chloride		1	03/12/2002	0.720 F	09/26/2001	0.480 F	8	5
	Barium	SW6010	1.1						2
	Chromium	SW6010	5	09/26/2001	58.2 J	03/12/2002	25.8 J	4	200
	Copper	SW6010	10	09/26/2001	3.00 F	09/26/2001	3.00 F	1	100
	Nickel	SW6010	10	12/13/2001	14.0	09/26/2001	9.00 F	2	1300
	Zinc	SW6010		09/26/2001	13.0	09/26/2001	13.0	1	100
	Arsenic	SW6020 or SW7060	10	09/26/2001	79.0	06/18/2002	5.00 F	4	
	Cadmium		30	09/26/2001	1.70 F	03/12/2002	0.620 F	3	50
	Lead	SW6020 or SW7421	1						5
	Mercury		5	12/13/2001	2.20 F	09/26/2001	1.80 F	2	15
			1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW11A-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Chromium		10						100
	Nickel								100
	Cadmium		1						5
	Lead		5						15

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW11B-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Chromium		10						100
	Nickel								100
	Cadmium		1						5

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW12-BS									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	03/21/2003	0.0320 F	03/21/2003	0.0320 F	1	70
	Bromoform		0.8						80 ⁵
	Chloroform		1						80 ⁵
	cis-1,2-Dichloroethene		0.3						80 ⁵
	Dibromochloromethane		1.2						70
	Dichlorodifluoromethane		0.5						80 ⁵
	Methylene chloride		1						
	Naphthalene	SW8260	0.3						5
	Tetrachloroethene		0.4	03/21/2003	0.310 F	03/21/2003	0.310 F	1	
	Toluene	SW8260	1.4						5
	trans-1,2-Dichloroethene		1.1	03/21/2003	2.80 J	12/16/2002	0.220 F	2	1000
	Trichloroethene		0.6						100
	Vinyl chloride	SW8260	1						5
	Barium	SW6010	1.1	03/21/2003	0.0960 F	03/21/2003	0.0960 F	1	2
	Chromium		5	12/16/2002	6.90	12/16/2002	6.90	1	200
	Copper		10						100
	Nickel	SW6010	10	12/16/2002	11.0	12/16/2002	11.0	1	1300
	Zinc	SW6010	10	12/16/2002	12.0	12/16/2002	12.0	1	100
	Arsenic	SW6020 or SW7060	30	12/16/2002	1.30 F	12/16/2002	1.30 F	1	50
	Cadmium	SW6010	1	12/16/2002	0.0450 F	12/16/2002	0.0450 F	1	5
	Lead		5						15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW12-CC									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/21/2003	3.30 J	12/16/2002	0.240 F	3	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	12/16/2002	97.0	12/16/2002	95.0	2	200
	Chromium	SW6010	10	12/16/2002	1.10 F	12/16/2002	1.00 F	2	100
	Copper		10						1300
	Nickel	SW6010		12/16/2002	23.0	12/16/2002	22.0	2	100
	Zinc	SW6010	10	12/16/2002	18.0	12/16/2002	17.0	2	
	Arsenic	SW6020 or SW7060	30	12/16/2002	11.0	12/16/2002	11.0	2	50
	Cadmium	SW6010	1	12/16/2002	0.0790 F	12/16/2002	0.0760 F	2	5
	Lead	SW6020 or SW7421	5	12/16/2002	0.370 F	12/16/2002	0.350 F	2	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW12-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/21/2003	1.40 J	03/21/2003	1.40 J	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	12/16/2002	32.0	12/16/2002	32.0	1	200
	Chromium	SW6010	10	12/16/2002	1.30 F	12/16/2002	1.30 F	1	100
	Copper		10						1300
	Nickel	SW6010		12/16/2002	2.90 F	12/16/2002	2.90 F	1	100
	Zinc	SW6010	10	12/16/2002	96.0	12/16/2002	96.0	1	
	Arsenic	SW6020 or SW7060	30	12/16/2002	0.710 F	12/16/2002	0.710 F	1	50
	Cadmium		1						5
	Lead		5						15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW16-LGR									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	03/21/2003	0.0520 F	03/21/2003	0.0380 F	3	70
	Bromoform		0.8						80 ⁵
	Chloroform	SW8260	1						80 ⁵
	Chloroform	SW8260	0.3	03/21/2003	0.110 F	09/09/2002	0.0710 F	4	80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/21/2003	110	09/09/2002	59.0	8	70
	cis-1,2-Dichloroethene	SW8260	1.2	03/21/2003	110 R	09/09/2002	59.0	8	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/12/2002	1.00 R	12/12/2002	0.320 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/21/2003	97.0 R	09/09/2002	51.0 R	8	5
	Toluene	SW8260	1.1	03/21/2003	7.20 R	09/09/2002	0.450 F	6	1000
	trans-1,2-Dichloroethene	SW8260	0.6	03/21/2003	3.40	09/09/2002	0.200 R	8	100
	Trichloroethene	SW8260	1	12/12/2002	120	09/09/2002	61.0	8	5
	Trichloroethene	SW8260	1	03/21/2003	120 R	09/09/2002	61.0	8	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/09/2002	35.0	09/09/2002	35.0	1	200
	Chromium	SW6010	10	09/09/2002	0.850 F	09/09/2002	0.850 F	1	100
	Copper	SW6010	10	09/09/2002	5.90 F	09/09/2002	5.90 F	1	1300
	Nickel	SW6010		09/09/2002	2.30 F	09/09/2002	2.30 F	1	100
	Zinc	SW6010	10	09/09/2002	260	09/09/2002	260	1	
	Arsenic	SW6020 or SW7060	30	09/09/2002	0.330 F	09/09/2002	0.330 F	1	50
	Cadmium	SW6010	1	09/09/2002	0.100 F	09/09/2002	0.100 F	1	5
	Lead	SW6020 or SW7421	5	09/09/2002	0.250 F	09/09/2002	0.250 F	1	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW17-LGR									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	09/12/2002	0.0550 F	09/12/2002	0.0550 F	1	70
	Bromoform		0.8						80 ⁵
	Chloroform		1						80 ⁵
	cis-1,2-Dichloroethene		0.3						80 ⁵
	Dibromochloromethane		1.2						70
	Dichlorodifluoromethane		0.5						80 ⁵
	Methylene chloride	SW8260	1						
	Naphthalene		0.3	12/11/2002	0.570 F	03/21/2003	0.250 F	2	5
	Tetrachloroethene	SW8260	0.4						
	Toluene	SW8260	1.4	03/21/2003	0.230 F	09/12/2002	0.0830 F	3	5
	trans-1,2-Dichloroethene		1.1	03/21/2003	3.60 J	09/12/2002	0.140 F	2	1000
	Trichloroethene		0.6						100
	Vinyl chloride		1						5
	Barium	SW6010	1.1						2
	Chromium	SW6010	5	09/12/2002	37.0	09/12/2002	37.0	1	200
	Copper	SW6010	10	09/12/2002	4.30 F	09/12/2002	4.30 F	1	100
	Nickel	SW6010	10	09/12/2002	2.90 F	09/12/2002	2.90 F	1	1300
	Zinc	SW6010		09/12/2002	150	09/12/2002	150	1	100
	Arsenic	SW6020 or SW7060	10	09/12/2002	270	09/12/2002	270	1	
	Cadmium	SW6010	30	09/12/2002	0.570 F	09/12/2002	0.570 F	1	50
	Lead	SW6010	1	09/12/2002	0.0230 F	09/12/2002	0.0230 F	1	5
	Mercury	SW6020 or SW7421	5	09/12/2002	0.960 F	09/12/2002	0.960 F	1	15
			1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW18-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/18/2003	3.60 B	09/12/2002	0.750 F	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	03/18/2003	0.0970 F	03/18/2003	0.0970 F	1	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/12/2002	39.0	09/12/2002	39.0	1	200
	Chromium		10						100
	Copper	SW6010	10	09/12/2002	4.50 F	09/12/2002	4.50 F	1	1300
	Nickel	SW6010		09/12/2002	15.0	09/12/2002	15.0	1	100
	Zinc	SW6010	10	09/12/2002	44.0	09/12/2002	44.0	1	
	Arsenic	SW6020 or SW7060	30	09/12/2002	0.620 F	09/12/2002	0.620 F	1	50
	Cadmium		1						5
	Lead		5						15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW19-LGR									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	03/20/2003	0.0320 F	03/20/2003	0.0320 F	1	70
	Bromoform		0.8						80 ⁵
	Chloroform		1						80 ⁵
	cis-1,2-Dichloroethene		0.3						80 ⁵
	Dibromochloromethane		1.2						70
	Dichlorodifluoromethane		0.5						80 ⁵
	Methylene chloride	SW8260	1						
	Naphthalene		0.3	12/16/2002	3.30	09/12/2002	0.610 F	3	5
	Tetrachloroethene	SW8260	0.4						
	Toluene	SW8260	1.4	09/12/2002	0.280 F	12/16/2002	0.140 F	3	5
	trans-1,2-Dichloroethene	SW8260	1.1	03/20/2003	4.40 J	09/12/2002	0.220 F	2	1000
	Trichloroethene		0.6						100
	Vinyl chloride	SW8260	1						5
	Barium	SW6010	1.1	03/20/2003	0.0530 F	03/20/2003	0.0530 F	1	2
	Chromium	SW6010	5	09/12/2002	38.0	09/12/2002	38.0	1	200
	Copper	SW6010	10						100
	Nickel	SW6010	10	09/12/2002	8.60 F	09/12/2002	8.60 F	1	1300
	Zinc	SW6010	10	09/12/2002	11.0	09/12/2002	11.0	1	100
	Arsenic	SW6020 or SW7060	10	09/12/2002	390	09/12/2002	390	1	
	Cadmium	SW6010	30	09/12/2002	0.510 F	09/12/2002	0.510 F	1	50
	Lead	SW6010	1	09/12/2002	0.0280 F	09/12/2002	0.0280 F	1	5
	Mercury	SW6020 or SW7421	5	09/12/2002	0.190 F	09/12/2002	0.190 F	1	15
			1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW1-BS									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	trans-1,2-Dichloroethene		0.6						100
	Cadmium		1						5

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW1-CC									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Chromium		10						100
	Nickel								100
	Cadmium		1						5
	Lead		5						15

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW1-LGR									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	09/10/2002	0.0450 F	09/10/2002	0.0450 F	1	70
	Bromoform		0.8						80 ⁵
	Chloroform	SW8260	1						80 ⁵
	cis-1,2-Dichloroethene	SW8260	0.3	03/20/2003	0.0910 F	12/12/2001	0.0700 F	4	80 ⁵
	Dibromochloromethane	SW8260	1.2	09/13/2001	29.0	03/25/2003	1.30	18	70
	Dichlorodifluoromethane		0.5						80 ⁵
	Methylene chloride	SW8260	1						
	Naphthalene		0.3	12/16/2002	0.300 F	12/16/2002	0.300 F	1	5
	Tetrachloroethene	SW8260	0.4						
	Toluene	SW8260	1.4	09/18/2000	25.4	03/25/2003	0.190 F	17	5
	trans-1,2-Dichloroethene	SW8260	1.1	11/10/2002	40.4	03/25/2003	0.540 F	5	1000
	Trichloroethene	SW8260	0.6	03/20/2001	2.55	03/21/2000	0.150 F	13	100
	Vinyl chloride	SW8260	1	12/12/2001	32.3	03/25/2003	0.240 F	17	5
	Barium	SW8260	1.1	03/20/2003	0.0320 F	03/20/2003	0.0320 F	1	2
	Chromium	SW6010	5	09/10/2002	36.0	06/12/2000	25.5	15	200
	Copper	SW6010	10	06/12/2000	6.00 F	03/25/2003	1.00 F	10	100
	Nickel	SW6010	10	06/13/2001	5.00 F	09/12/2000	1.00 F	7	1300
	Zinc	SW6010	10	03/21/2000	6.00 F	09/13/2001	2.00 F	10	100
	Arsenic	SW6010	10	09/10/2002	81.0	03/20/2001	3.30 F	14	
	Cadmium	SW6020 or SW7060	30	03/25/2003	1.60 F	12/13/2000	0.600 F	11	50
	Lead	SW6010	1	09/12/2000	0.600 F	03/25/2003	0.0250 F	3	5
	Mercury	SW6020 or SW7421	5	09/10/2002	0.400 F	09/10/2002	0.400 F	1	15
			1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW2-CC									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Chromium		10						100
	Nickel								100
	Cadmium		1						5
	Lead		5						15

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW2-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/20/2001	4.63	09/10/2002	1.10 F	21	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/09/1999	0.130 F	09/09/1999	0.120 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	12/13/1999	14.0	12/13/2002	2.10	21	5
	Toluene	SW8260	1.1	03/20/2003	5.70 J	09/10/2002	0.0710 F	3	1000
	trans-1,2-Dichloroethene	SW8260	0.6	03/20/2001	0.270 F	09/10/2002	0.0550 F	17	100
	Trichloroethene	SW8260	1	03/20/2001	9.80	12/13/2002	1.80	21	5
	Vinyl chloride	SW8260	1.1	03/20/2003	0.0320 F	03/20/2003	0.0320 F	1	2
	Barium	SW6010	5	09/10/2002	44.0	03/20/2001	30.4	19	200
	Chromium	SW6010	10	03/21/2000	9.00 F	06/13/2001	3.00 F	14	100
	Copper	SW6010	10	06/13/2001	5.00 F	03/20/2001	1.00 F	7	1300
	Nickel	SW6010		09/12/2000	38.0	09/10/2002	13.0	19	100
	Zinc	SW6010	10	06/13/2001	22.0 F	09/12/2000	3.00 F	19	
	Arsenic	SW6020 or SW7060	30	09/10/2002	3.20 F	09/12/2000	0.500 F	7	50
	Cadmium	SW6010	1	06/13/2001	0.300 F	09/10/2002	0.0660 F	4	5
	Lead	SW6020 or SW7421	5	06/13/2001	1.00 F	03/14/2002	0.210 F	3	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW3-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/17/2001	0.490 F	03/13/2002	0.200 F	3	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/12/2001	28.6 J	03/13/2002	26.8 J	5	200
	Chromium	SW6010	10	06/14/2001	2.00 F	06/14/2001	2.00 F	1	100
	Copper		10						1300
	Nickel	SW6010		09/12/2001	4.00 F	06/14/2001	3.00 F	2	100
	Zinc	SW6010	10	06/14/2001	62.0	03/13/2002	21.6 J	5	
	Arsenic	SW6020 or SW7060	30	09/12/2001	2.10 F	03/13/2002	0.640 F	2	50
	Cadmium	SW6010	1	06/14/2001	0.200 F	06/14/2001	0.200 F	1	5
	Lead	SW6020 or SW7421	5	06/14/2001	31.6	03/13/2002	0.230 F	4	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW4-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/21/2003	0.220 F	06/18/2002	0.110 F	5	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene	SW8260	0.4	03/21/2003	0.860	06/14/2001	0.250 F	2	
	Tetrachloroethene	SW8260	1.4	03/21/2003	0.120 F	12/13/2002	0.0940 F	2	5
	Toluene	SW8260	1.1	03/21/2003	2.50 J	03/21/2003	2.50 J	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	03/21/2003	0.0980 F	12/13/2002	0.0740 F	2	5
	Vinyl chloride	SW8260	1.1	03/21/2003	0.0510 F	03/21/2003	0.0510 F	1	2
	Barium	SW6010	5	06/18/2002	48.9	09/13/2001	42.1 J	6	200
	Chromium	SW6010	10	06/14/2001	2.00 F	06/14/2001	2.00 F	1	100
	Copper	SW6010	10	06/14/2001	4.00 F	06/14/2001	4.00 F	1	1300
	Nickel	SW6010		06/14/2001	29.0	12/12/2001	7.00 F	6	100
	Zinc	SW6010	10	06/14/2001	19.0 F	06/18/2002	5.50 F	4	
	Arsenic	SW6020 or SW7060	30	06/14/2001	3.00 F	12/12/2001	0.900 F	6	50
	Cadmium	SW6010	1	03/14/2002	0.0320 F	03/14/2002	0.0320 F	1	5
	Lead	SW6020 or SW7421	5	03/14/2002	0.150 F	03/14/2002	0.150 F	1	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW5-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/17/2003	2.80	02/07/2001	0.150 F	9	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/21/2002	0.220 F	03/21/2002	0.220 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/17/2003	1.70	09/11/2002	0.320 F	8	5
	Toluene	SW8260	1.1	02/07/2001	0.170 F	03/17/2003	0.0770 F	2	1000
	trans-1,2-Dichloroethene	SW8260	0.6	03/17/2003	0.0800 F	06/18/2002	0.0410 F	2	100
	Trichloroethene	SW8260	1	03/17/2003	2.50	09/11/2002	0.400 F	8	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	06/14/2001	36.7	03/21/2002	6.10	5	200
	Chromium	SW6010	10	06/14/2001	2.00 F	06/14/2001	2.00 F	1	100
	Copper		10						1300
	Nickel	SW6010		06/14/2001	32.0	03/21/2002	9.00 F	5	100
	Zinc	SW6010	10	06/14/2001	144	03/21/2002	16.2	5	
	Arsenic	SW6020 or SW7060	30	06/14/2001	5.20	12/12/2001	2.10 F	5	50
	Cadmium	SW6010	1	03/21/2002	0.0220 F	03/21/2002	0.0220 F	1	5
	Lead	SW6020 or SW7421	5	09/12/2001	0.900 F	06/18/2002	0.220 F	3	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW6-BS									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/18/2003	0.140 F	03/18/2003	0.140 F	1	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/12/2002	0.560 F	06/20/2002	0.250 F	2	5
	Naphthalene	SW8260	0.4	03/18/2003	0.230 F	03/18/2003	0.230 F	1	
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/18/2003	1.90 B	06/13/2001	0.340 F	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	12/13/2001	33.5	06/13/2001	9.50	5	200
	Chromium	SW6010	10	06/13/2001	5.00 F	06/13/2001	5.00 F	1	100
	Copper	SW6010	10	06/13/2001	9.00 F	09/13/2001	4.00 F	2	1300
	Nickel	SW6010		06/13/2001	3.00 F	06/13/2001	3.00 F	1	100
	Zinc	SW6010	10	06/13/2001	85.0	06/20/2002	3.70 F	3	
	Arsenic	SW6020 or SW7060	30	09/13/2001	3.40 F	06/13/2001	1.30 F	5	50
	Cadmium		1						5
	Lead		5						15
	Mercury	SW7470	1	12/13/2001	0.200 F	12/13/2001	0.200 F	1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW6-CC									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/18/2003	0.230 F	03/18/2003	0.230 F	1	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/12/2002	0.580 F	06/20/2002	0.260 F	3	5
	Naphthalene	SW8260	0.4	03/18/2003	0.230 F	03/18/2003	0.230 F	1	
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/18/2003	2.60 B	06/13/2001	0.430 F	3	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	03/18/2003	0.0900 F	03/18/2003	0.0900 F	1	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	03/12/2002	37.5 J	06/13/2001	12.0	6	200
	Chromium	SW6010	10	06/13/2001	17.0	06/13/2001	17.0	1	100
	Copper	SW6010	10	09/13/2001	6.00 F	06/13/2001	5.00 F	2	1300
	Nickel	SW6010		06/13/2001	8.00 F	12/13/2001	2.00 F	3	100
	Zinc	SW6010	10	09/13/2001	124	06/13/2001	18.0 F	6	
	Arsenic	SW6020 or SW7060	30	09/13/2001	2.80 F	06/20/2002	1.30 F	5	50
	Cadmium		1						5
	Lead	SW6020 or SW7421	5	12/13/2001	1.60 F	03/12/2002	0.180 F	3	15
	Mercury	SW7470	1	12/13/2001	0.200 F	12/13/2001	0.200 F	1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW6-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	06/13/2001	0.260 F	06/13/2001	0.260 F	1	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/12/2002	0.650 F	06/20/2002	0.250 F	2	5
	Naphthalene	SW8260	0.4	03/18/2003	0.250 F	03/18/2003	0.250 F	1	
	Tetrachloroethene	SW8260	1.4	06/13/2001	0.500 F	06/13/2001	0.500 F	1	5
	Toluene	SW8260	1.1	03/18/2003	2.20 B	03/18/2003	2.20 B	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	06/13/2001	0.420 F	06/13/2001	0.420 F	1	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	06/20/2002	40.5	12/13/2001	32.6	5	200
	Chromium	SW6010	10	06/13/2001	11.0	09/13/2001	4.00 F	3	100
	Copper	SW6010	10	09/13/2001	6.00 F	06/13/2001	5.00 F	2	1300
	Nickel	SW6010		12/13/2001	65.0	06/13/2001	3.00 F	5	100
	Zinc	SW6010	10	06/13/2001	35.0 F	03/12/2002	16.1 J	5	
	Arsenic	SW6020 or SW7060	30	06/20/2002	1.00 F	03/12/2002	0.740 F	2	50
	Cadmium		1						5
	Lead	SW6020 or SW7421	5	06/13/2001	1.20 F	03/12/2002	0.280 F	3	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW7-CC									
	Dichloroethene, 1,1-Bromodichloromethane	SW8260	1.2	06/24/2002	0.330 F	06/24/2002	0.330 F	1	70
	Bromoform		0.8						80 ⁵
	Chloroform		1						80 ⁵
	cis-1,2-Dichloroethene		0.3						80 ⁵
	Dibromochloromethane		1.2						70
	Dichlorodifluoromethane		0.5						80 ⁵
	Methylene chloride	SW8260	1						
	Naphthalene		0.3	06/24/2002	1.80 F	12/14/2001	0.210 F	3	5
	Tetrachloroethene	SW8260	0.4						
	Toluene	SW8260	1.4	09/13/2002	0.130 F	09/13/2002	0.130 F	1	5
	trans-1,2-Dichloroethene	SW8260	1.1	03/18/2003	2.80 B	03/18/2003	2.80 B	1	1000
	Trichloroethene		0.6						100
	Vinyl chloride		1						5
	Barium	SW6010	1.1						2
	Chromium	SW6010	5	07/18/2001	41.7	06/24/2002	25.9	7	200
	Copper		10	06/24/2002	5.60 F	09/13/2001	2.00 F	2	100
	Nickel	SW6010	10						1300
	Zinc	SW6010	30	07/18/2001	6.10	03/12/2002	1.50 F	5	50
	Arsenic	SW6020 or SW7060	1						5
	Cadmium		5	12/14/2001	1.20 F	03/12/2002	0.190 F	3	15
	Lead	SW6020 or SW7421	1	12/14/2001	0.200 F	12/14/2001	0.200 F	3	2
	Mercury	SW7470							

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW7-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/14/2001	0.850 F	06/24/2002	0.590 F	3	5
	Naphthalene	SW8260	0.4	03/18/2003	0.320 F	03/18/2003	0.320 F	1	
	Tetrachloroethene	SW8260	1.4	09/13/2002	0.0730 F	09/13/2002	0.0730 F	1	5
	Toluene	SW8260	1.1	03/18/2003	2.50 B	03/18/2003	2.50 B	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	12/14/2001	43.0	03/12/2002	19.8 J	7	200
	Chromium	SW6010	10	09/17/2001	2.00 F	09/17/2001	2.00 F	1	100
	Copper	SW6010	10	09/13/2001	9.00 F	09/17/2001	4.00 F	3	1300
	Nickel	SW6010		09/17/2001		09/13/2001	2.00 F	4	100
	Zinc	SW6010	10	09/13/2001	54.0	03/12/2002	10.8 J	7	
	Arsenic	SW6020 or SW7060	30	06/24/2002	0.730 F	03/12/2002	0.500 F	2	50
	Cadmium		1						5
	Lead	SW6020 or SW7421	5	07/31/2001	0.900 F	06/24/2002	0.150	3	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW8-CC									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/12/2002	0.520 F	03/12/2002	0.520 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/19/2003	3.50	03/19/2003	3.50	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	12/13/2001	41.6	06/19/2002	8.80	5	200
	Chromium	SW6010	10	06/14/2001	2.00 F	06/14/2001	2.00 F	1	100
	Copper	SW6010	10	06/14/2001	19.0	09/13/2001	6.00 F	2	1300
	Nickel	SW6010		06/14/2001	23.0	09/13/2001	8.00 F	2	100
	Zinc	SW6010	10	06/14/2001	69.0	09/13/2001	23.0 F	2	
	Arsenic	SW6020 or SW7060	30	09/13/2001	7.20 J	06/19/2002	2.60 F	5	50
	Cadmium	SW6010	1	06/19/2002	0.0580 F	06/19/2002	0.0580 F	1	5
	Lead	SW6020 or SW7421	5	06/14/2001	2.60 F	06/19/2002	0.350 F	3	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW8-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/18/2003	0.210 F	03/18/2003	0.210 F	1	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/12/2002	0.530 F	03/12/2002	0.530 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	06/12/2001	1.10 F	06/19/2002	0.0570 F	10	5
	Toluene	SW8260	1.1	03/18/2003	2.90 B	03/18/2003	2.90 B	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	06/12/2001	0.180 F	03/18/2003	0.0320 F	3	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	06/12/2001	41.7	06/19/2002	36.1	6	200
	Chromium		10						100
	Copper	SW6010	10	06/19/2002	10.6	06/12/2001	4.00 F	2	1300
	Nickel	SW6010		03/12/2002	10.3	06/12/2001	2.00 F	5	100
	Zinc	SW6010	10	09/13/2001	88.0	06/19/2002	53.0	6	
	Arsenic	SW6020 or SW7060	30	09/13/2001	1.10 F	03/12/2002	0.500 F	3	50
	Cadmium	SW6010	1	06/19/2002	0.120 F	06/19/2002	0.120 F	1	5
	Lead	SW6020 or SW7421	5	09/13/2001	1.30 M	06/19/2002	0.910 F	5	15
	Mercury	SW7470	1	09/13/2001	0.200 F	09/13/2001	0.200 F	1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW9-BS									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/14/2001	0.330 F	03/13/2002	0.230 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/17/2003	0.600 F	03/17/2003	0.600 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride	SW8260	1.1	03/17/2003	0.0590 F	12/12/2002	0.0550 F	2	2
	Barium	SW6010	5	09/12/2001	25.0 J	06/14/2001	13.4	5	200
	Chromium	SW6010	10	06/14/2001	3.00 F	06/14/2001	3.00 F	1	100
	Copper		10						1300
	Nickel	SW6010		06/14/2001	3.00 F	06/14/2001	3.00 F	1	100
	Zinc	SW6010	10	06/14/2001	21.0 F	03/13/2002	3.30 F	4	
	Zinc	SW6010	10	06/14/2001	21.0 F	06/19/2002	3.30	4	
	Arsenic	SW6020 or SW7060	30	06/19/2002	1.80 F	09/12/2001	1.00 F	4	50
	Cadmium		1						5
	Lead	SW6020 or SW7421	5	09/12/2001	2.40 F	06/19/2002	0.540 F	3	15
	Mercury	SW7470	1	12/14/2001	0.200 F	12/14/2001	0.200 F	2	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
CS-MW9-CC									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/17/2003	0.400 F	03/17/2003	0.400 F	1	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/14/2001	0.700 F	03/13/2002	0.240 F	2	5
	Naphthalene	SW8260	0.4	11/20/2000	3.80	11/19/2000	1.00	2	
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/17/2003	0.690 F	11/19/2000	0.110 F	5	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	06/14/2001	27.4	06/19/2002	18.5	5	200
	Chromium	SW6010	10	12/14/2001	13.0	06/14/2001	2.00 F	2	100
	Copper		10						1300
	Nickel	SW6010		06/14/2001	5.00 F	09/12/2001	3.00 F	2	100
	Zinc	SW6010	10	06/14/2001	54.0	03/13/2002	9.20 F	5	
	Arsenic	SW6020 or SW7060	30	06/14/2001	1.30 F	12/14/2001	1.00 F	4	50
	Cadmium		1						5
	Lead		5						15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
CS-MW9-LGR									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/13/2002	0.220 F	03/13/2002	0.220 F	1	5
	Naphthalene	SW8260	0.4	03/17/2003	0.490	03/17/2003	0.490	1	
	Tetrachloroethene	SW8260	1.4	03/13/2002	0.0460 F	03/13/2002	0.0410 F	2	5
	Toluene	SW8260	1.1	03/17/2003	0.260 F	03/17/2003	0.260 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	03/17/2003	0.260 F	03/17/2003	0.260 F	1	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	06/14/2001	67.5	06/19/2002	31.9	8	200
	Chromium	SW6010	10	02/18/2001	54.0	06/14/2001	2.00 F	4	100
	Copper	SW6010	10	02/18/2001	11.0	02/18/2001	11.0	1	1300
	Nickel	SW6010		03/13/2002	33.1	02/18/2001	7.00 F	8	100
	Zinc	SW6010	10	02/18/2001	119	03/13/2002	13.2 J	7	
	Arsenic	SW6020 or SW7060	30	02/18/2001	1.70 F	06/19/2002	0.590 F	4	50
	Cadmium	SW6010	1	06/14/2001	0.200 F	06/19/2002	0.0440 F	2	5
	Lead	SW6020 or SW7421	5	02/18/2001	8.60	09/12/2001	0.900 F	5	15
	Mercury	SW7470	1	12/14/2001	0.200 F	12/14/2001	0.200 F	2	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
DOM-2									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/20/2002	0.430 F	03/20/2002	0.430 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
FO-17									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/19/2002	0.310 F	03/19/2002	0.310 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/10/2003	0.250 F	03/10/2003	0.250 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
FO-22									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
FO-8									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/19/2002	0.200 F	03/19/2002	0.200 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/10/2003	0.400 F	03/10/2003	0.400 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
FO-J1									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	12/20/2001	0.300 F	03/10/2003	0.200 F	2	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/10/2003	2.60 B	03/19/2002	0.270 F	4	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/19/2002	0.250 F	06/10/2002	0.220 F	3	5
	Toluene	SW8260	1.1	03/10/2003	0.740 F	03/10/2003	0.740 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
HS-2									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	03/12/2003	0.160 F	03/12/2003	0.160 F	1	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/19/2001	0.400 F	03/21/2002	0.310 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/12/2003	0.220 F	12/19/2001	0.160 F	6	5
	Toluene	SW8260	1.1	03/21/2002	0.120 F	03/21/2002	0.120 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
HS-3									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/19/2001	0.380 F	12/19/2001	0.380 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
I10-2									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/18/2002	0.830 F	12/18/2001	0.210 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	12/18/2001	0.160 F	12/05/2002	0.0800 F	4	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	09/19/2001	0.230 F	03/13/2003	0.0600 F	5	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
I10-4									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/18/2002	0.760 F	03/21/2002	0.200 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	12/19/2001	0.120 F	12/19/2001	0.120 F	1	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
I10-5									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
I10-7									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/21/2002	0.440 F	03/21/2002	0.440 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/21/2002	0.360 F	03/21/2002	0.360 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
JW-12									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
JW-13									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
JW-14									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane	SW8260	0.8	09/18/2001	0.470 F	09/18/2001	0.470 F	1	80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	09/18/2001	7.90	09/16/2002	0.240 F	9	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane	SW8260	0.5	09/18/2001	0.100 F	09/18/2001	0.100 F	1	80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/10/2003	3.41 B	03/19/2002	0.390 F	4	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	12/03/2002	0.160 F	09/18/2001	0.120 F	4	5
	Toluene	SW8260	1.1	03/10/2003	2.37	03/10/2003	0.450 F	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
JW-26									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	03/21/2002	0.110 F	03/21/2002	0.110 F	1	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/21/2002	0.210 F	03/21/2002	0.210 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/13/2003	0.110 F	03/13/2003	0.110 F	1	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
JW-27									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
JW-29									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
JW-30									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/13/2003	0.300 F	03/13/2003	0.300 F	1	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/08/1999	0.150 F	09/08/1999	0.150 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	03/13/2003	0.0800 F	03/13/2003	0.0800 F	1	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/08/1999	30.1	09/08/1999	30.1	1	200
	Chromium	SW6010	10	09/08/1999	2.00 F	09/08/1999	2.00 F	1	100
	Copper	SW6010	10	09/08/1999	13.0	09/08/1999	13.0	1	1300
	Nickel								100
	Zinc	SW6010	10	09/08/1999	204	09/08/1999	204	1	
	Arsenic		30						50
	Cadmium		1						5
	Lead		5						15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
JW-6									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
JW-8									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
JW-9									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	12/19/2001	0.330 F	12/19/2001	0.330 F	1	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/20/2002	0.370 F	03/20/2002	0.370 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene	SW8260	1.1	03/11/2003	0.230 F	03/11/2003	0.230 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
LS-1									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane	SW8260	0.8	03/12/2003	0.460 F	03/12/2003	0.460 F	1	80 ⁵
	Bromoform	SW8260	1	03/12/2003	0.580 F	03/12/2003	0.580 F	1	80 ⁵
	Chloroform	SW8260	0.3	03/12/2003	0.420	09/17/2002	0.0700 F	7	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane	SW8260	0.5	03/12/2003	0.510	03/12/2003	0.510	1	80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/19/2001	0.220 F	12/19/2001	0.220 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	12/03/2002	0.670 F	09/17/2002	0.300 F	7	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	03/18/2002	0.510 F	03/12/2003	0.120 F	7	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
LS-2									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane	SW8260	0.8	09/17/2002	0.410 F	10/04/2001	0.310 F	2	80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	09/17/2002	1.32	01/16/2002	0.0700 F	11	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane	SW8260	0.5	10/04/2001	0.220 F	09/17/2002	0.110 F	2	80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	12/03/2002	7.40	04/11/2002	0.820 J	14	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	12/03/2002	0.450 F	09/17/2002	0.170 F	9	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
LS-2/LS-3 EP									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane	SW8260	0.8	10/04/2001	6.20	11/14/2001	2.80	2	80 ⁵
	Bromoform	SW8260	1	10/04/2001	4.50	11/14/2001	2.90	2	80 ⁵
	Chloroform	SW8260	0.3	10/04/2001	3.10	09/17/2002	0.170 F	3	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane	SW8260	0.5	10/04/2001	9.40	11/14/2001	4.90	2	80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	11/14/2001	0.830 F	10/04/2001	0.540 F	2	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	10/04/2001	0.180 F	11/14/2001	0.160 F	2	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
LS-3									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	09/17/2002	0.310	12/03/2002	0.100 F	5	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/19/2001	0.290 F	02/13/2002	0.230 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	09/27/2001	4.80	06/12/2002	1.06 F	14	5
	Toluene	SW8260	1.1	03/12/2003	0.370 F	03/18/2002	0.220 F	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	08/01/2001	0.900 F	06/12/2002	0.200 F	13	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
LS-4									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/19/2001	0.200 F	12/19/2001	0.200 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/12/2003	0.250 F	03/18/2002	0.170 F	5	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
LS-5									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/18/2002	0.630 F	03/20/2002	0.250 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	08/01/2001	0.280 F	03/12/2003	0.0800 F	4	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	08/01/2001	0.510 F	06/13/2002	0.160 F	9	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
LS-6									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	09/19/2001	0.110 F	09/19/2001	0.100 F	2	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/19/2001	0.770 F	08/30/2001	0.280 F	6	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	09/27/2001	10.0	09/16/2002	1.58	13	5
	Toluene	SW8260	1.1	03/12/2003	0.170 F	03/12/2003	0.170 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	08/30/2001	0.570 F	09/16/2002	0.100 F	12	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
LS-7									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane	SW8260	0.8	09/16/2002	0.170 F	09/16/2002	0.170 F	1	80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	09/16/2002	0.830	12/02/2002	0.0800 F	10	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/16/2002	2.99 R	12/18/2001	0.300 F	4	5
	Naphthalene	SW8260	0.4	07/31/2001	0.220 F	03/18/2002	0.120 R	2	
	Tetrachloroethene	SW8260	1.4	12/02/2002	7.16	08/30/2001	1.10 F	19	5
	Toluene	SW8260	1.1	03/10/2003	0.780 F	03/12/2003	0.520 F	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	12/13/2000	1.20	06/13/2002	0.200 F	17	5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	12/13/1999	35.6	12/13/1999	35.6	1	200
	Chromium	SW6010	10	12/13/1999	4.00 F	12/13/1999	4.00 F	1	100
	Copper	SW6010	10	12/13/1999	5.00 F	12/13/1999	5.00 F	1	1300
	Nickel								100
	Zinc	SW6010	10	12/13/1999	22.0	12/13/1999	22.0	1	
	Arsenic		30						50
	Cadmium		1						5
	Lead		5						15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
OFR-1									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/18/2002	1.35 B	03/21/2002	0.320 F	3	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/21/2002	0.420 F	12/05/2002	0.290 F	6	5
	Toluene	SW8260	1.1	03/21/2002	0.120 F	03/21/2002	0.120 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
OFR-2									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/18/2002	0.960 F	09/18/2002	0.960 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/18/2002	0.290 F	03/12/2003	0.110 F	6	5
	Toluene	SW8260	1.1	03/12/2003	0.620 F	03/12/2003	0.620 F	1	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
OFR-3									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	03/19/2002	0.140 F	12/02/2002	0.110 F	2	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane	SW8260	1	06/11/2002	1.89	01/16/2002	0.280 F	11	
	Methylene chloride	SW8260	0.3	02/13/2002	0.960 F	04/30/2002	0.210 F	5	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/19/2002	12.1	12/18/2001	1.90	11	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	06/11/2002	6.24	01/16/2002	2.08	11	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
OFR-4									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
RFR-10									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	10/03/2001	0.0700 F	10/03/2001	0.0700 F	2	80 ⁵
	cis-1,2-Dichloroethene	SW8260	1.2	06/11/2002	0.920 F	12/17/2001	0.260 F	11	70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/17/2001	0.960 F	12/17/2001	0.300 F	2	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	10/12/2001	20.9	03/18/2002	4.48	11	5
	Toluene	SW8260	1.1	03/12/2003	0.360 F	03/12/2003	0.120 F	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	10/03/2001	9.40	03/18/2002	2.22	11	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
RFR-11									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform	SW8260	0.3	10/04/2001	0.140 F	10/04/2001	0.140 F	1	80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	03/19/2002	0.520 F	12/17/2001	0.220 F	4	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	10/12/2001	16.7	03/12/2003	0.0700 F	9	5
	Toluene	SW8260	1.1	03/19/2002	0.390 F	03/12/2003	0.0700 F	2	1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	06/13/2002	1.52	03/12/2003	0.120 F	7	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
RFR-12									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/18/2001	0.380 F	12/18/2001	0.380 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene	SW8260	1.4	03/13/2003	0.100 F	12/05/2002	0.0800 F	2	5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene	SW8260	1	12/05/2002	0.240 F	09/18/2002	0.140 F	7	5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
RFR-3									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/08/1999	0.170 F	09/08/1999	0.170 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/08/1999	34.3	09/08/1999	34.3	1	200
	Chromium	SW6010	10	09/08/1999	3.00 F	09/08/1999	3.00 F	1	100
	Copper	SW6010	10	09/08/1999	5.00 F	09/08/1999	5.00 F	1	1300
	Nickel	SW6010		09/08/1999	2.00 F	09/08/1999	2.00 F	1	100
	Zinc	SW6010	10	09/08/1999	126	09/08/1999	126	1	
	Arsenic		30						50
	Cadmium		1						5
	Lead	SW6020 or SW7421	5	09/08/1999	4.10 F	09/08/1999	4.10 F	1	15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
RFR-6									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/ MCLs⁴</i>
RFR-7									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride		0.3						5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLS²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
RFR-8									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	09/08/1999	0.150 F	09/08/1999	0.150 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2
	Barium	SW6010	5	09/08/1999	31.1	09/08/1999	31.1	1	200
	Chromium	SW6010	10	09/08/1999	4.00 F	09/08/1999	4.00 F	1	100
	Copper	SW6010	10	09/08/1999	4.00 F	09/08/1999	4.00 F	1	1300
	Nickel								100
	Zinc	SW6010	10	09/08/1999	145	09/08/1999	145	1	
	Arsenic		30						50
	Cadmium		1						5
	Lead		5						15
	Mercury		1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method¹</i>	<i>AFCEE RLs²</i>	<i>Max Det Date³</i>	<i>Maximum Detected Conc</i>	<i>Min Det Date³</i>	<i>Minimum Detected Conc</i>	<i>Number of Detections</i>	<i>Action Level/MCLs⁴</i>
RFR-9									
	Dichloroethene, 1,1-		1.2						70
	Bromodichloromethane		0.8						80 ⁵
	Bromoform		1						80 ⁵
	Chloroform		0.3						80 ⁵
	cis-1,2-Dichloroethene		1.2						70
	Dibromochloromethane		0.5						80 ⁵
	Dichlorodifluoromethane		1						
	Methylene chloride	SW8260	0.3	12/20/2001	0.520 F	12/20/2001	0.520 F	1	5
	Naphthalene		0.4						
	Tetrachloroethene		1.4						5
	Toluene		1.1						1000
	trans-1,2-Dichloroethene		0.6						100
	Trichloroethene		1						5
	Vinyl chloride		1.1						2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

¹ Analytical method listed without the revision designation.

² Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

³ Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

⁴ Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

⁵ MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).