

**Appendix B Summary of Historical Detections by Well, 1999 through September 2005**

**Summary of Historical Detections by Well  
1999 through September 2005**

<b>Well Location ID</b>	<b>Analytes of Concern in Groundwater Monitoring</b>	<b>Analytical Method<sup>1</sup></b>	<b>AFCEE RLs<sup>2</sup></b>	<b>Max Det Date<sup>3</sup></b>	<b>Maximum Detected Conc</b>	<b>Min Det Date<sup>3</sup></b>	<b>Minimum Detected Conc</b>	<b>Number of Detections/ NDs</b>	<b>Action Level/ MCLs<sup>4</sup></b>
<b>CS-1</b>									
	Dichloroethene, 1,1-	SW8260	1.2	9/15/2004	0.053 F	9/15/2004	0.053 F	1/28	7
	Bromodichloromethane	SW8260	0.8	3/19/2003	2.6	3/19/2003	2.6	1/28	80 <sup>5</sup>
	Bromoform	SW8260	1	3/19/2003	3.4	3/19/2003	3.4	1/21	80 <sup>5</sup>
	Chloroform	SW8260	0.3	3/19/2003	1.8	9/16/2003	0.053 F	11/18	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/29	70
	Dibromochloromethane	SW8260	0.5	3/19/2003	3.7	3/19/2003	3.7	1/28	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/22	1000
	Methylene chloride	SW8260	0.3	3/19/2003	1.2 F	9/9/1999	0.21 F	8/21	5
	Naphthalene	SW8260	0.4					0/22	20
	Tetrachloroethene	SW8260	1.4	12/14/1999	0.17 F	9/15/2004	0.066 F	17/12	5
	Toluene	SW8260	1.1	3/19/2003	3.7 B	12/16/2003	0.088 F	6/16	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/29	100
	Trichloroethene	SW8260	1	12/12/2000	1.2	9/15/2004	0.093 F	25/4	5
	Vinyl chloride	SW8260	1.1					0/29	2
	Barium	SW6010	5	9/8/2005	39	3/20/2000	27.8	28/0	200
	Chromium	SW6010	10	9/13/2000	6 F	9/9/1999	2 F	8/20	100
	Copper	SW6010	10	3/11/2004	42 J	12/16/2003	2 F	25/3	1300
	Nickel	SW6010		12/11/2001	3 F	3/19/2001	1.4 F	7/21	100
	Zinc	SW6010	10	12/12/2000	1780	12/2/2004	170	27/0	5000
	Arsenic	SW6020 or SW7060	30	9/13/2000	2 F	3/19/2003	0.43 F	21/7	10
	Cadmium	SW6010	1	12/12/2000	15.4 J	6/17/2002	0.027 F	4/25	5
	Lead	SW6020 or SW7421	5	9/13/2000	85.1 J	12/2/2004	1.1 F	28/0	15
	Mercury	SW7470	1	9/17/2001	0.2 F	12/2/2004	0.039 F	4/24	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-10</b>									
	Dichloroethene, 1,1-	SW8260	1.2	9/15/2004	0.071 F	9/15/2004	0.071 F	1/26	7
	Bromodichloromethane	SW8260	0.8					0/27	80 <sup>5</sup>
	Bromoform	SW8260	1					0/21	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/16/2003	0.79	6/17/2002	0.053 F	22/5	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/27	70
	Dibromochloromethane	SW8260	0.5					0/27	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/21	1000
	Methylene chloride	SW8260	0.3	3/11/2004	0.61 F	9/10/1999	0.12 F	8/19	5
	Naphthalene	SW8260	0.4					0/21	20
	Tetrachloroethene	SW8260	1.4	3/19/2001	0.11 F	6/22/2004	0.055 F	9/18	5
	Toluene	SW8260	1.1	3/19/2003	4.6 B	12/16/2003	0.089 F	3/18	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/27	100
	Trichloroethene	SW8260	1					0/27	5
	Vinyl chloride	SW8260	1.1					0/27	2
	Barium	SW6010	5	6/22/2004	41	6/17/2002	34.9	26/0	200
	Chromium	SW6010	10	9/13/2000	6 F	3/19/2003	0.74	9/17	100
	Copper	SW6010	10	3/11/2004	13 J	9/10/2002	1.4 F	23/3	1300
	Nickel	SW6010		9/17/2001	9 F	9/8/2005	1.2	12/14	100
	Zinc	SW6010	10	6/17/2002	125 J	9/15/2004	13 F	26/0	5000
	Arsenic	SW6020 or SW7060	30	3/20/2000	1.9 F	12/10/2002	0.53 F	16/10	10
	Cadmium	SW6010	1	9/17/2001	0.2 F	12/10/2002	0.026 F	5/21	5
	Lead	SW6020 or SW7421	5	9/17/2001	3.2 F	9/10/2002	0.48 F	20/6	15
	Mercury	SW7470	1	9/17/2001	0.2 F	9/15/2004	0.029 F	5/21	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-11</b>									
	Dichloroethene, 1,1-	SW8260	1.2	9/10/2002	0.032 F	9/10/2002	0.032 F	1/23	7
	Bromodichloromethane	SW8260	0.8	9/10/1999	0.233 F	9/10/1999	0.215 F	2/22	80 <sup>5</sup>
	Bromoform	SW8260	1					0/15	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/10/1999	52.6 R	12/16/2003	0.11 F	8/16	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/19/2001	0.38 F	12/11/2001	0.3 F	2/22	70
	Dibromochloromethane	SW8260	0.5					0/24	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/15	1000
	Methylene chloride	SW8260	0.3	9/10/1999	0.83 F	3/11/2004	0.21 M	4/20	5
	Naphthalene	SW8260	0.4					0/15	20
	Tetrachloroethene	SW8260	1.4	6/14/2000	0.41 F	3/14/2002	0.062 F	3/21	5
	Toluene	SW8260	1.1	3/19/2003	2.3	12/16/2003	0.098 F	2/13	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/24	100
	Trichloroethene	SW8260	1	3/19/2001	0.2 F	3/19/2001	0.2 F	1/23	5
	Vinyl chloride	SW8260	1.1					0/24	2
	Barium	SW6010	5	9/10/1999	64	3/19/2001	33.4	13/0	200
	Chromium	SW6010	10	9/13/2000	5 F	9/10/1999	2 F	7/6	100
	Copper	SW6010	10	6/22/2004	13	12/15/1999	2 F	12/1	1300
	Nickel	SW6010		9/10/1999	4 F	12/12/2000	1.6 F	4/9	100
	Zinc	SW6010	10	6/17/2002	5800	6/14/2000	422	13/0	5000
	Arsenic	SW6020 or SW7060	30	3/20/2000	0.8 F	6/16/2005	0.47 F	6/7	10
	Cadmium	SW6010	1	3/14/2002	0.062 F	3/14/2002	0.062 F	1/12	5
	Lead	SW6020 or SW7421	5	12/12/2000	21.5 J	6/14/2000	2.6 F	12/2	15
	Mercury	SW7470	1	9/13/2000	0.12 F	6/17/2003	0.04 F	2/11	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-16</b>									
	Dichloroethene, 1,1-	SW8260	1.2	9/15/2000	0.12 F	9/15/2000	0.12 F	1/21	7
	Bromodichloromethane	SW8260	0.8					0/22	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3	12/14/1999	1.32 F	6/18/2002	0.096 F	12/10	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	12/13/2000	245 R	3/14/2002	22	24/0	70
	Dibromochloromethane	SW8260	0.5					0/22	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3	12/14/1999	9.6 F	12/14/1999	9.6 F	1/21	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4	9/15/2000	361 R	3/14/2002	28	24/0	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6	12/14/1999	9.59	3/14/2002	0.052 F	18/4	100
	Trichloroethene	SW8260	1	9/15/2000	369 R	3/14/2002	26	24/0	5
	Vinyl chloride	SW8260	1.1					0/22	2
	Barium	SW6010	5	6/13/2001	39.7	6/13/2000	29.8	13/0	200
	Chromium	SW6010	10	12/14/1999	6 F	9/13/2001	2 F	9/4	100
	Copper	SW6010	10	6/13/2001	5 F	12/13/2000	1 F	3/10	1300
	Nickel	SW6010		9/14/1999	216	12/13/2000	1.7 F	2/11	100
	Zinc	SW6010	10	3/14/2002	779	9/12/2000	5 F	13/0	5000
	Arsenic	SW6020 or SW7060	30	6/18/2002	0.67 F	3/14/2002	0.33 F	3/10	10
	Cadmium	SW6010	1	6/13/2001	0.2 F	6/18/2002	0.028 F	2/11	5
	Lead	SW6020 or SW7421	5	9/13/2001	1.9 F	6/18/2002	0.37 F	4/9	15
	Mercury	SW7470	1	9/12/2000	0.2 F	9/12/2000	0.2 F	1/12	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-2</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/35	7
	Bromodichloromethane	SW8260	0.8					0/35	80 <sup>5</sup>
	Bromoform	SW8260	1					0/16	80 <sup>5</sup>
	Chloroform	SW8260	0.3	3/20/2003	0.12 F	12/16/2002	0.11 F	2/33	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/35	70
	Dibromochloromethane	SW8260	0.5					0/35	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/16	1000
	Methylene chloride	SW8260	0.3	9/19/2003	0.73 F	3/11/2004	0.28 M	5/30	5
	Methylene chloride	SW8260	0.3	9/19/2003	0.73 F	9/16/2004	0.28 F	5/30	5
	Naphthalene	SW8260	0.4					0/16	20
	Tetrachloroethene	SW8260	1.4	9/7/1999	1.12 F	9/10/2002	0.073 F	16/19	5
	Toluene	SW8260	1.1	3/20/2003	8.7 J	3/20/2003	8.7 J	1/15	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/35	100
	Trichloroethene	SW8260	1	12/14/2001	0.17 F	12/10/2003	0.071 F	2/33	5
	Vinyl chloride	SW8260	1.1					0/35	2
	Barium	SW6010	5	9/7/1999	40.1	12/14/2001	31.8	24/0	200
	Chromium	SW6010	10	6/18/2002	39 J	6/14/2005	1.9 F	20/4	100
	Copper	SW6010	10	6/13/2001	4 F	12/13/2000	0.5 U	10/14	1300
	Nickel	SW6010		12/13/2000	23.4 J	6/14/2005	1.2	18/6	100
	Zinc	SW6010	10	9/13/2000	1320	12/13/2000	2.9 F	21/3	5000
	Arsenic	SW6020 or SW7060	30	6/18/2002	0.97 F	6/16/2004	0.54 F	8/16	10
	Cadmium	SW6010	1	6/19/2003	0.11 F	6/18/2002	0.029 F	3/21	5
	Lead	SW6020 or SW7421	5	9/13/2000	14.2 J	6/19/2003	0.21 F	10/14	15
	Mercury	SW7470	1	6/14/2005	0.055 F	6/14/2005	0.055 F	1/23	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-3</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/1	7
	Bromodichloromethane	SW8260	0.8					0/1	80 <sup>5</sup>
	Bromoform	SW8260	1					0/1	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/1	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/1	70
	Dibromochloromethane	SW8260	0.5					0/1	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/1	1000
	Methylene chloride	SW8260	0.3					0/1	5
	Naphthalene	SW8260	0.4					0/1	20
	Tetrachloroethene	SW8260	1.4	12/16/1999	0.99 F	12/16/1999	0.99 F	1/0	5
	Toluene	SW8260	1.1					0/1	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/1	100
	Trichloroethene	SW8260	1					0/1	5
	Vinyl chloride	SW8260	1.1					0/1	2
	Barium	SW6010	5	12/16/1999	26.5	12/16/1999	26.5	1/0	200
	Chromium	SW6010	10	12/16/1999	5 F	12/16/1999	5 F	1/0	100
	Copper	SW6010	10	12/16/1999	4 F	12/16/1999	4 F	1/0	1300
	Nickel	SW6010		12/16/1999	2 F	12/16/1999	2 F	1/0	100
	Zinc	SW6010	10	12/16/1999	13	12/16/1999	13	1/0	5000
	Arsenic	SW6020 or SW7060	30					0/1	10
	Cadmium	SW6010	1					0/1	5
	Lead	SW6020 or SW7421	5					0/1	15
	Mercury	SW7470	1					0/1	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-4</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/12	7
	Bromodichloromethane	SW8260	0.8					0/12	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3	6/16/2004	0.057 F	6/16/2004	0.057 F	1/11	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	6/16/2004	7.2	9/25/2003	0.11 F	9/3	70
	Dibromochloromethane	SW8260	0.5					0/12	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	9/25/2003	0.43 F	3/11/2004	0.28 M	4/8	5
	Naphthalene	SW8260	0.4					0/12	20
	Tetrachloroethene	SW8260	1.4	6/16/2004	5.1	12/16/2003	0.7 F	12/0	5
	Toluene	SW8260	1.1	12/16/2003	0.076 F	12/16/2003	0.076 F	1/11	1000
	trans-1,2-Dichloroethene	SW8260	0.6	6/16/2004	0.068 F	9/15/2004	0.058 F	3/9	100
	Trichloroethene	SW8260	1	6/16/2004	15	12/16/2003	0.43 F	12/0	5
	Vinyl chloride	SW8260	1.1					0/12	2
	Barium	SW6010	5	6/23/2003	31	6/16/2004	29	3/0	200
	Chromium	SW6010	10					0/3	100
	Copper	SW6010	10	6/23/2003	2 F	6/23/2003	2 F	1/2	1300
	Nickel	SW6010						0/3	100
	Zinc	SW6010	10	6/23/2003	72	6/16/2004	9.3 F	3/0	5000
	Arsenic	SW6020 or SW7060	30	6/23/2003	0.57 F	6/16/2004	0.42 F	3/0	10
	Cadmium	SW6010	1	6/23/2003	0.37 F	6/16/2004	0.034 F	3/0	5
	Lead	SW6020 or SW7421	5	6/14/2005	0.34 F	6/23/2003	0.19	3/0	15
	Mercury	SW7470	1	6/14/2005	0.056 F	6/14/2005	0.056 F	1/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-9</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/26	7
	Bromodichloromethane	SW8260	0.8					0/26	80 <sup>5</sup>
	Bromoform	SW8260	1					0/21	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/26	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/26	70
	Dibromochloromethane	SW8260	0.5					0/26	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/21	1000
	Methylene chloride	SW8260	0.3	9/15/2004	0.38 F	9/8/1999	0.17 F	6/20	5
	Naphthalene	SW8260	0.4					0/21	20
	Tetrachloroethene	SW8260	1.4	3/19/2001	0.11 F	9/16/2003	0.05 F	6/20	5
	Toluene	SW8260	1.1	3/19/2003	3 B	12/15/2003	0.1 F	5/16	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/26	100
	Trichloroethene	SW8260	1					0/26	5
	Vinyl chloride	SW8260	1.1					0/26	2
	Barium	SW6010	5	9/8/2005	39	12/3/2004	29	25/0	200
	Chromium	SW6010	10	12/13/1999	6 F	12/12/2000	3 F	6/19	100
	Copper	SW6010	10	6/17/2002	13.8	12/3/2004	1.9 F	23/2	1300
	Nickel	SW6010		3/19/2002	3 F	9/8/1999	1 F	5/20	100
	Zinc	SW6010	10	3/20/2000	717	6/22/2004	49 F	25/0	5000
	Arsenic	SW6020 or SW7060	30	6/17/2002	1.1 F	12/10/2002	0.34 F	15/10	10
	Cadmium	SW6010	1	9/17/2001	0.3 F	9/10/2002	0.032 F	5/20	5
	Lead	SW6020 or SW7421	5	6/17/2002	10.9	6/15/2005	0.56 F	25/0	15
	Mercury	SW7470	1	6/17/2002	1.3	12/3/2004	0.031 F	8/17	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-D</b>									
	Dichloroethene, 1,1-	SW8260	1.2	9/18/2003	0.15 F	3/20/2003	0.061 F	12/33	7
	Bromodichloromethane	SW8260	0.8					0/45	80 <sup>5</sup>
	Bromoform	SW8260	1					0/28	80 <sup>5</sup>
	Chloroform	SW8260	0.3	6/19/2003	0.24 F	6/18/2002	0.1 F	23/22	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	9/18/2003	280 R	3/20/2001	61.7 R	49/0	70
	Dibromochloromethane	SW8260	0.5					0/45	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/28	1000
	Methylene chloride	SW8260	0.3	9/8/2004	8.5 R	9/18/2003	0.49 F	11/34	5
	Naphthalene	SW8260	0.4	9/8/2004	1.6 R	9/8/2004	1.6 R	1/27	20
	Tetrachloroethene	SW8260	1.4	12/10/2003	230	3/20/2001	50.5 R	49/0	5
	Toluene	SW8260	1.1	3/20/2003	2.9 R	3/20/2003	1.3 J	4/24	1000
	trans-1,2-Dichloroethene	SW8260	0.6	3/20/2003	12 J	12/14/2001	0.43 F	39/6	100
	Trichloroethene	SW8260	1	9/18/2003	300	3/20/2001	68.7 R	49/0	5
	Trichloroethene	SW8260	1	9/18/2003	300 R	3/20/2001	68.7 R	49/0	5
	Vinyl chloride	SW8260	1.1	9/18/2003	0.062 F	3/20/2003	0.03	3/42	2
	Barium	SW6010	5	6/8/2005	31	6/18/2002	27.3	12/0	200
	Chromium	SW6010	10	3/20/2001	4 F	6/8/2005	0.92 F	3/9	100
	Copper	SW6010	10	6/13/2001	6 F	3/20/2001	1 F	3/9	1300
	Nickel	SW6010		12/14/2001	9 F	3/20/2001	1.6 F	6/6	100
	Zinc	SW6010	10	12/14/2001	79	6/16/2004	11 F	12/0	5000
	Arsenic	SW6020 or SW7060	30	6/8/2005	0.46 F	6/16/2004	0.16 F	6/6	10
	Cadmium	SW6010	1	6/13/2001	0.7 F	6/16/2004	0.053 F	7/5	5
	Lead	SW6020 or SW7421	5	6/18/2002	4.4	6/19/2003	0.33 F	10/2	15
	Mercury	SW7470	1					0/12	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-G</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/10	7
	Bromodichloromethane	SW8260	0.8					0/10	80 <sup>5</sup>
	Bromoform	SW8260	1					0/5	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/10	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/10	70
	Dibromochloromethane	SW8260	0.5					0/10	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/5	1000
	Methylene chloride	SW8260	0.3	12/18/2001	0.4 F	3/13/2002	0.24 F	2/8	5
	Naphthalene	SW8260	0.4					0/5	20
	Tetrachloroethene	SW8260	1.4					0/10	5
	Toluene	SW8260	1.1	3/17/2003	0.33 R	9/11/2002	0.06	3/2	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/10	100
	Trichloroethene	SW8260	1					0/10	5
	Vinyl chloride	SW8260	1.1					0/10	2
	Barium	SW6010	5	9/8/1999	32	6/16/2003	19	8/0	200
	Chromium	SW6010	10	9/8/1999	3 F	9/12/2001	2 F	3/5	100
	Copper	SW6010	10	9/12/2001	20	6/16/2003	2.4 F	4/4	1300
	Nickel	SW6010		6/16/2003	22	9/8/1999	2 F	2/6	100
	Zinc	SW6010	10	9/8/1999	4850	9/11/2002	9.5 F	8/0	5000
	Arsenic	SW6020 or SW7060	30	9/12/2001	0.9 F	9/11/2002	0.32 F	5/3	10
	Cadmium	SW6010	1	9/8/1999	1.7	6/19/2002	0.038 F	4/4	5
	Lead	SW6020 or SW7421	5	9/12/2001	36.9	12/18/2001	1.5 F	5/3	15
	Mercury	SW7470	1	6/16/2003	0.032 F	6/16/2003	0.032 F	1/7	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-H</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/12	7
	Bromodichloromethane	SW8260	0.8					0/12	80 <sup>5</sup>
	Bromoform	SW8260	1	3/17/2003	0.1	3/17/2003	0.1	1/7	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/12	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/13	70
	Dibromochloromethane	SW8260	0.5	3/17/2003	0.03	3/17/2003	0.03	1/11	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/8	1000
	Methylene chloride	SW8260	0.3	9/7/2004	0.51 F	3/13/2002	0.2 F	5/7	5
	Naphthalene	SW8260	0.4					0/8	20
	Tetrachloroethene	SW8260	1.4					0/13	5
	Toluene	SW8260	1.1	9/16/2003	9.2	6/12/2001	0.31 F	5/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/13	100
	Trichloroethene	SW8260	1					0/13	5
	Vinyl chloride	SW8260	1.1					0/12	2
	Barium	SW6010	5	6/12/2001	34.3	12/18/2001	19.1	7/0	200
	Chromium	SW6010	10	3/17/2003	8.1 F	9/12/2001	2 F	4/3	100
	Copper	SW6010	10	9/12/2001	28	6/19/2002	9.2 F	3/4	1300
	Nickel	SW6010		3/17/2003	17	6/12/2001	2 F	3/4	100
	Zinc	SW6010	10	9/12/2001	813	3/13/2002	83.9 J	7/0	5000
	Arsenic	SW6020 or SW7060	30	9/12/2001	1.2 F	3/17/2003	0.37 F	5/2	10
	Cadmium	SW6010	1	9/12/2001	1	3/17/2003	0.03 F	5/2	5
	Lead	SW6020 or SW7421	5	9/12/2001	47 J	6/15/2004	2.3	7/0	15
	Mercury	SW7470	1					0/7	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-I</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/20	7
	Bromodichloromethane	SW8260	0.8					0/20	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/20	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/20	70
	Dibromochloromethane	SW8260	0.5					0/20	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	9/7/2004	0.49 F	3/13/2002	0.23 F	4/16	5
	Naphthalene	SW8260	0.4					0/12	20
	Tetrachloroethene	SW8260	1.4	9/7/2004	0.054 F	9/7/2004	0.054 F	1/19	5
	Toluene	SW8260	1.1	9/24/2003	23	12/9/2003	0.22 F	2/10	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/20	100
	Trichloroethene	SW8260	1	9/7/2004	0.041 F	9/7/2004	0.041 F	1/19	5
	Vinyl chloride	SW8260	1.1					0/20	2
	Barium	SW6010	5	3/13/2002	161 J	9/12/2001	103 J	13/0	200
	Chromium	SW6010	10	3/13/2002	9.1 F	6/12/2001	2 F	9/4	100
	Copper	SW6010	10	3/13/2002	57.2	12/12/2000	1 F	10/3	1300
	Nickel	SW6010		3/13/2002	6.9 F	12/12/2000	1.5 F	10/3	100
	Zinc	SW6010	10	6/12/2001	3470000	6/15/2004	18 F	16/0	5000
	Arsenic	SW6020 or SW7060	30	3/13/2002	1.9 F	6/15/2004	0.25 F	4/9	10
	Cadmium	SW6010	1	12/17/2001	0.3 F	6/6/2005	0.089 F	3/10	5
	Lead	SW6020 or SW7421	5	3/13/2002	87	6/15/2004	0.3 F	8/6	15
	Mercury	SW7470	1	3/13/2002	0.66 F	9/12/2001	0.2 F	3/10	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW10-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/19	7
	Bromodichloromethane	SW8260	0.8					0/19	80 <sup>5</sup>
	Bromoform	SW8260	1					0/15	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/19	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/19	70
	Dibromochloromethane	SW8260	0.5					0/19	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/15	1000
	Methylene chloride	SW8260	0.3	3/12/2004	0.68 M	9/16/2004	0.28 F	6/13	5
	Naphthalene	SW8260	0.4	3/20/2003	0.23 F	3/20/2003	0.23 F	1/14	20
	Tetrachloroethene	SW8260	1.4	9/13/2002	0.058 F	9/13/2002	0.058 F	1/18	5
	Toluene	SW8260	1.1	3/20/2003	2.1 J	9/16/2004	0.062 F	3/12	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/19	100
	Trichloroethene	SW8260	1					0/19	5
	Vinyl chloride	SW8260	1.1					0/19	2
	Barium	SW6010	5	9/26/2001	77.3 J	6/18/2002	24.3	7/0	200
	Chromium	SW6010	10	9/26/2001	7 F	6/18/2003	3.5 F	2/5	100
	Copper	SW6010	10	9/26/2001	10	9/26/2001	10	1/6	1300
	Nickel	SW6010		9/26/2001	26	6/9/2005	3.2 F	5/2	100
	Zinc	SW6010	10	12/13/2001	60	6/18/2003	5.9 F	5/2	5000
	Arsenic	SW6020 or SW7060	30	12/13/2001	5.8	6/23/2004	2.1 F	6/1	10
	Cadmium	SW6010	1	6/18/2002	0.034 F	6/18/2002	0.034 F	1/6	5
	Lead	SW6020 or SW7421	5	9/26/2001	4.8 F	6/9/2005	0.096 F	4/3	15
	Mercury	SW7470	1					0/7	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW10-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2	3/20/2003	0.052 F	3/20/2003	0.052 F	1/20	7
	Bromodichloromethane	SW8260	0.8					0/21	80 <sup>5</sup>
	Bromoform	SW8260	1					0/16	80 <sup>5</sup>
	Chloroform	SW8260	0.3	6/18/2003	0.13 F	6/23/2004	0.095 F	16/5	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/21	70
	Dibromochloromethane	SW8260	0.5					0/21	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/16	1000
	Methylene chloride	SW8260	0.3	3/12/2004	0.72 M	12/12/2003	0.22 R	5/16	5
	Naphthalene	SW8260	0.4					0/16	20
	Tetrachloroethene	SW8260	1.4	9/26/2001	2.8	3/12/2004	2	20/1	5
	Toluene	SW8260	1.1	3/20/2003	2.6 J	12/12/2003	0.2 R	2/14	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/21	100
	Trichloroethene	SW8260	1	3/12/2002	0.72 F	9/19/2003	0.37 F	20/1	5
	Vinyl chloride	SW8260	1.1					0/21	2
	Barium	SW6010	5	9/26/2001	58.2 J	3/12/2002	25.8 J	8/0	200
	Chromium	SW6010	10	9/26/2001	3 F	9/26/2001	3 F	1/7	100
	Copper	SW6010	10	12/13/2001	14	9/26/2001	9 F	2/6	1300
	Nickel	SW6010		9/26/2001	13	6/9/2005	1.4 F	2/6	100
	Zinc	SW6010	10	9/26/2001	79	6/18/2002	5 F	7/1	5000
	Arsenic	SW6020 or SW7060	30	9/26/2001	1.7 F	3/12/2002	0.62 F	7/1	10
	Cadmium	SW6010	1					0/8	5
	Lead	SW6020 or SW7421	5	12/13/2001	2.2 F	6/23/2004	0.19 F	4/4	15
	Mercury	SW7470	1					0/8	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW11A-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/11	7
	Bromodichloromethane	SW8260	0.8					0/11	80 <sup>5</sup>
	Bromoform	SW8260	1					0/11	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/11	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/16	70
	Dibromochloromethane	SW8260	0.5					0/11	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/11	1000
	Methylene chloride	SW8260	0.3	9/13/2004	0.41 F	9/15/2003	0.3 F	3/8	5
	Naphthalene	SW8260	0.4					0/11	20
	Tetrachloroethene	SW8260	1.4	9/15/2003	0.33 F	12/15/2003	0.17 F	11/5	5
	Toluene	SW8260	1.1	3/31/2003	3.88	9/13/2004	0.09 F	6/10	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/16	100
	Trichloroethene	SW8260	1					0/16	5
	Vinyl chloride	SW8260	1.1					0/11	2
	Barium	SW6010	5	6/23/2004	35	6/17/2003	30	3/0	200
	Chromium	SW6010	10					0/3	100
	Copper	SW6010	10	6/17/2003	1.7 F	6/17/2003	1.7 F	1/2	1300
	Nickel	SW6010		6/23/2004	4.7 F	6/16/2005	2.2 F	2/1	100
	Zinc	SW6010	10	6/17/2003	44	6/23/2004	5.3 F	3/0	5000
	Arsenic	SW6020 or SW7060	30	6/17/2003	0.67 F	6/23/2004	0.55 F	3/0	10
	Cadmium	SW6010	1					0/3	5
	Lead	SW6020 or SW7421	5	6/23/2004	0.12 F	6/23/2004	0.12 F	1/2	15
	Mercury	SW7470	1	6/17/2003	0.031 F	6/17/2003	0.031 F	1/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW11B-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/8	7
	Bromodichloromethane	SW8260	0.8					0/8	80 <sup>5</sup>
	Bromoform	SW8260	1					0/8	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/8	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/12	70
	Dibromochloromethane	SW8260	0.5					0/8	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/8	1000
	Methylene chloride	SW8260	0.3	9/13/2004	0.39 F	9/15/2003	0.35 F	2/6	5
	Naphthalene	SW8260	0.4					0/8	20
	Tetrachloroethene	SW8260	1.4	9/15/2005	1.5	5/26/2004	0.83 F	8/4	5
	Toluene	SW8260	1.1	4/8/2003	298	6/17/2003	0.1 F	2/10	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/12	100
	Trichloroethene	SW8260	1					0/12	5
	Vinyl chloride	SW8260	1.1					0/8	2
	Barium	SW6010	5	5/26/2004	36	6/14/2005	32	3/0	200
	Chromium	SW6010	10	5/26/2004	3 F	6/14/2005	2.1 F	2/1	100
	Copper	SW6010	10	6/17/2003	1.8 F	6/17/2003	1.8 F	1/2	1300
	Nickel	SW6010		6/14/2005	12	5/26/2004	11	2/1	100
	Zinc	SW6010	10	5/26/2004	21 F	6/14/2005	6.7 F	3/0	5000
	Arsenic	SW6020 or SW7060	30	6/14/2005	0.48 F	6/17/2003	0.34 F	3/0	10
	Cadmium	SW6010	1					0/3	5
	Lead	SW6020 or SW7421	5	6/17/2003	0.5 F	5/26/2004	0.15 F	3/0	15
	Mercury	SW7470	1	6/14/2005	0.06 F	5/26/2004	0.026 F	3/0	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW12-BS</b>									
	Dichloroethene, 1,1-	SW8260	1.2	3/21/2003	0.032 F	3/21/2003	0.032 F	1/11	7
	Bromodichloromethane	SW8260	0.8					0/12	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/12	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/12	70
	Dibromochloromethane	SW8260	0.5					0/12	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	9/9/2004	0.68 F	6/21/2004	0.23 F	4/8	5
	Naphthalene	SW8260	0.4	6/16/2003	0.36 F	3/9/2004	0.23 F	8/4	20
	Tetrachloroethene	SW8260	1.4					0/12	5
	Toluene	SW8260	1.1	3/21/2003	2.8 J	6/21/2004	0.16 F	8/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/12	100
	Trichloroethene	SW8260	1					0/12	5
	Vinyl chloride	SW8260	1.1	12/7/2004	0.32 F	3/21/2003	0.096 F	10/2	2
	Barium	SW6010	5	6/21/2004	17	12/16/2002	6.9	4/0	200
	Chromium	SW6010	10					0/4	100
	Copper	SW6010	10	6/16/2003	1.3 F	6/16/2003	1.3 F	1/3	1300
	Nickel	SW6010		6/16/2003	11	6/21/2004	6.9 F	4/0	100
	Zinc	SW6010	10	6/16/2003	18	6/14/2005	8.8 F	3/1	5000
	Arsenic	SW6020 or SW7060	30	6/16/2003	3 F	6/14/2005	1.1 F	4/0	10
	Cadmium	SW6010	1	12/16/2002	0.045 F	12/16/2002	0.045 F	1/3	5
	Lead	SW6020 or SW7421	5	6/14/2005	0.28 F	6/14/2005	0.28 F	1/3	15
	Mercury	SW7470	1	6/14/2005	0.049 F	6/16/2003	0.032 F	2/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW12-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/13	7
	Bromodichloromethane	SW8260	0.8					0/13	80 <sup>5</sup>
	Bromoform	SW8260	1					0/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/13	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/17	70
	Dibromochloromethane	SW8260	0.5					0/13	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/13	1000
	Methylene chloride	SW8260	0.3	9/9/2004	0.66 F	9/18/2003	0.42 F	3/10	5
	Naphthalene	SW8260	0.4					0/13	20
	Tetrachloroethene	SW8260	1.4					0/17	5
	Toluene	SW8260	1.1	12/8/2003	6.6	9/7/2005	0.19 F	13/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/17	100
	Trichloroethene	SW8260	1					0/17	5
	Vinyl chloride	SW8260	1.1	12/8/2003	0.14 F	12/8/2003	0.14 F	1/12	2
	Barium	SW6010	5	12/16/2002	97	6/21/2004	35	5/0	200
	Chromium	SW6010	10	6/16/2005	2 F	12/16/2002	1 F	3/2	100
	Copper	SW6010	10	6/16/2003	1.8 F	6/16/2003	1.8 F	1/4	1300
	Nickel	SW6010		12/16/2002	23	6/16/2005	2.9 F	3/2	100
	Zinc	SW6010	10	6/16/2005	72	12/16/2002	17	4/1	5000
	Arsenic	SW6020 or SW7060	30	12/16/2002	11	6/16/2005	1.4 F	5/0	10
	Cadmium	SW6010	1	12/16/2002	0.079 F	12/16/2002	0.076 F	2/3	5
	Lead	SW6020 or SW7421	5	6/16/2005	0.55 F	12/16/2002	0.35 F	3/2	15
	Mercury	SW7470	1	6/16/2003	0.04 F	6/16/2003	0.04 F	1/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW12-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/12	7
	Bromodichloromethane	SW8260	0.8					0/12	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/12	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/16	70
	Dibromochloromethane	SW8260	0.5					0/12	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	9/9/2004	0.7 F	9/18/2003	0.36 F	3/9	5
	Naphthalene	SW8260	0.4					0/12	20
	Tetrachloroethene	SW8260	1.4					0/16	5
	Toluene	SW8260	1.1	3/21/2003	1.4 J	9/9/2004	0.12 F	2/14	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/16	100
	Trichloroethene	SW8260	1					0/16	5
	Vinyl chloride	SW8260	1.1					0/12	2
	Barium	SW6010	5	6/21/2004	37	12/16/2002	32	4/0	200
	Chromium	SW6010	10	12/16/2002	1.3 F	12/16/2002	1.3 F	1/3	100
	Copper	SW6010	10	6/16/2003	2.2 F	6/16/2003	2.2 F	1/3	1300
	Nickel	SW6010		6/16/2003	5.6 F	6/14/2005	2.5 F	3/1	100
	Zinc	SW6010	10	12/16/2002	96	6/14/2005	8.2 F	4/0	5000
	Arsenic	SW6020 or SW7060	30	12/16/2002	0.71 F	6/16/2003	0.46 F	4/0	10
	Cadmium	SW6010	1					0/4	5
	Lead	SW6020 or SW7421	5	6/21/2004	0.095 F	6/14/2005	0.09	2/2	15
	Mercury	SW7470	1	6/14/2005	0.049 F	6/16/2003	0.035 F	2/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW16-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2	6/16/2004	0.58 F	3/10/2004	0.33 M	10/3	7
	Bromodichloromethane	SW8260	0.8					0/13	80 <sup>5</sup>
	Bromoform	SW8260	1					0/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/13	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	6/4/2003	139	4/21/2003	23	33/0	70
	Dibromochloromethane	SW8260	0.5					0/13	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/13	1000
	Methylene chloride	SW8260	0.3	9/16/2003	8.3 F	9/8/2004	0.55 F	7/6	5
	Naphthalene	SW8260	0.4					0/13	20
	Tetrachloroethene	SW8260	1.4	3/5/2004	64.4	6/4/2003	8.58	33/0	5
	Toluene	SW8260	1.1	4/21/2003	12.3	3/10/2004	0.39 F	5/28	1000
	trans-1,2-Dichloroethene	SW8260	0.6	2/26/2004	6.74	4/21/2003	0.29	32/1	100
	Trichloroethene	SW8260	1	6/4/2003	131	4/21/2003	22.1	33/0	5
	Vinyl chloride	SW8260	1.1	9/16/2003	1.3 F	9/8/2004	0.19 F	4/9	2
	Barium	SW6010	5	6/8/2005	23	9/16/2003	18	3/0	200
	Chromium	SW6010	10					0/3	100
	Copper	SW6010	10	6/16/2004	1.9 F	9/16/2003	1.5 F	2/1	1300
	Nickel	SW6010		6/8/2005	4.3 F	6/8/2005	4.3 F	1/2	100
	Zinc	SW6010	10	9/16/2003	350	6/8/2005	40 F	3/0	5000
	Arsenic	SW6020 or SW7060	30	9/16/2003	0.62 F	6/16/2004	0.31 F	3/0	10
	Cadmium	SW6010	1					0/3	5
	Lead	SW6020 or SW7421	5	6/16/2004	1.5 F	9/16/2003	0.32 F	3/0	15
	Mercury	SW7470	1					0/3	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW16-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2	3/21/2003	0.052 F	3/21/2003	0.038 F	4/18	7
	Bromodichloromethane	SW8260	0.8					0/22	80 <sup>5</sup>
	Bromoform	SW8260	1					0/20	80 <sup>5</sup>
	Chloroform	SW8260	0.3	3/21/2003	0.11 F	6/16/2004	0.054 F	6/16	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/21/2003	110	9/8/2005	5.1	22/0	70
	cis-1,2-Dichloroethene	SW8260	1.2	3/21/2003	110 R	9/8/2005	5.1	22/0	70
	Dibromochloromethane	SW8260	0.5					0/22	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/20	1000
	Methylene chloride	SW8260	0.3	9/8/2004	1.6 R	12/10/2003	0.21 F	10/12	5
	Naphthalene	SW8260	0.4					0/20	20
	Tetrachloroethene	SW8260	1.4	3/21/2003	97 R	9/8/2005	7.5	22/0	5
	Toluene	SW8260	1.1	3/21/2003	7.2 R	9/9/2002	0.45 F	6/14	1000
	trans-1,2-Dichloroethene	SW8260	0.6	3/21/2003	3.4	3/11/2004	0.047 M	15/7	100
	Trichloroethene	SW8260	1	3/21/2003	120 R	9/8/2005	7	22/0	5
	Trichloroethene	SW8260	1	12/12/2002	120	9/8/2005	7	22/0	5
	Vinyl chloride	SW8260	1.1					0/22	2
	Barium	SW6010	5	6/19/2003	38	9/9/2002	35	4/0	200
	Chromium	SW6010	10	9/9/2002	0.85 F	9/9/2002	0.85 F	1/3	100
	Copper	SW6010	10	9/9/2002	5.9 F	6/19/2003	1.2 F	2/2	1300
	Nickel	SW6010		9/9/2002	2.3 F	9/9/2002	2.3 F	1/3	100
	Zinc	SW6010	10	6/16/2004	630	9/9/2002	260	4/0	5000
	Arsenic	SW6020 or SW7060	30	6/8/2005	0.42 F	6/16/2004	0.27 F	4/0	10
	Cadmium	SW6010	1	9/9/2002	0.1 F	6/8/2005	0.093 F	2/2	5
	Lead	SW6020 or SW7421	5	6/8/2005	0.56 F	6/16/2004	0.24 F	3/1	15
	Mercury	SW7470	1					0/4	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW17-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2	9/12/2002	0.055 F	9/12/2002	0.055 F	1/14	7
	Bromodichloromethane	SW8260	0.8					0/15	80 <sup>5</sup>
	Bromoform	SW8260	1					0/14	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/15	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/15	70
	Dibromochloromethane	SW8260	0.5					0/15	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/14	1000
	Methylene chloride	SW8260	0.3	9/19/2003	0.82 F	3/21/2003	0.25 F	5/10	5
	Naphthalene	SW8260	0.4					0/14	20
	Tetrachloroethene	SW8260	1.4	9/7/2004	0.34 F	9/12/2002	0.083 F	15/0	5
	Toluene	SW8260	1.1	3/21/2003	3.6 J	9/19/2003	0.071 F	5/9	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/15	100
	Trichloroethene	SW8260	1	9/7/2004	0.067 F	9/7/2004	0.067 F	1/14	5
	Vinyl chloride	SW8260	1.1					0/15	2
	Barium	SW6010	5	9/12/2002	37	6/23/2003	30	5/0	200
	Chromium	SW6010	10	9/12/2002	4.3 F	6/7/2005	1 F	3/2	100
	Copper	SW6010	10	9/12/2002	2.9 F	9/12/2002	2.9 F	1/4	1300
	Nickel	SW6010		9/12/2002	150	6/7/2005	7 F	5/0	100
	Zinc	SW6010	10	9/12/2002	270	6/7/2005	10 F	4/1	5000
	Arsenic	SW6020 or SW7060	30	6/23/2003	0.81 F	6/15/2004	0.41 F	5/0	10
	Cadmium	SW6010	1	6/23/2003	0.066 F	9/12/2002	0.023 F	3/2	5
	Lead	SW6020 or SW7421	5	9/12/2002	0.96 F	6/7/2005	0.092 F	2/3	15
	Mercury	SW7470	1					0/5	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW18-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/16	7
	Bromodichloromethane	SW8260	0.8					0/16	80 <sup>5</sup>
	Bromoform	SW8260	1					0/15	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/16	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/19	70
	Dibromochloromethane	SW8260	0.5					0/16	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/15	1000
	Methylene chloride	SW8260	0.3	6/23/2003	1.7 F	9/24/2003	0.37 F	5/11	5
	Naphthalene	SW8260	0.4					0/15	20
	Tetrachloroethene	SW8260	1.4	9/10/2004	0.052 F	9/10/2004	0.051 F	2/17	5
	Toluene	SW8260	1.1	3/18/2003	3.6 B	9/10/2004	0.065 F	9/9	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/19	100
	Trichloroethene	SW8260	1	3/18/2003	0.097 F	3/18/2003	0.097 F	1/18	5
	Vinyl chloride	SW8260	1.1					0/16	2
	Barium	SW6010	5	6/23/2003	230	9/12/2002	39	4/0	200
	Chromium	SW6010	10	6/23/2003	14	6/23/2003	14	1/3	100
	Copper	SW6010	10	9/12/2002	4.5 F	9/12/2002	4.5 F	1/3	1300
	Nickel	SW6010		9/12/2002	15	6/23/2003	6.6 F	4/0	100
	Zinc	SW6010	10	9/12/2002	44	6/14/2005	6.9 F	2/2	5000
	Arsenic	SW6020 or SW7060	30	6/14/2005	0.78 F	6/17/2004	0.41 F	4/0	10
	Cadmium	SW6010	1					0/4	5
	Lead	SW6020 or SW7421	5	6/14/2005	0.18 F	6/14/2005	0.18 F	1/3	15
	Mercury	SW7470	1	6/14/2005	0.056 F	6/14/2005	0.056 F	1/3	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW19-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2	3/20/2003	0.032 F	3/20/2003	0.032 F	1/13	7
	Bromodichloromethane	SW8260	0.8					0/14	80 <sup>5</sup>
	Bromoform	SW8260	1					0/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/14	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/17	70
	Dibromochloromethane	SW8260	0.5					0/14	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/13	1000
	Methylene chloride	SW8260	0.3	12/16/2002	3.3	12/10/2003	0.3 F	6/8	5
	Naphthalene	SW8260	0.4					0/13	20
	Tetrachloroethene	SW8260	1.4	6/16/2005	0.45 F	12/16/2002	0.14 F	14/3	5
	Toluene	SW8260	1.1	8/6/2002	32.6	9/16/2004	0.066 F	6/10	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/17	100
	Trichloroethene	SW8260	1					0/17	5
	Vinyl chloride	SW8260	1.1	3/20/2003	0.053 F	3/20/2003	0.053 F	1/13	2
	Barium	SW6010	5	6/16/2005	39	6/23/2003	34	5/0	200
	Chromium	SW6010	10	6/23/2003	2.6 F	6/16/2005	2 F	3/2	100
	Copper	SW6010	10	9/12/2002	8.6 F	9/12/2002	8.6 F	1/4	1300
	Nickel	SW6010		6/16/2005	110	9/12/2002	11	5/0	100
	Zinc	SW6010	10	9/12/2002	390	6/16/2004	15 F	5/0	5000
	Arsenic	SW6020 or SW7060	30	6/16/2005	0.68 F	9/12/2002	0.51 F	5/0	10
	Cadmium	SW6010	1	9/12/2002	0.028 F	9/12/2002	0.028 F	1/4	5
	Lead	SW6020 or SW7421	5	9/12/2002	0.19 F	6/16/2005	0.1 F	2/3	15
	Mercury	SW7470	1					0/5	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW1-BS</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/13	7
	Bromodichloromethane	SW8260	0.8					0/13	80 <sup>5</sup>
	Bromoform	SW8260	1					0/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/13	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	6/16/2003	1.1 F	3/9/2004	0.12 F	11/2	70
	Dibromochloromethane	SW8260	0.5					0/13	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/13	1000
	Methylene chloride	SW8260	0.3	3/9/2004	0.62 F	9/15/2003	0.33 F	3/10	5
	Naphthalene	SW8260	0.4	9/15/2003	0.11 F	9/15/2003	0.11 F	1/12	20
	Tetrachloroethene	SW8260	1.4					0/13	5
	Toluene	SW8260	1.1	6/16/2003	26	9/14/2005	0.34 F	12/1	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/13	100
	Trichloroethene	SW8260	1	6/16/2003	0.17 F	7/26/2004	0.044 F	7/6	5
	Vinyl chloride	SW8260	1.1	6/16/2003	0.069 F	6/16/2003	0.069 F	1/12	2
	Barium	SW6010	5	6/16/2003	51	6/17/2004	38	4/0	200
	Chromium	SW6010	10	6/16/2003	5.8 F	6/16/2003	5.8 F	1/3	100
	Copper	SW6010	10	6/16/2003	1.7 F	6/16/2003	1.7 F	1/3	1300
	Nickel	SW6010		6/16/2003	9.8 F	6/13/2005	3.3 F	2/2	100
	Zinc	SW6010	10	6/16/2003	78	6/16/2003	78	1/3	5000
	Arsenic	SW6020 or SW7060	30	6/13/2005	2.6 F	6/16/2003	2 F	4/0	10
	Cadmium	SW6010	1	6/17/2004	0.036 F	6/17/2004	0.033 F	2/2	5
	Lead	SW6020 or SW7421	5	6/13/2005	0.33 F	6/16/2003	0.2 F	2/2	15
	Mercury	SW7470	1	6/13/2005	0.071 F	6/16/2003	0.038 F	2/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW1-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/12	7
	Bromodichloromethane	SW8260	0.8					0/12	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/12	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	6/17/2004	0.17 R	6/17/2004	0.17 R	1/11	70
	Dibromochloromethane	SW8260	0.5					0/12	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	9/8/2004	0.52 F	3/11/2004	0.27 M	4/8	5
	Methylene chloride	SW8260	0.3	9/8/2004	0.52 F	12/10/2003	0.27 F	4/8	5
	Naphthalene	SW8260	0.4					0/12	20
	Tetrachloroethene	SW8260	1.4					0/12	5
	Toluene	SW8260	1.1	6/17/2004	2.3 R	9/8/2004	0.086 F	7/5	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/12	100
	Trichloroethene	SW8260	1					0/12	5
	Vinyl chloride	SW8260	1.1	6/16/2003	0.052 F	6/16/2003	0.052 F	1/11	2
	Barium	SW6010	5	6/16/2003	30	6/13/2005	17	3/0	200
	Chromium	SW6010	10	6/13/2005	1.4 F	6/13/2005	1.4 F	1/2	100
	Copper	SW6010	10	6/16/2003	1.7 F	6/16/2003	1.7 F	1/2	1300
	Nickel	SW6010						0/3	100
	Zinc	SW6010	10	6/16/2003	5 F	6/13/2005	4.7 F	2/1	5000
	Arsenic	SW6020 or SW7060	30	6/16/2003	0.57 F	6/13/2005	0.38 F	3/0	10
	Cadmium	SW6010	1					0/3	5
	Lead	SW6020 or SW7421	5	6/13/2005	0.32 F	6/17/2004	0.14 F	2/1	15
	Mercury	SW7470	1	6/13/2005	0.054 F	6/16/2003	0.038 F	2/1	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW1-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2	9/10/2002	0.045 F	9/10/2002	0.045 F	1/29	7
	Bromodichloromethane	SW8260	0.8					0/30	80 <sup>5</sup>
	Bromoform	SW8260	1					0/19	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/8/2004	0.12 F	12/12/2001	0.07 F	10/20	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	11/30/2004	60 R	3/25/2003	1.3	31/4	70
	Dibromochloromethane	SW8260	0.5					0/30	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/19	1000
	Methylene chloride	SW8260	0.3	3/9/2004	0.64 F	12/16/2002	0.3 F	5/25	5
	Naphthalene	SW8260	0.4					0/19	20
	Tetrachloroethene	SW8260	1.4	11/30/2004	41	3/25/2003	0.19 F	30/5	5
	Toluene	SW8260	1.1	11/10/2002	40.4	3/25/2003	0.54 F	5/19	1000
	trans-1,2-Dichloroethene	SW8260	0.6	3/20/2001	2.55	12/10/2003	0.13 F	26/9	100
	Trichloroethene	SW8260	1	11/30/2004	40	3/25/2003	0.24 F	30/5	5
	Vinyl chloride	SW8260	1.1	3/20/2003	0.032 F	3/20/2003	0.032 F	1/29	2
	Barium	SW6010	5	9/10/2002	36	6/12/2000	25.5	18/0	200
	Chromium	SW6010	10	6/12/2000	6 F	3/25/2003	1 F	11/7	100
	Copper	SW6010	10	6/13/2001	5 F	9/8/1999	1 F	8/10	1300
	Nickel	SW6010		6/17/2004	44	9/8/1999	2 F	13/5	100
	Zinc	SW6010	10	9/10/2002	81	3/20/2001	3.3 F	15/3	5000
	Arsenic	SW6020 or SW7060	30	3/25/2003	1.6 F	6/17/2004	0.26 F	14/4	10
	Cadmium	SW6010	1	9/12/2000	0.6 F	3/25/2003	0.025 F	3/15	5
	Lead	SW6020 or SW7421	5	6/19/2003	0.47 F	6/17/2004	0.091 F	4/14	15
	Mercury	SW7470	1					0/18	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW2-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/11	7
	Bromodichloromethane	SW8260	0.8					0/11	80 <sup>5</sup>
	Bromoform	SW8260	1					0/11	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/11	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/11	70
	Dibromochloromethane	SW8260	0.5					0/11	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/11	1000
	Methylene chloride	SW8260	0.3	3/9/2004	0.75 F	9/15/2003	0.36 F	4/7	5
	Naphthalene	SW8260	0.4					0/11	20
	Tetrachloroethene	SW8260	1.4					0/11	5
	Toluene	SW8260	1.1	9/7/2005	2.7	6/17/2004	0.11 F	9/2	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/11	100
	Trichloroethene	SW8260	1					0/11	5
	Vinyl chloride	SW8260	1.1					0/11	2
	Barium	SW6010	5	6/17/2003	37	6/8/2005	17	3/0	200
	Chromium	SW6010	10					0/3	100
	Copper	SW6010	10	6/17/2003	1.1 F	6/17/2003	1.1 F	1/2	1300
	Nickel	SW6010		6/8/2005	2.6 F	6/8/2005	2.6 F	1/2	100
	Zinc	SW6010	10	6/17/2003	27	6/8/2005	11 F	2/1	5000
	Arsenic	SW6020 or SW7060	30	6/8/2005	0.46 F	6/17/2004	0.3 F	3/0	10
	Cadmium	SW6010	1					0/3	5
	Lead	SW6020 or SW7421	5	6/8/2005	0.2 F	6/8/2005	0.2 F	1/2	15
	Mercury	SW7470	1	6/17/2003	0.037 F	6/17/2003	0.037 F	1/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW2-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/31	7
	Bromodichloromethane	SW8260	0.8					0/31	80 <sup>5</sup>
	Bromoform	SW8260	1					0/16	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/31	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/20/2001	4.63	12/8/2003	0.6 F	31/4	70
	Dibromochloromethane	SW8260	0.5					0/31	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/16	1000
	Methylene chloride	SW8260	0.3	3/9/2004	0.78 F	9/9/1999	0.12 F	5/26	5
	Naphthalene	SW8260	0.4					0/16	20
	Tetrachloroethene	SW8260	1.4	12/13/1999	14	9/9/2004	0.12 F	27/8	5
	Toluene	SW8260	1.1	3/9/2004	8.1	9/10/2002	0.071 F	13/7	1000
	trans-1,2-Dichloroethene	SW8260	0.6	3/20/2001	0.27 F	6/17/2003	0.04	18/17	100
	Trichloroethene	SW8260	1	3/20/2001	9.8	9/9/2004	0.25 F	27/8	5
	Vinyl chloride	SW8260	1.1	3/20/2003	0.032 F	3/20/2003	0.032 F	1/30	2
	Barium	SW6010	5	6/8/2005	120	3/20/2001	30.4	22/0	200
	Chromium	SW6010	10	3/21/2000	9 F	6/8/2005	1.8 F	15/7	100
	Copper	SW6010	10	6/13/2001	5 F	12/13/1999	1 F	8/14	1300
	Nickel	SW6010		9/12/2000	38	6/8/2005	3.9 F	21/1	100
	Zinc	SW6010	10	6/8/2005	110	9/12/2000	3 F	22/0	5000
	Arsenic	SW6020 or SW7060	30	6/17/2003	4 F	9/9/1999	0.5 F	10/12	10
	Cadmium	SW6010	1	6/13/2001	0.3 F	6/8/2005	0.05 F	5/17	5
	Lead	SW6020 or SW7421	5	6/8/2005	3.6	6/17/2004	0.18 F	5/17	15
	Mercury	SW7470	1	6/17/2003	0.038 F	6/17/2003	0.038 F	1/21	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW3-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/19	7
	Bromodichloromethane	SW8260	0.8					0/19	80 <sup>5</sup>
	Bromoform	SW8260	1					0/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/19	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/19	70
	Dibromochloromethane	SW8260	0.5					0/19	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/13	1000
	Methylene chloride	SW8260	0.3	12/17/2001	0.49 F	3/13/2002	0.2 F	7/12	5
	Naphthalene	SW8260	0.4					0/13	20
	Tetrachloroethene	SW8260	1.4	9/7/2004	0.062 F	9/7/2004	0.062 F	1/18	5
	Toluene	SW8260	1.1					0/13	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/19	100
	Trichloroethene	SW8260	1	11/29/2004	0.21 F	9/7/2004	0.056 F	2/17	5
	Vinyl chloride	SW8260	1.1					0/19	2
	Barium	SW6010	5	9/12/2001	28.6 J	3/13/2002	26.8 J	8/0	200
	Chromium	SW6010	10	6/14/2001	2 F	6/14/2001	2 F	1/7	100
	Copper	SW6010	10					0/8	1300
	Nickel	SW6010		9/12/2001	4 F	6/7/2005	1.4 F	3/5	100
	Zinc	SW6010	10	6/14/2001	62	6/20/2003	20	8/0	5000
	Zinc	SW6010	10	6/14/2001	62	6/15/2004	20 F	8/0	5000
	Arsenic	SW6020 or SW7060	30	9/12/2001	2.1 F	6/7/2005	0.44 F	5/3	10
	Cadmium	SW6010	1	6/14/2001	0.2 F	6/20/2003	0.081 F	2/6	5
	Lead	SW6020 or SW7421	5	6/14/2001	31.6	6/15/2004	0.13 F	6/2	15
	Mercury	SW7470	1					0/8	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW4-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/20	7
	Bromodichloromethane	SW8260	0.8					0/20	80 <sup>5</sup>
	Bromoform	SW8260	1					0/14	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/20	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/21/2003	0.22 F	6/18/2002	0.11 F	11/9	70
	Dibromochloromethane	SW8260	0.5					0/20	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/14	1000
	Methylene chloride	SW8260	0.3	9/9/2004	0.57 F	12/10/2003	0.33 M	4/16	5
	Naphthalene	SW8260	0.4	3/21/2003	0.86	6/14/2001	0.25 F	2/12	20
	Tetrachloroethene	SW8260	1.4	3/21/2003	0.12 F	6/23/2003	0.061 F	6/14	5
	Toluene	SW8260	1.1	3/21/2003	2.5 J	3/21/2003	2.5 J	1/13	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/20	100
	Trichloroethene	SW8260	1	3/21/2003	0.098 F	6/23/2003	0.044 F	7/13	5
	Vinyl chloride	SW8260	1.1	3/21/2003	0.051 F	3/21/2003	0.051 F	1/19	2
	Barium	SW6010	5	6/8/2005	54	9/13/2001	42.1 J	9/0	200
	Chromium	SW6010	10	6/14/2001	2 F	6/14/2001	2 F	1/8	100
	Copper	SW6010	10	6/14/2001	4 F	6/14/2001	4 F	1/8	1300
	Nickel	SW6010		6/14/2001	29	6/8/2005	2.7 F	9/0	100
	Zinc	SW6010	10	6/14/2001	19 F	6/18/2002	5.5 F	6/3	5000
	Arsenic	SW6020 or SW7060	30	6/14/2001	3 F	12/12/2001	0.9 F	9/0	10
	Cadmium	SW6010	1	3/14/2002	0.032 F	3/14/2002	0.032 F	1/8	5
	Lead	SW6020 or SW7421	5	6/8/2005	0.24 F	3/14/2002	0.15 F	2/7	15
	Mercury	SW7470	1	6/8/2005	0.045 F	6/8/2005	0.045 F	1/8	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW5-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/21	7
	Bromodichloromethane	SW8260	0.8					0/21	80 <sup>5</sup>
	Bromoform	SW8260	1					0/15	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/21	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/17/2003	2.8	2/7/2001	0.15 F	21/0	70
	Dibromochloromethane	SW8260	0.5					0/21	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/15	1000
	Methylene chloride	SW8260	0.3	9/9/2004	0.55 F	3/21/2002	0.22 F	5/16	5
	Naphthalene	SW8260	0.4					0/15	20
	Tetrachloroethene	SW8260	1.4	3/17/2003	1.7	9/11/2002	0.32 F	20/1	5
	Toluene	SW8260	1.1	2/7/2001	0.17 F	12/11/2003	0.068 F	3/12	1000
	trans-1,2-Dichloroethene	SW8260	0.6	3/17/2003	0.08 F	6/18/2002	0.041 F	7/14	100
	Trichloroethene	SW8260	1	6/23/2003	2.6	9/11/2002	0.4 F	20/1	5
	Vinyl chloride	SW8260	1.1					0/21	2
	Barium	SW6010	5	6/14/2001	36.7	3/21/2002	6.1	9/0	200
	Chromium	SW6010	10	6/14/2001	2 F	6/14/2001	2 F	1/8	100
	Copper	SW6010	10					0/9	1300
	Nickel	SW6010		6/14/2001	32	6/8/2005	8.3 F	9/0	100
	Zinc	SW6010	10	6/14/2001	144	6/16/2004	9.5 F	9/0	5000
	Arsenic	SW6020 or SW7060	30	6/14/2001	5.2	6/16/2004	1.7 F	9/0	10
	Cadmium	SW6010	1	6/23/2003	0.31 F	3/21/2002	0.022 F	2/7	5
	Lead	SW6020 or SW7421	5	9/12/2001	0.9 F	6/16/2004	0.094 F	6/3	15
	Mercury	SW7470	1					0/9	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW6-BS</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/20	7
	Bromodichloromethane	SW8260	0.8					0/20	80 <sup>5</sup>
	Bromoform	SW8260	1					0/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/20	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/18/2003	0.14 F	3/18/2003	0.14 F	1/19	70
	Dibromochloromethane	SW8260	0.5					0/20	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/13	1000
	Methylene chloride	SW8260	0.3	3/8/2004	0.82 F	6/20/2002	0.25 F	5/15	5
	Naphthalene	SW8260	0.4	3/18/2003	0.23 F	9/16/2003	0.12 F	2/11	20
	Tetrachloroethene	SW8260	1.4					0/20	5
	Toluene	SW8260	1.1	3/18/2003	1.9 B	6/18/2003	0.076 F	6/7	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/20	100
	Trichloroethene	SW8260	1					0/20	5
	Vinyl chloride	SW8260	1.1					0/20	2
	Barium	SW6010	5	6/9/2005	39	6/13/2001	9.5	8/0	200
	Chromium	SW6010	10	6/13/2001	5 F	6/13/2001	5 F	1/7	100
	Copper	SW6010	10	6/13/2001	9 F	9/13/2001	4 F	2/6	1300
	Nickel	SW6010		6/13/2001	3 F	6/13/2001	3 F	1/7	100
	Zinc	SW6010	10	6/13/2001	85	6/20/2002	3.7 F	4/4	5000
	Arsenic	SW6020 or SW7060	30	6/21/2004	5.6 F	6/13/2001	1.3 F	8/0	10
	Cadmium	SW6010	1					0/8	5
	Lead	SW6020 or SW7421	5	6/9/2005	0.11 F	6/9/2005	0.11 F	1/7	15
	Mercury	SW7470	1	12/13/2001	0.2 F	12/13/2001	0.2 F	1/7	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW6-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/21	7
	Bromodichloromethane	SW8260	0.8					0/21	80 <sup>5</sup>
	Bromoform	SW8260	1					0/14	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/21	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/18/2003	0.23 F	3/18/2003	0.23 F	1/20	70
	Dibromochloromethane	SW8260	0.5					0/21	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/14	1000
	Methylene chloride	SW8260	0.3	3/8/2004	0.85 F	6/20/2002	0.26 F	6/15	5
	Naphthalene	SW8260	0.4	3/18/2003	0.23 F	3/18/2003	0.23 F	1/13	20
	Tetrachloroethene	SW8260	1.4					0/21	5
	Toluene	SW8260	1.1	3/18/2003	2.6 B	9/10/2004	0.11 F	4/10	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/21	100
	Trichloroethene	SW8260	1	3/18/2003	0.09 F	3/18/2003	0.09 F	1/20	5
	Vinyl chloride	SW8260	1.1					0/21	2
	Barium	SW6010	5	6/9/2005	38	6/13/2001	12	10/0	200
	Chromium	SW6010	10	6/13/2001	17	6/13/2001	17	1/9	100
	Copper	SW6010	10	9/13/2001	6 F	6/13/2001	5 F	2/8	1300
	Nickel	SW6010		6/13/2001	8 F	6/9/2005	1.4 F	4/6	100
	Zinc	SW6010	10	9/13/2001	124	6/9/2005	6.8 F	9/1	5000
	Arsenic	SW6020 or SW7060	30	9/13/2001	2.8 F	6/18/2003	0.97 F	9/1	10
	Cadmium	SW6010	1	6/18/2003	0.083 F	6/18/2003	0.083 F	1/9	5
	Lead	SW6020 or SW7421	5	12/13/2001	1.6 F	3/12/2002	0.18 F	3/7	15
	Mercury	SW7470	1	12/13/2001	0.2 F	12/13/2001	0.2 F	1/9	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW6-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/18	7
	Bromodichloromethane	SW8260	0.8					0/18	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/18	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	6/13/2001	0.26 F	6/13/2001	0.26 F	1/17	70
	Dibromochloromethane	SW8260	0.5					0/18	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	3/8/2004	0.84 F	6/20/2002	0.25 F	5/13	5
	Naphthalene	SW8260	0.4	3/18/2003	0.25 F	3/18/2003	0.25 F	1/11	20
	Tetrachloroethene	SW8260	1.4	6/13/2001	0.5 F	6/13/2001	0.5 F	1/17	5
	Toluene	SW8260	1.1	3/18/2003	2.2 B	12/11/2003	0.061 F	3/9	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/18	100
	Trichloroethene	SW8260	1	6/13/2001	0.42 F	6/13/2001	0.42 F	1/17	5
	Vinyl chloride	SW8260	1.1					0/18	2
	Barium	SW6010	5	6/20/2002	40.5	6/18/2003	31	8/0	200
	Chromium	SW6010	10	6/13/2001	11	9/13/2001	4 F	3/5	100
	Copper	SW6010	10	9/13/2001	6 F	6/13/2001	5 F	2/6	1300
	Nickel	SW6010		12/13/2001	65	6/13/2001	3 F	8/0	100
	Zinc	SW6010	10	6/13/2001	35 F	6/9/2005	8 F	8/0	5000
	Arsenic	SW6020 or SW7060	30	6/20/2002	1 F	6/21/2004	0.68 F	5/3	10
	Cadmium	SW6010	1					0/8	5
	Lead	SW6020 or SW7421	5	6/13/2001	1.2 F	6/9/2005	0.22 F	4/4	15
	Mercury	SW7470	1	6/9/2005	0.082 F	6/9/2005	0.082 F	1/7	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW7-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2	6/24/2002	0.33 F	9/13/2004	0.034 F	2/17	7
	Bromodichloromethane	SW8260	0.8					0/19	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/19	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/19	70
	Dibromochloromethane	SW8260	0.5					0/19	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	6/24/2002	1.8 F	12/14/2001	0.21 F	6/13	5
	Naphthalene	SW8260	0.4					0/12	20
	Tetrachloroethene	SW8260	1.4	9/13/2002	0.13 F	9/13/2002	0.13 F	1/18	5
	Toluene	SW8260	1.1	3/18/2003	2.8 B	12/15/2003	0.084 F	3/9	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/19	100
	Trichloroethene	SW8260	1					0/19	5
	Vinyl chloride	SW8260	1.1					0/19	2
	Barium	SW6010	5	7/18/2001	41.7	6/23/2003	25	11/0	200
	Chromium	SW6010	10	6/24/2002	5.6 F	9/13/2001	2 F	2/9	100
	Copper	SW6010	10					0/11	1300
	Nickel	SW6010		7/18/2001	15	12/14/2001	2 F	6/5	100
	Zinc	SW6010	10	6/24/2002	56.6	6/23/2003	13	7/4	5000
	Arsenic	SW6020 or SW7060	30	7/18/2001	6.1	6/23/2003	1 F	9/1	10
	Cadmium	SW6010	1					0/10	5
	Lead	SW6020 or SW7421	5	12/14/2001	1.2 F	6/23/2004	0.11 F	5/5	15
	Mercury	SW7470	1	12/14/2001	0.2 F	6/13/2005	0.052 F	4/6	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW7-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/18	7
	Bromodichloromethane	SW8260	0.8					0/18	80 <sup>5</sup>
	Bromoform	SW8260	1					0/11	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/18	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/18	70
	Dibromochloromethane	SW8260	0.5					0/18	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/11	1000
	Methylene chloride	SW8260	0.3	12/14/2001	0.85 F	3/11/2004	0.2 M	6/12	5
	Naphthalene	SW8260	0.4	3/18/2003	0.32 F	3/18/2003	0.32 F	1/10	20
	Tetrachloroethene	SW8260	1.4	9/19/2003	0.08 F	6/23/2003	0.053 F	4/14	5
	Toluene	SW8260	1.1	3/18/2003	2.5 B	9/13/2004	0.094 F	3/8	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/18	100
	Trichloroethene	SW8260	1	12/15/2003	0.038 F	3/11/2004	0.037 F	2/16	5
	Vinyl chloride	SW8260	1.1					0/18	2
	Barium	SW6010	5	6/23/2004	47	3/12/2002	19.8 J	10/0	200
	Chromium	SW6010	10	9/17/2001	2 F	6/13/2005	1.3 F	2/8	100
	Copper	SW6010	10	9/13/2001	9 F	9/17/2001	4 F	3/7	1300
	Nickel	SW6010		9/17/2001	10	6/13/2005	1.4 F	5/5	100
	Zinc	SW6010	10	9/13/2001	54	6/23/2004	4.4 F	10/0	5000
	Arsenic	SW6020 or SW7060	30	6/13/2005	0.77 F	3/12/2002	0.5 F	5/4	10
	Cadmium	SW6010	1	6/23/2003	0.078 F	6/23/2003	0.078 F	1/8	5
	Lead	SW6020 or SW7421	5	7/31/2001	0.9 F	6/23/2004	0.13 F	5/4	15
	Mercury	SW7470	1	6/13/2005	0.067 F	6/13/2005	0.067 F	1/8	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW8-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/19	7
	Bromodichloromethane	SW8260	0.8					0/19	80 <sup>5</sup>
	Bromoform	SW8260	1					0/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3	12/12/2003	0.12 R	12/12/2003	0.12 R	1/18	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/19	70
	Dibromochloromethane	SW8260	0.5					0/19	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/13	1000
	Methylene chloride	SW8260	0.3	3/12/2002	0.52 F	12/12/2003	0.23 R	6/13	5
	Naphthalene	SW8260	0.4	9/16/2003	0.34 F	9/16/2003	0.34 F	1/12	20
	Tetrachloroethene	SW8260	1.4	12/12/2003	2.5 R	9/13/2004	0.19 F	6/13	5
	Toluene	SW8260	1.1	3/19/2003	3.5	9/13/2004	0.082 F	4/9	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/19	100
	Trichloroethene	SW8260	1	12/12/2003	0.45 R	12/12/2003	0.45 R	1/18	5
	Vinyl chloride	SW8260	1.1					0/19	2
	Barium	SW6010	5	12/13/2001	41.6	6/19/2002	8.8	8/0	200
	Chromium	SW6010	10	6/14/2001	2 F	6/14/2001	2 F	1/7	100
	Copper	SW6010	10	6/14/2001	19	6/19/2003	1.5 F	3/5	1300
	Nickel	SW6010		6/14/2001	23	9/13/2001	8 F	2/6	100
	Zinc	SW6010	10	6/14/2001	69	6/19/2003	5 F	3/5	5000
	Arsenic	SW6020 or SW7060	30	9/13/2001	7.2 J	6/9/2005	2.4 F	8/0	10
	Cadmium	SW6010	1	6/19/2002	0.058 F	6/19/2002	0.058 F	1/7	5
	Lead	SW6020 or SW7421	5	6/14/2001	2.6 F	6/23/2004	0.12 F	5/3	15
	Mercury	SW7470	1	6/19/2003	0.023 F	6/19/2003	0.023 F	1/7	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW8-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/22	7
	Bromodichloromethane	SW8260	0.8					0/22	80 <sup>5</sup>
	Bromoform	SW8260	1					0/14	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/22	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/18/2003	0.21 F	3/18/2003	0.21 F	1/21	70
	Dibromochloromethane	SW8260	0.5					0/22	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/14	1000
	Methylene chloride	SW8260	0.3	3/12/2002	0.53 F	3/12/2004	0.31 M	4/18	5
	Naphthalene	SW8260	0.4					0/14	20
	Tetrachloroethene	SW8260	1.4	6/12/2001	1.1 F	6/19/2002	0.057 F	21/1	5
	Toluene	SW8260	1.1	3/18/2003	2.9 B	9/13/2004	0.1 F	3/11	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/22	100
	Trichloroethene	SW8260	1	6/12/2001	0.18 F	3/18/2003	0.032 F	4/18	5
	Vinyl chloride	SW8260	1.1					0/22	2
	Barium	SW6010	5	6/12/2001	41.7	6/18/2003	35	11/0	200
	Chromium	SW6010	10	6/9/2005	2.1 F	6/9/2005	2.1 F	1/10	100
	Copper	SW6010	10	6/19/2002	10.6	6/12/2001	4 F	3/8	1300
	Nickel	SW6010		3/12/2002	10.3	6/9/2005	1.7 F	7/4	100
	Zinc	SW6010	10	9/13/2001	88	6/21/2004	17 F	11/0	5000
	Arsenic	SW6020 or SW7060	30	9/13/2001	1.1 F	3/12/2002	0.5 F	7/4	10
	Cadmium	SW6010	1	6/19/2002	0.12 F	6/19/2002	0.12 F	1/10	5
	Lead	SW6020 or SW7421	5	9/13/2001	1.3 M	6/21/2004	0.16 F	8/3	15
	Mercury	SW7470	1	9/13/2001	0.2 F	9/13/2001	0.2 F	1/10	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW9-BS</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/18	7
	Bromodichloromethane	SW8260	0.8					0/18	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/18	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/18	70
	Dibromochloromethane	SW8260	0.5					0/18	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	9/7/2004	0.52 F	3/13/2002	0.23 F	5/13	5
	Naphthalene	SW8260	0.4					0/12	20
	Tetrachloroethene	SW8260	1.4					0/18	5
	Toluene	SW8260	1.1	3/17/2003	0.6 F	6/20/2003	0.072 F	3/9	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/18	100
	Trichloroethene	SW8260	1					0/18	5
	Vinyl chloride	SW8260	1.1	3/17/2003	0.059 F	12/12/2002	0.055 F	2/16	2
	Barium	SW6010	5	6/10/2005	79	6/14/2001	13.4	8/0	200
	Chromium	SW6010	10	6/14/2001	3 F	6/14/2001	3 F	1/7	100
	Copper	SW6010	10					0/8	1300
	Nickel	SW6010		6/14/2001	3 F	6/14/2001	3 F	1/7	100
	Zinc	SW6010	10	6/10/2005	36 F	3/13/2002	3.3 F	7/1	5000
	Zinc	SW6010	10	6/10/2005	36 F	6/19/2002	3.3	7/1	5000
	Arsenic	SW6020 or SW7060	30	6/15/2004	2.8 F	6/20/2003	0.94 F	7/1	10
	Cadmium	SW6010	1	6/15/2004	0.033 F	6/15/2004	0.033 F	1/7	5
	Lead	SW6020 or SW7421	5	6/10/2005	4.1	6/15/2004	0.2 F	5/3	15
	Mercury	SW7470	1	12/14/2001	0.2 F	9/12/2001	0.2 F	2/6	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW9-CC</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/22	7
	Bromodichloromethane	SW8260	0.8					0/22	80 <sup>5</sup>
	Bromoform	SW8260	1					0/16	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/22	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/17/2003	0.4 F	3/17/2003	0.4 F	1/21	70
	Dibromochloromethane	SW8260	0.5					0/22	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/16	1000
	Methylene chloride	SW8260	0.3	12/14/2001	0.7 F	3/13/2002	0.24 F	5/17	5
	Naphthalene	SW8260	0.4	11/20/2000	3.8	11/19/2000	1	2/14	20
	Tetrachloroethene	SW8260	1.4					0/22	5
	Toluene	SW8260	1.1	3/17/2003	0.69 F	11/19/2000	0.11 F	5/11	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/22	100
	Trichloroethene	SW8260	1					0/22	5
	Vinyl chloride	SW8260	1.1					0/22	2
	Barium	SW6010	5	6/14/2001	27.4	6/19/2002	18.5	9/0	200
	Chromium	SW6010	10	12/14/2001	13	6/14/2001	2 F	2/7	100
	Copper	SW6010	10					0/9	1300
	Nickel	SW6010		6/14/2001	5 F	9/12/2001	3 F	2/7	100
	Zinc	SW6010	10	6/14/2001	54	6/20/2003	5.6 F	7/2	5000
	Arsenic	SW6020 or SW7060	30	6/14/2001	1.3 F	6/15/2004	0.23 F	8/1	10
	Cadmium	SW6010	1					0/9	5
	Lead	SW6020 or SW7421	5	6/10/2005	0.19 F	6/10/2005	0.19 F	1/8	15
	Mercury	SW7470	1	6/10/2005	0.08 F	6/10/2005	0.08 F	1/8	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MW9-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/21	7
	Bromodichloromethane	SW8260	0.8					0/21	80 <sup>5</sup>
	Bromoform	SW8260	1					0/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/21	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/21	70
	Dibromochloromethane	SW8260	0.5					0/21	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/13	1000
	Methylene chloride	SW8260	0.3	9/7/2004	0.49 F	3/13/2002	0.22 F	4/17	5
	Naphthalene	SW8260	0.4	3/17/2003	0.49	3/17/2003	0.49	1/12	20
	Tetrachloroethene	SW8260	1.4	12/9/2003	0.18 F	3/13/2002	0.041 F	6/15	5
	Toluene	SW8260	1.1	3/17/2003	0.26 F	3/17/2003	0.26 F	1/12	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/21	100
	Trichloroethene	SW8260	1	3/17/2003	0.26 F	3/17/2003	0.26 F	1/20	5
	Vinyl chloride	SW8260	1.1					0/21	2
	Barium	SW6010	5	6/14/2001	67.5	6/20/2003	31	11/0	200
	Chromium	SW6010	10	2/18/2001	54	6/14/2001	2 F	5/6	100
	Copper	SW6010	10	2/18/2001	11	2/18/2001	11	1/10	1300
	Nickel	SW6010		6/10/2005	52	2/18/2001	7 F	11/0	100
	Zinc	SW6010	10	2/18/2001	119	6/15/2004	4.6 F	10/1	5000
	Arsenic	SW6020 or SW7060	30	2/18/2001	1.7 F	6/15/2004	0.35 F	7/4	10
	Cadmium	SW6010	1	6/14/2001	0.2 F	6/19/2002	0.044 F	2/9	5
	Lead	SW6020 or SW7421	5	2/18/2001	8.6	6/15/2004	0.082 F	7/4	15
	Mercury	SW7470	1	12/14/2001	0.2 F	6/14/2001	0.2 F	2/9	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MWG-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/11	7
	Bromodichloromethane	SW8260	0.8					0/11	80 <sup>5</sup>
	Bromoform	SW8260	1					0/11	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/11	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/11	70
	Dibromochloromethane	SW8260	0.5					0/11	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/11	1000
	Methylene chloride	SW8260	0.3	9/7/2004	0.47 F	12/9/2003	0.24 F	4/7	5
	Naphthalene	SW8260	0.4					0/11	20
	Tetrachloroethene	SW8260	1.4					0/11	5
	Toluene	SW8260	1.1					0/11	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/11	100
	Trichloroethene	SW8260	1					0/11	5
	Vinyl chloride	SW8260	1.1					0/11	2
	Barium	SW6010	5	6/7/2005	22	6/15/2004	20	2/0	200
	Chromium	SW6010	10	6/7/2005	1.2 F	6/7/2005	1.2 F	1/1	100
	Copper	SW6010	10					0/2	1300
	Nickel	SW6010		6/7/2005	35	6/15/2004	4.4 F	2/0	100
	Zinc	SW6010	10	6/7/2005	22 F	6/15/2004	8.4 F	2/0	5000
	Arsenic	SW6020 or SW7060	30	6/7/2005	0.38 F	6/15/2004	0.25 F	2/0	10
	Cadmium	SW6010	1					0/2	5
	Lead	SW6020 or SW7421	5	6/7/2005	0.41 F	6/15/2004	0.41 F	2/0	15
	Mercury	SW7470	1					0/2	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>CS-MWH-LGR</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/3	7
	Bromodichloromethane	SW8260	0.8					0/3	80 <sup>5</sup>
	Bromoform	SW8260	1					0/3	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/3	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/3	70
	Dibromochloromethane	SW8260	0.5					0/3	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/3	1000
	Methylene chloride	SW8260	0.3					0/3	5
	Naphthalene	SW8260	0.4					0/3	20
	Tetrachloroethene	SW8260	1.4					0/3	5
	Toluene	SW8260	1.1					0/3	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/3	100
	Trichloroethene	SW8260	1					0/3	5
	Vinyl chloride	SW8260	1.1					0/3	2
	Barium	SW6010	5	6/6/2005	28	6/6/2005	28	1/0	200
	Chromium	SW6010	10	6/6/2005	6.6 F	6/6/2005	6.6 F	1/0	100
	Copper	SW6010	10					0/1	1300
	Nickel	SW6010		6/6/2005	6.6 F	6/6/2005	6.6 F	1/0	100
	Zinc	SW6010	10	6/6/2005	2000	6/6/2005	2000	1/0	5000
	Arsenic	SW6020 or SW7060	30	6/6/2005	0.74 F	6/6/2005	0.74 F	1/0	10
	Cadmium	SW6010	1					0/1	5
	Lead	SW6020 or SW7421	5	6/6/2005	2.7	6/6/2005	2.7	1/0	15
	Mercury	SW7470	1					0/1	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>DOM-2</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/5	7
	Bromodichloromethane	SW8260	0.8					0/5	80 <sup>5</sup>
	Bromoform	SW8260	1					0/5	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/5	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/5	70
	Dibromochloromethane	SW8260	0.5					0/5	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/5	1000
	Methylene chloride	SW8260	0.3	3/20/2002	0.43 F	3/20/2002	0.43 F	1/4	5
	Naphthalene	SW8260	0.4					0/5	20
	Tetrachloroethene	SW8260	1.4					0/5	5
	Toluene	SW8260	1.1	3/24/2005	0.15 F	3/24/2005	0.15 F	1/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/5	100
	Trichloroethene	SW8260	1					0/5	5
	Vinyl chloride	SW8260	1.1					0/5	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>FO-17</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/5	7
	Bromodichloromethane	SW8260	0.8					0/5	80 <sup>5</sup>
	Bromoform	SW8260	1					0/5	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/5	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/5	70
	Dibromochloromethane	SW8260	0.5					0/5	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/5	1000
	Methylene chloride	SW8260	0.3	3/19/2002	0.31 F	3/19/2002	0.31 F	1/4	5
	Naphthalene	SW8260	0.4					0/5	20
	Tetrachloroethene	SW8260	1.4					0/5	5
	Toluene	SW8260	1.1	3/10/2003	0.25 F	3/10/2003	0.25 F	1/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/5	100
	Trichloroethene	SW8260	1					0/5	5
	Vinyl chloride	SW8260	1.1					0/5	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>FO-22</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/3	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/3	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>FO-8</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3	3/19/2002	0.2 F	3/19/2002	0.2 F	1/3	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1	3/10/2003	0.4 F	3/10/2003	0.4 F	1/3	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>FO-J1</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/18	7
	Bromodichloromethane	SW8260	0.8					0/19	80 <sup>5</sup>
	Bromoform	SW8260	1					0/19	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/19	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/22/2005	0.53 F	3/10/2003	0.2 F	4/15	70
	Dibromochloromethane	SW8260	0.5					0/19	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/19	1000
	Methylene chloride	SW8260	0.3	3/10/2003	2.6 B	3/19/2002	0.27 F	4/14	5
	Naphthalene	SW8260	0.4					0/19	20
	Tetrachloroethene	SW8260	1.4	3/2/2004	0.36 F	3/22/2005	0.12 F	11/8	5
	Toluene	SW8260	1.1	3/10/2003	0.74 F	3/10/2003	0.74 F	1/18	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/19	100
	Trichloroethene	SW8260	1	3/22/2005	0.25 F	12/14/2004	0.22 F	2/17	5
	Vinyl chloride	SW8260	1.1					0/19	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>HS-2</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/16	7
	Bromodichloromethane	SW8260	0.8					0/17	80 <sup>5</sup>
	Bromoform	SW8260	1					0/17	80 <sup>5</sup>
	Chloroform	SW8260	0.3	3/12/2003	0.16 F	3/12/2003	0.16 F	1/16	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/17	70
	Dibromochloromethane	SW8260	0.5					0/17	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/17	1000
	Methylene chloride	SW8260	0.3	12/19/2001	0.4 F	3/21/2002	0.31 F	2/14	5
	Naphthalene	SW8260	0.4					0/17	20
	Tetrachloroethene	SW8260	1.4	9/21/2004	0.23 F	9/9/2003	0.12 F	14/3	5
	Toluene	SW8260	1.1	3/3/2004	1 F	3/21/2002	0.12 F	2/15	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/17	100
	Trichloroethene	SW8260	1					0/17	5
	Vinyl chloride	SW8260	1.1					0/17	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>HS-3</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3	12/19/2001	0.38 F	12/19/2001	0.38 F	1/3	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2
	Dichloroethene, 1,1-	SW8260	1.2					0/1	7
	Bromodichloromethane	SW8260	0.8					0/1	80 <sup>5</sup>
	Bromoform	SW8260	1					0/1	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/1	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/1	70
	Dibromochloromethane	SW8260	0.5					0/1	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/1	1000
	Methylene chloride	SW8260	0.3					0/1	5
	Naphthalene	SW8260	0.4					0/1	20
	Tetrachloroethene	SW8260	1.4					0/1	5
	Toluene	SW8260	1.1					0/1	1000

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
	trans-1,2-Dichloroethene	SW8260	0.6					0/1	100
	Trichloroethene	SW8260	1					0/1	5
	Vinyl chloride	SW8260	1.1					0/1	2
	<b>I10-2</b>								
	Dichloroethene, 1,1-	SW8260	1.2					0/17	7
	Bromodichloromethane	SW8260	0.8					0/18	80 <sup>5</sup>
	Bromoform	SW8260	1					0/18	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/18	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/18	70
	Dibromochloromethane	SW8260	0.5					0/18	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/18	1000
	Methylene chloride	SW8260	0.3	9/18/2002	0.83 F	12/18/2001	0.21 F	3/14	5
	Naphthalene	SW8260	0.4					0/18	20
	Tetrachloroethene	SW8260	1.4	12/18/2001	0.16 F	12/5/2002	0.08 F	9/9	5
	Toluene	SW8260	1.1					0/18	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/18	100
	Trichloroethene	SW8260	1	9/19/2001	0.23 F	3/13/2003	0.06 F	7/11	5
	Vinyl chloride	SW8260	1.1					0/18	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>I10-4</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/18	7
	Bromodichloromethane	SW8260	0.8					0/20	80 <sup>5</sup>
	Bromoform	SW8260	1					0/20	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/20	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/20	70
	Dibromochloromethane	SW8260	0.5					0/20	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/20	1000
	Methylene chloride	SW8260	0.3	9/18/2002	0.76 F	3/21/2002	0.2 F	2/16	5
	Naphthalene	SW8260	0.4					0/20	20
	Tetrachloroethene	SW8260	1.4	6/21/2005	3.47	12/19/2001	0.12 F	7/13	5
	Toluene	SW8260	1.1					0/20	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/20	100
	Trichloroethene	SW8260	1	6/21/2005	1.16	4/14/2004	0.25 F	3/17	5
	Vinyl chloride	SW8260	1.1					0/20	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>I10-5</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/4	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>I10-7</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/7	7
	Bromodichloromethane	SW8260	0.8					0/7	80 <sup>5</sup>
	Bromoform	SW8260	1					0/7	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/7	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/7	70
	Dibromochloromethane	SW8260	0.5					0/7	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/7	1000
	Methylene chloride	SW8260	0.3	3/21/2002	0.44 F	3/21/2002	0.44 F	1/6	5
	Naphthalene	SW8260	0.4					0/7	20
	Tetrachloroethene	SW8260	1.4					0/7	5
	Toluene	SW8260	1.1	3/21/2002	0.36 F	3/21/2002	0.36 F	1/6	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/7	100
	Trichloroethene	SW8260	1					0/7	5
	Vinyl chloride	SW8260	1.1					0/7	2
	Dichloroethene, 1,1-	SW8260	1.2					0/3	7
	Bromodichloromethane	SW8260	0.8					0/3	80 <sup>5</sup>
	Bromoform	SW8260	1					0/3	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/3	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/3	70
	Dibromochloromethane	SW8260	0.5					0/3	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/3	1000
	Methylene chloride	SW8260	0.3					0/3	5
	Naphthalene	SW8260	0.4					0/3	20
	Tetrachloroethene	SW8260	1.4					0/3	5
	Toluene	SW8260	1.1					0/3	1000

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
	trans-1,2-Dichloroethene	SW8260	0.6					0/3	100
	Trichloroethene	SW8260	1					0/3	5
	Vinyl chloride	SW8260	1.1					0/3	2
	<b>JW-12</b>								
	Dichloroethene, 1,1-	SW8260	1.2					0/3	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/3	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-13</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/5	80 <sup>5</sup>
	Bromoform	SW8260	1					0/5	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/5	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/5	70
	Dibromochloromethane	SW8260	0.5					0/5	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/5	1000
	Methylene chloride	SW8260	0.3					0/4	5
	Naphthalene	SW8260	0.4					0/5	20
	Tetrachloroethene	SW8260	1.4					0/5	5
	Toluene	SW8260	1.1					0/5	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/5	100
	Trichloroethene	SW8260	1					0/5	5
	Vinyl chloride	SW8260	1.1					0/5	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-14</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/21	7
	Bromodichloromethane	SW8260	0.8	12/1/2003	5.93	3/2/2004	0.11 F	5/17	80 <sup>5</sup>
	Bromoform	SW8260	1	12/1/2003	1.07 F	12/1/2003	1.07 F	1/21	80 <sup>5</sup>
	Chloroform	SW8260	0.3	12/1/2003	53.5	9/22/2004	0.11 F	20/2	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/22	70
	Dibromochloromethane	SW8260	0.5	12/1/2003	2.72	9/18/2001	0.1 F	3/19	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/22	1000
	Methylene chloride	SW8260	0.3	3/10/2003	3.41 B	3/19/2002	0.39 F	4/17	5
	Naphthalene	SW8260	0.4					0/22	20
	Tetrachloroethene	SW8260	1.4	12/3/2002	0.16 F	12/14/2004	0.1 F	7/15	5
	Toluene	SW8260	1.1	3/10/2003	2.37	3/10/2003	0.45 F	2/20	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/22	100
	Trichloroethene	SW8260	1					0/22	5
	Vinyl chloride	SW8260	1.1					0/22	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-15</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/2	7
	Bromodichloromethane	SW8260	0.8					0/2	80 <sup>5</sup>
	Bromoform	SW8260	1					0/2	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/2	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/2	70
	Dibromochloromethane	SW8260	0.5					0/2	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/2	1000
	Methylene chloride	SW8260	0.3					0/2	5
	Naphthalene	SW8260	0.4					0/2	20
	Tetrachloroethene	SW8260	1.4					0/2	5
	Toluene	SW8260	1.1					0/2	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/2	100
	Trichloroethene	SW8260	1					0/2	5
	Vinyl chloride	SW8260	1.1					0/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-26</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/15	7
	Bromodichloromethane	SW8260	0.8					0/16	80 <sup>5</sup>
	Bromoform	SW8260	1					0/16	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/10/2003	0.18 F	3/21/2002	0.11 F	3/13	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/16	70
	Dibromochloromethane	SW8260	0.5					0/16	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/16	1000
	Methylene chloride	SW8260	0.3	3/21/2002	0.21 F	3/21/2002	0.21 F	1/14	5
	Naphthalene	SW8260	0.4					0/16	20
	Tetrachloroethene	SW8260	1.4	6/18/2003	0.14 F	3/13/2003	0.11 F	3/13	5
	Toluene	SW8260	1.1					0/16	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/16	100
	Trichloroethene	SW8260	1					0/16	5
	Vinyl chloride	SW8260	1.1					0/16	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-27</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/2	7
	Bromodichloromethane	SW8260	0.8					0/2	80 <sup>5</sup>
	Bromoform	SW8260	1					0/2	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/2	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/2	70
	Dibromochloromethane	SW8260	0.5					0/2	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/2	1000
	Methylene chloride	SW8260	0.3					0/2	5
	Naphthalene	SW8260	0.4					0/2	20
	Tetrachloroethene	SW8260	1.4					0/2	5
	Toluene	SW8260	1.1					0/2	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/2	100
	Trichloroethene	SW8260	1					0/2	5
	Vinyl chloride	SW8260	1.1					0/2	2
	Dichloroethene, 1,1-	SW8260	1.2					0/1	7
	Bromodichloromethane	SW8260	0.8					0/1	80 <sup>5</sup>
	Bromoform	SW8260	1					0/1	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/1	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/1	70
	Dibromochloromethane	SW8260	0.5					0/1	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/1	1000
	Methylene chloride	SW8260	0.3					0/1	5
	Naphthalene	SW8260	0.4					0/1	20
	Tetrachloroethene	SW8260	1.4					0/1	5
	Toluene	SW8260	1.1					0/1	1000

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
	trans-1,2-Dichloroethene	SW8260	0.6					0/1	100
	Trichloroethene	SW8260	1	6/21/2005	0.1 F	6/21/2005	0.1 F	1/0	5
	Vinyl chloride	SW8260	1.1					0/1	2
	<b>JW-28</b>								
	Dichloroethene, 1,1-	SW8260	1.2					0/3	7
	Bromodichloromethane	SW8260	0.8					0/3	80 <sup>5</sup>
	Bromoform	SW8260	1					0/3	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/3	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/3	70
	Dibromochloromethane	SW8260	0.5					0/3	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/3	1000
	Methylene chloride	SW8260	0.3					0/3	5
	Naphthalene	SW8260	0.4					0/3	20
	Tetrachloroethene	SW8260	1.4					0/3	5
	Toluene	SW8260	1.1	9/22/2005	0.19 F	6/23/2005	0.19 F	2/1	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/3	100
	Trichloroethene	SW8260	1					0/3	5
	Vinyl chloride	SW8260	1.1					0/3	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-29</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/8	7
	Bromodichloromethane	SW8260	0.8					0/8	80 <sup>5</sup>
	Bromoform	SW8260	1					0/8	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/8	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/8	70
	Dibromochloromethane	SW8260	0.5					0/8	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/8	1000
	Methylene chloride	SW8260	0.3					0/8	5
	Naphthalene	SW8260	0.4					0/8	20
	Tetrachloroethene	SW8260	1.4	6/11/2003	0.11 F	6/11/2003	0.1 F	2/6	5
	Toluene	SW8260	1.1					0/8	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/8	100
	Trichloroethene	SW8260	1					0/8	5
	Vinyl chloride	SW8260	1.1					0/8	2
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/4	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-30</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/12	7
	Bromodichloromethane	SW8260	0.8					0/12	80 <sup>5</sup>
	Bromoform	SW8260	1					0/12	80 <sup>5</sup>
	Chloroform	SW8260	0.3	3/23/2005	0.11 F	3/23/2005	0.11 F	1/11	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	12/15/2004	0.47 F	3/13/2003	0.3 F	3/9	70
	Dibromochloromethane	SW8260	0.5					0/12	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/12	1000
	Methylene chloride	SW8260	0.3	9/8/1999	0.15 F	9/8/1999	0.15 F	1/11	5
	Naphthalene	SW8260	0.4					0/12	20
	Tetrachloroethene	SW8260	1.4	9/8/2003	0.2 F	3/23/2005	0.1 F	7/5	5
	Toluene	SW8260	1.1					0/12	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/12	100
	Trichloroethene	SW8260	1	12/15/2004	0.27 F	3/13/2003	0.08 F	3/9	5
	Vinyl chloride	SW8260	1.1					0/12	2
	Barium	SW6010	5	9/8/1999	30.1	9/8/1999	30.1	1/0	200
	Chromium	SW6010	10	9/8/1999	2 F	9/8/1999	2 F	1/0	100
	Copper	SW6010	10	9/8/1999	13	9/8/1999	13	1/0	1300
	Nickel	SW6010						0/1	100
	Zinc	SW6010	10	9/8/1999	204	9/8/1999	204	1/0	5000
	Arsenic	SW6020 or SW7060	30					0/1	10
	Cadmium	SW6010	1					0/1	5
	Lead	SW6020 or SW7421	5					0/1	15
	Mercury	SW7470	1					0/1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-5</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/2	7
	Bromodichloromethane	SW8260	0.8					0/2	80 <sup>5</sup>
	Bromoform	SW8260	1					0/2	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/2	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/2	70
	Dibromochloromethane	SW8260	0.5					0/2	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/2	1000
	Methylene chloride	SW8260	0.3					0/2	5
	Naphthalene	SW8260	0.4					0/2	20
	Tetrachloroethene	SW8260	1.4					0/2	5
	Toluene	SW8260	1.1					0/2	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/2	100
	Trichloroethene	SW8260	1					0/2	5
	Vinyl chloride	SW8260	1.1					0/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-6</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/4	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2
	Dichloroethene, 1,1-	SW8260	1.2					0/1	7
	Bromodichloromethane	SW8260	0.8					0/1	80 <sup>5</sup>
	Bromoform	SW8260	1					0/1	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/1	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/1	70
	Dibromochloromethane	SW8260	0.5					0/1	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/1	1000
	Methylene chloride	SW8260	0.3					0/1	5
	Naphthalene	SW8260	0.4					0/1	20
	Tetrachloroethene	SW8260	1.4					0/1	5
	Toluene	SW8260	1.1					0/1	1000

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
	trans-1,2-Dichloroethene	SW8260	0.6					0/1	100
	Trichloroethene	SW8260	1					0/1	5
	Vinyl chloride	SW8260	1.1					0/1	2
	<b>JW-7</b>								
	Dichloroethene, 1,1-	SW8260	1.2					0/3	7
	Bromodichloromethane	SW8260	0.8					0/3	80 <sup>5</sup>
	Bromoform	SW8260	1					0/3	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/3	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/3	70
	Dibromochloromethane	SW8260	0.5					0/3	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1	3/22/2005	0.33 F	3/22/2005	0.33 F	1/2	1000
	Methylene chloride	SW8260	0.3					0/3	5
	Naphthalene	SW8260	0.4					0/3	20
	Tetrachloroethene	SW8260	1.4	3/22/2005	0.38 F	9/20/2005	0.22 F	3/0	5
	Toluene	SW8260	1.1					0/3	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/3	100
	Trichloroethene	SW8260	1					0/3	5
	Vinyl chloride	SW8260	1.1					0/3	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>JW-8</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/7	7
	Bromodichloromethane	SW8260	0.8					0/7	80 <sup>5</sup>
	Bromoform	SW8260	1					0/7	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/7	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	12/16/2004	0.38 F	12/16/2004	0.38 F	1/6	70
	Dibromochloromethane	SW8260	0.5					0/7	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/7	1000
	Methylene chloride	SW8260	0.3					0/7	5
	Naphthalene	SW8260	0.4					0/7	20
	Tetrachloroethene	SW8260	1.4	3/4/2004	0.35 F	12/16/2004	0.14 F	6/1	5
	Toluene	SW8260	1.1					0/7	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/7	100
	Trichloroethene	SW8260	1	12/16/2004	0.22 F	12/16/2004	0.22 F	1/6	5
	Vinyl chloride	SW8260	1.1					0/7	2
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3	3/24/2005	0.1 F	3/24/2005	0.1 F	1/3	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	3/24/2005	0.37 F	3/24/2005	0.37 F	1/3	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/4	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4	9/21/2005	0.25 F	3/24/2005	0.12 F	4/0	5
	Toluene	SW8260	1.1					0/4	1000

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1	3/24/2005	0.21 F	3/24/2005	0.21 F	1/3	5
	Vinyl chloride	SW8260	1.1					0/4	2
	<b>JW-9</b>								
	Dichloroethene, 1,1-	SW8260	1.2					0/16	7
	Bromodichloromethane	SW8260	0.8					0/16	80 <sup>5</sup>
	Bromoform	SW8260	1					0/16	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/16	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	12/19/2001	0.33 F	12/19/2001	0.33 F	1/15	70
	Dibromochloromethane	SW8260	0.5					0/16	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/16	1000
	Methylene chloride	SW8260	0.3	3/20/2002	0.37 F	3/20/2002	0.37 F	1/15	5
	Naphthalene	SW8260	0.4					0/16	20
	Tetrachloroethene	SW8260	1.4	3/4/2004	0.15 F	3/4/2004	0.15 F	1/15	5
	Toluene	SW8260	1.1	3/11/2003	0.23 F	3/11/2003	0.23 F	1/15	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/16	100
	Trichloroethene	SW8260	1					0/16	5
	Vinyl chloride	SW8260	1.1					0/16	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>LS-1</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/13	7
	Bromodichloromethane	SW8260	0.8	3/12/2003	0.46 F	3/12/2003	0.46 F	1/13	80 <sup>5</sup>
	Bromoform	SW8260	1	3/12/2003	0.58 F	3/12/2003	0.58 F	1/13	80 <sup>5</sup>
	Chloroform	SW8260	0.3	3/12/2003	0.42	9/17/2002	0.07 F	10/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/14	70
	Dibromochloromethane	SW8260	0.5	3/12/2003	0.51	3/12/2003	0.51	1/13	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/14	1000
	Methylene chloride	SW8260	0.3	12/19/2001	0.22 F	12/19/2001	0.22 F	1/12	5
	Naphthalene	SW8260	0.4					0/14	20
	Tetrachloroethene	SW8260	1.4	12/3/2002	0.67 F	9/9/2003	0.24 F	12/2	5
	Toluene	SW8260	1.1					0/14	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/14	100
	Trichloroethene	SW8260	1	3/18/2002	0.51 F	3/12/2003	0.12 F	10/4	5
	Vinyl chloride	SW8260	1.1					0/14	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>LS-2</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/24	7
	Bromodichloromethane	SW8260	0.8	9/17/2002	0.41 F	10/4/2001	0.31 F	2/23	80 <sup>5</sup>
	Bromoform	SW8260	1					0/25	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/17/2002	1.32	1/16/2002	0.07 F	12/13	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/28	70
	Dibromochloromethane	SW8260	0.5	10/4/2001	0.22 F	9/17/2002	0.11 F	2/23	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/25	1000
	Methylene chloride	SW8260	0.3					0/24	5
	Naphthalene	SW8260	0.4					0/25	20
	Tetrachloroethene	SW8260	1.4	12/3/2002	7.4	4/11/2002	0.82 J	26/2	5
	Toluene	SW8260	1.1					0/28	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/28	100
	Trichloroethene	SW8260	1	9/20/2005	0.55 F	3/3/2004	0.11 F	21/7	5
	Vinyl chloride	SW8260	1.1					0/28	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>LS-2/LS-3 EP</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8	10/4/2001	6.2	11/14/2001	2.8	2/2	80 <sup>5</sup>
	Bromoform	SW8260	1	10/4/2001	4.5	11/14/2001	2.9	2/2	80 <sup>5</sup>
	Chloroform	SW8260	0.3	10/4/2001	3.1	9/17/2002	0.17 F	3/1	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5	10/4/2001	9.4	11/14/2001	4.9	2/2	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/4	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4	11/14/2001	0.83 F	10/4/2001	0.54 F	2/2	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1	10/4/2001	0.18 F	11/14/2001	0.16 F	2/2	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>LS-3</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/22	7
	Bromodichloromethane	SW8260	0.8	6/21/2005	0.19 F	6/21/2005	0.19 F	1/22	80 <sup>5</sup>
	Bromoform	SW8260	1					0/23	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/17/2002	0.31	12/3/2002	0.1 F	7/16	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/24	70
	Dibromochloromethane	SW8260	0.5	6/21/2005	0.18 F	6/21/2005	0.18 F	1/22	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/23	1000
	Methylene chloride	SW8260	0.3	12/19/2001	0.29 F	2/13/2002	0.23 F	2/20	5
	Naphthalene	SW8260	0.4					0/23	20
	Tetrachloroethene	SW8260	1.4	9/27/2001	4.8	12/3/2003	1.02 F	24/0	5
	Toluene	SW8260	1.1	9/21/2004	4.59	3/18/2002	0.22 F	4/20	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/24	100
	Trichloroethene	SW8260	1	8/1/2001	0.9 F	12/3/2003	0.11 F	22/2	5
	Vinyl chloride	SW8260	1.1					0/24	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>LS-4</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/18	7
	Bromodichloromethane	SW8260	0.8	9/20/2005	0.23 F	9/20/2005	0.23 F	1/18	80 <sup>5</sup>
	Bromoform	SW8260	1					0/19	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/20/2005	0.4	3/3/2004	0.16 F	3/16	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/19	70
	Dibromochloromethane	SW8260	0.5					0/19	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/19	1000
	Methylene chloride	SW8260	0.3	12/19/2001	0.2 F	12/19/2001	0.2 F	1/17	5
	Naphthalene	SW8260	0.4					0/19	20
	Tetrachloroethene	SW8260	1.4	3/12/2003	0.25 F	9/9/2003	0.12 F	14/5	5
	Toluene	SW8260	1.1					0/19	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/19	100
	Trichloroethene	SW8260	1					0/19	5
	Vinyl chloride	SW8260	1.1					0/19	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>LS-5</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/19	7
	Bromodichloromethane	SW8260	0.8					0/20	80 <sup>5</sup>
	Bromoform	SW8260	1					0/20	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/20	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/20	70
	Dibromochloromethane	SW8260	0.5					0/20	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/20	1000
	Methylene chloride	SW8260	0.3	9/18/2002	0.63 F	3/20/2002	0.25 F	2/17	5
	Naphthalene	SW8260	0.4					0/21	20
	Tetrachloroethene	SW8260	1.4	8/1/2001	0.28 F	3/12/2003	0.08 F	4/16	5
	Toluene	SW8260	1.1					0/20	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/20	100
	Trichloroethene	SW8260	1	8/1/2001	0.51 F	6/20/2005	0.1 F	18/2	5
	Vinyl chloride	SW8260	1.1					0/20	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>LS-6</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/34	7
	Bromodichloromethane	SW8260	0.8	6/20/2005	0.6 F	9/19/2005	0.11 F	3/32	80 <sup>5</sup>
	Bromoform	SW8260	1					0/35	80 <sup>5</sup>
	Chloroform	SW8260	0.3	6/20/2005	0.6	9/19/2001	0.1 F	4/31	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/35	70
	Dibromochloromethane	SW8260	0.5	6/20/2005	0.43 F	9/20/2004	0.14 F	2/33	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/35	1000
	Methylene chloride	SW8260	0.3	9/19/2001	0.77 F	8/30/2001	0.28 F	6/28	5
	Naphthalene	SW8260	0.4	3/21/2005	0.43	3/21/2005	0.43	1/34	20
	Tetrachloroethene	SW8260	1.4	9/27/2001	10	9/16/2002	1.58	24/11	5
	Toluene	SW8260	1.1	3/12/2003	0.17 F	3/12/2003	0.17 F	1/34	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/35	100
	Trichloroethene	SW8260	1	12/13/2004	0.67 F	9/16/2002	0.1 F	21/14	5
	Vinyl chloride	SW8260	1.1					0/35	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>LS-7</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/41	7
	Bromodichloromethane	SW8260	0.8	9/16/2002	0.17 F	9/16/2002	0.17 F	1/41	80 <sup>5</sup>
	Bromoform	SW8260	1					0/38	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/16/2002	0.83	12/2/2002	0.08 F	16/26	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/42	70
	Dibromochloromethane	SW8260	0.5					0/42	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/38	1000
	Methylene chloride	SW8260	0.3	9/16/2002	2.99 R	12/18/2001	0.3 F	4/37	5
	Naphthalene	SW8260	0.4	7/31/2001	0.22 F	3/18/2002	0.12 R	2/36	20
	Tetrachloroethene	SW8260	1.4	12/2/2002	7.16	8/30/2001	1.1 F	29/13	5
	Toluene	SW8260	1.1	3/10/2003	0.78 F	6/20/2005	0.12 F	3/35	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/42	100
	Trichloroethene	SW8260	1	12/13/2000	1.2	6/7/2004	0.19 F	27/15	5
	Vinyl chloride	SW8260	1.1					0/42	2
	Barium	SW6010	5	12/13/1999	35.6	12/13/1999	35.6	1/0	200
	Chromium	SW6010	10	12/13/1999	4 F	12/13/1999	4 F	1/0	100
	Copper	SW6010	10	12/13/1999	5 F	12/13/1999	5 F	1/0	1300
	Nickel	SW6010						0/1	100
	Zinc	SW6010	10	12/13/1999	22	12/13/1999	22	1/0	5000
	Arsenic	SW6020 or SW7060	30					0/1	10
	Cadmium	SW6010	1					0/1	5
	Lead	SW6020 or SW7421	5					0/1	15
	Mercury	SW7470	1					0/1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>OFR-1</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/19	7
	Bromodichloromethane	SW8260	0.8					0/20	80 <sup>5</sup>
	Bromoform	SW8260	1					0/20	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/20	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/20	70
	Dibromochloromethane	SW8260	0.5					0/20	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/20	1000
	Methylene chloride	SW8260	0.3	9/18/2002	1.35 B	3/21/2002	0.32 F	3/16	5
	Naphthalene	SW8260	0.4					0/20	20
	Tetrachloroethene	SW8260	1.4	9/9/2003	0.49 F	12/15/2004	0.19 F	20/0	5
	Toluene	SW8260	1.1	3/21/2002	0.12 F	3/21/2002	0.12 F	1/19	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/20	100
	Trichloroethene	SW8260	1					0/20	5
	Vinyl chloride	SW8260	1.1					0/20	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>OFR-2</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/16	7
	Bromodichloromethane	SW8260	0.8					0/18	80 <sup>5</sup>
	Bromoform	SW8260	1					0/18	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/18	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/18	70
	Dibromochloromethane	SW8260	0.5					0/18	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/18	1000
	Methylene chloride	SW8260	0.3	9/18/2002	0.96 F	9/18/2002	0.96 F	1/15	5
	Naphthalene	SW8260	0.4					0/18	20
	Tetrachloroethene	SW8260	1.4	3/1/2004	0.35 F	3/12/2003	0.11 F	15/3	5
	Toluene	SW8260	1.1	3/12/2003	0.62 F	3/12/2003	0.62 F	1/17	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/18	100
	Trichloroethene	SW8260	1					0/18	5
	Vinyl chloride	SW8260	1.1					0/18	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>OFR-3</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/28	7
	Bromodichloromethane	SW8260	0.8					0/29	80 <sup>5</sup>
	Bromoform	SW8260	1					0/28	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/29	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	12/4/2003	0.21 F	12/2/2002	0.11 F	4/25	70
	Dibromochloromethane	SW8260	0.5					0/29	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1	6/11/2002	1.89	3/21/2005	0.16 F	20/9	1000
	Methylene chloride	SW8260	0.3	2/13/2002	0.96 F	4/30/2002	0.21 F	5/23	5
	Naphthalene	SW8260	0.4					0/28	20
	Tetrachloroethene	SW8260	1.4	12/4/2003	12.6	3/21/2005	1.35 F	21/8	5
	Toluene	SW8260	1.1					0/28	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/29	100
	Trichloroethene	SW8260	1	12/4/2003	7.88	9/20/2004	1.67	21/8	5
	Vinyl chloride	SW8260	1.1					0/29	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>OFR-4</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/4	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-10</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/39	7
	Bromodichloromethane	SW8260	0.8					0/40	80 <sup>5</sup>
	Bromoform	SW8260	1					0/40	80 <sup>5</sup>
	Chloroform	SW8260	0.3	9/11/2003	0.21 F	10/3/2001	0.07 F	6/34	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2	12/2/2003	0.96 F	12/13/2004	0.25 F	25/21	70
	Dibromochloromethane	SW8260	0.5					0/40	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/40	1000
	Methylene chloride	SW8260	0.3	12/17/2001	0.96 F	12/17/2001	0.3 F	2/37	5
	Naphthalene	SW8260	0.4					0/40	20
	Tetrachloroethene	SW8260	1.4	7/17/2003	91.7	3/18/2002	4.48	29/17	5
	Toluene	SW8260	1.1	7/16/2003	27.5	3/12/2003	0.12 F	8/38	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/46	100
	Trichloroethene	SW8260	1	7/16/2003	19.9	7/12/2003	1.29	27/19	5
	Vinyl chloride	SW8260	1.1					0/40	2
	Lead	SW6020 or SW7421	5	8/24/2004	0.8 F	8/24/2004	0.8 F	1/0	15

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-11</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/28	7
	Bromodichloromethane	SW8260	0.8					0/29	80 <sup>5</sup>
	Bromoform	SW8260	1					0/29	80 <sup>5</sup>
	Chloroform	SW8260	0.3	10/4/2001	0.14 F	10/4/2001	0.14 F	1/28	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/29	70
	Dibromochloromethane	SW8260	0.5					0/29	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/29	1000
	Methylene chloride	SW8260	0.3	3/19/2002	0.52 F	12/17/2001	0.22 F	4/24	5
	Naphthalene	SW8260	0.4					0/29	20
	Tetrachloroethene	SW8260	1.4	10/12/2001	16.7	3/12/2003	0.07 F	19/10	5
	Toluene	SW8260	1.1	3/19/2002	0.39 F	3/12/2003	0.07 F	2/27	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/29	100
	Trichloroethene	SW8260	1	12/4/2003	1.73	3/12/2003	0.12 F	17/12	5
	Vinyl chloride	SW8260	1.1					0/29	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-12</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/18	7
	Bromodichloromethane	SW8260	0.8					0/19	80 <sup>5</sup>
	Bromoform	SW8260	1					0/19	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/19	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/19	70
	Dibromochloromethane	SW8260	0.5					0/19	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/19	1000
	Methylene chloride	SW8260	0.3	12/18/2001	0.38 F	12/18/2001	0.38 F	1/17	5
	Naphthalene	SW8260	0.4					0/19	20
	Tetrachloroethene	SW8260	1.4	12/2/2003	0.23 F	12/5/2002	0.08 F	3/16	5
	Toluene	SW8260	1.1					0/19	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/19	100
	Trichloroethene	SW8260	1	6/10/2003	0.24 F	9/22/2004	0.11 F	15/4	5
	Vinyl chloride	SW8260	1.1					0/19	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-13</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/7	7
	Bromodichloromethane	SW8260	0.8	1/11/2005	8.74	3/24/2005	1.37	5/2	80 <sup>5</sup>
	Bromoform	SW8260	1	3/24/2005	1.21	3/24/2005	1.12 F	2/5	80 <sup>5</sup>
	Chloroform	SW8260	0.3	1/11/2005	64.5	6/22/2005	0.39	6/1	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/7	70
	Dibromochloromethane	SW8260	0.5	1/11/2005	2.94	12/16/2004	1.41 R	5/2	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/7	1000
	Methylene chloride	SW8260	0.3					0/7	5
	Naphthalene	SW8260	0.4					0/7	20
	Tetrachloroethene	SW8260	1.4					0/7	5
	Toluene	SW8260	1.1					0/7	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/7	100
	Trichloroethene	SW8260	1					0/7	5
	Vinyl chloride	SW8260	1.1					0/7	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-3</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/6	7
	Bromodichloromethane	SW8260	0.8					0/7	80 <sup>5</sup>
	Bromoform	SW8260	1					0/7	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/7	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/7	70
	Dibromochloromethane	SW8260	0.5					0/7	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/7	1000
	Methylene chloride	SW8260	0.3	9/8/1999	0.17 F	9/8/1999	0.17 F	1/5	5
	Naphthalene	SW8260	0.4					0/7	20
	Tetrachloroethene	SW8260	1.4	12/2/2003	0.12 F	12/2/2003	0.12 F	1/6	5
	Toluene	SW8260	1.1					0/7	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/7	100
	Trichloroethene	SW8260	1					0/7	5
	Vinyl chloride	SW8260	1.1					0/7	2
	Barium	SW6010	5	9/8/1999	34.3	9/8/1999	34.3	1/0	200
	Chromium	SW6010	10	9/8/1999	3 F	9/8/1999	3 F	1/0	100
	Copper	SW6010	10	9/8/1999	5 F	9/8/1999	5 F	1/0	1300
	Nickel	SW6010		9/8/1999	2 F	9/8/1999	2 F	1/0	100
	Zinc	SW6010	10	9/8/1999	126	9/8/1999	126	1/0	5000
	Arsenic	SW6020 or SW7060	30					0/1	10
	Cadmium	SW6010	1					0/1	5
	Lead	SW6020 or SW7421	5	9/8/1999	4.1 F	9/8/1999	4.1 F	1/0	15
	Mercury	SW7470	1					0/1	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).



<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-4</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/1	7
	Bromodichloromethane	SW8260	0.8					0/1	80 <sup>5</sup>
	Bromoform	SW8260	1					0/1	80 <sup>5</sup>
	Chloroform	SW8260	0.3	3/23/2005	0.22 F	3/23/2005	0.22 F	1/0	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/1	70
	Dibromochloromethane	SW8260	0.5					0/1	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/1	1000
	Methylene chloride	SW8260	0.3					0/1	5
	Naphthalene	SW8260	0.4					0/1	20
	Tetrachloroethene	SW8260	1.4					0/1	5
	Toluene	SW8260	1.1					0/1	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/1	100
	Trichloroethene	SW8260	1					0/1	5
	Vinyl chloride	SW8260	1.1					0/1	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-5</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/1	7
	Bromodichloromethane	SW8260	0.8					0/1	80 <sup>5</sup>
	Bromoform	SW8260	1					0/1	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/1	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/1	70
	Dibromochloromethane	SW8260	0.5					0/1	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/1	1000
	Methylene chloride	SW8260	0.3					0/1	5
	Naphthalene	SW8260	0.4					0/1	20
	Tetrachloroethene	SW8260	1.4					0/1	5
	Toluene	SW8260	1.1					0/1	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/1	100
	Trichloroethene	SW8260	1					0/1	5
	Vinyl chloride	SW8260	1.1					0/1	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-6</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/3	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/3	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLs<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-7</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/4	7
	Bromodichloromethane	SW8260	0.8					0/4	80 <sup>5</sup>
	Bromoform	SW8260	1					0/4	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/4	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/4	70
	Dibromochloromethane	SW8260	0.5					0/4	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/4	1000
	Methylene chloride	SW8260	0.3					0/4	5
	Naphthalene	SW8260	0.4					0/4	20
	Tetrachloroethene	SW8260	1.4					0/4	5
	Toluene	SW8260	1.1					0/4	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/4	100
	Trichloroethene	SW8260	1					0/4	5
	Vinyl chloride	SW8260	1.1					0/4	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-8</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/6	7
	Bromodichloromethane	SW8260	0.8					0/6	80 <sup>5</sup>
	Bromoform	SW8260	1					0/6	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/6	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/6	70
	Dibromochloromethane	SW8260	0.5					0/6	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/6	1000
	Methylene chloride	SW8260	0.3	9/8/1999	0.15 F	9/8/1999	0.15 F	1/5	5
	Naphthalene	SW8260	0.4					0/6	20
	Tetrachloroethene	SW8260	1.4					0/6	5
	Toluene	SW8260	1.1					0/6	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/6	100
	Trichloroethene	SW8260	1					0/6	5
	Vinyl chloride	SW8260	1.1					0/6	2
	Barium	SW6010	5	9/8/1999	31.1	9/8/1999	31.1	1/0	200
	Chromium	SW6010	10	9/8/1999	4 F	9/8/1999	4 F	1/0	100
	Copper	SW6010	10	9/8/1999	4 F	9/8/1999	4 F	1/0	1300
	Nickel	SW6010						0/1	100
	Zinc	SW6010	10	9/8/1999	145	9/8/1999	145	1/0	5000
	Arsenic	SW6020 or SW7060	30					0/1	10
	Cadmium	SW6010	1					0/1	5
	Lead	SW6020 or SW7421	5					0/1	15
	Mercury	SW7470	1					0/1	2

Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
<b>RFR-9</b>									
	Dichloroethene, 1,1-	SW8260	1.2					0/6	7
	Bromodichloromethane	SW8260	0.8					0/6	80 <sup>5</sup>
	Bromoform	SW8260	1					0/6	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/6	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/6	70
	Dibromochloromethane	SW8260	0.5					0/6	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/6	1000
	Methylene chloride	SW8260	0.3	12/20/2001	0.52 F	12/20/2001	0.52 F	1/5	5
	Naphthalene	SW8260	0.4					0/6	20
	Tetrachloroethene	SW8260	1.4					0/6	5
	Toluene	SW8260	1.1					0/6	1000
	trans-1,2-Dichloroethene	SW8260	0.6					0/6	100
	Trichloroethene	SW8260	1					0/6	5
	Vinyl chloride	SW8260	1.1					0/6	2
	Dichloroethene, 1,1-	SW8260	1.2					0/2	7
	Bromodichloromethane	SW8260	0.8					0/2	80 <sup>5</sup>
	Bromoform	SW8260	1					0/2	80 <sup>5</sup>
	Chloroform	SW8260	0.3					0/2	80 <sup>5</sup>
	cis-1,2-Dichloroethene	SW8260	1.2					0/2	70
	Dibromochloromethane	SW8260	0.5					0/2	80 <sup>5</sup>
	Dichlorodifluoromethane	SW8260	1					0/2	1000
	Methylene chloride	SW8260	0.3					0/2	5
	Naphthalene	SW8260	0.4					0/2	20
	Tetrachloroethene	SW8260	1.4					0/2	5
	Toluene	SW8260	1.1					0/2	1000

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).

<i>Well Location ID</i>	<i>Analytes of Concern in Groundwater Monitoring</i>	<i>Analytical Method<sup>1</sup></i>	<i>AFCEE RLS<sup>2</sup></i>	<i>Max Det Date<sup>3</sup></i>	<i>Maximum Detected Conc</i>	<i>Min Det Date<sup>3</sup></i>	<i>Minimum Detected Conc</i>	<i>Number of Detections/ NDs</i>	<i>Action Level/ MCLs<sup>4</sup></i>
	trans-1,2-Dichloroethene	SW8260	0.6					0/2	100
	Trichloroethene	SW8260	1					0/2	5
	Vinyl chloride	SW8260	1.1					0/2	2

*Units are all (µg/L). No results listed indicates that the analyte was analyzed for, but not detected above the MDL.*

<sup>1</sup> Analytical method listed without the revision designation.

<sup>2</sup> Reporting Limit (RL) established by the Air Force Center for Environmental Excellence (AFCEE) in the *Quality Assurance Project Plan*

<sup>3</sup> Where the minimum and/or maximum detected results were the same for multiple dates, the most recent date is listed.

<sup>4</sup> Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Lead and copper are Action Levels. Taken from US EPA National Primary Drinking Water Standards.

<sup>5</sup> MCL for THMs combined cannot exceed 80 µg/L (as of 1/1/02).