

Appendix B
March 2003 Quarterly Off-Post Groundwater Analytical Results

| Sample ID | DOM-2 | FO-17 | FO-8 | FO-J1 | HS-2 | HS-2 | I10-2 | | | | | | | | | | | | | |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----|--------|------|------|----|--------|------|------|----|--------|------|------|----|
| Sample Date | 03/13/03 | 03/10/03 | 03/10/03 | 03/10/03 | 03/12/03 | 03/12/03 | 03/13/03 | | | | | | | | | | | | | |
| Sample Type | N | N | N | N | FD | N | N | | | | | | | | | | | | | |
| Lab Sample ID | AP47411 | AP47348 | AP47347 | AP47343 | AP47345 | AP47346 | AP47407 | | | | | | | | | | | | | |
| <i>Method</i> | | | | | | | | | | | | | | | | | | | | |
| Analyte | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL |
| <i>SW8260 (ug/L)</i> | | | | | | | | | | | | | | | | | | | | |
| Bromodichloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Bromoform | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 |
| Chloroform | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.16 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Dibromochloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Dichlorodifluoromethane | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 |
| Dichloroethene, 1,1- | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 |
| Dichloroethene, cis-1,2- | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.2 | F | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Dichloroethene, trans-1,2- | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |
| Methylene chloride | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 2.6 | B | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 |
| Naphthalene | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Tetrachloroethene | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.22 | F | 0.06 | 1 | 0.21 | F | 0.06 | 1 |
| Toluene | 0.06 | U | 0.06 | 1 | 0.25 | F | 0.06 | 1 | 0.4 | F | 0.06 | 1 | 0.74 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Trichloroethene | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 |
| Vinyl chloride | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |

| Sample ID | I10-4 | I10-4 | I10-7 | I10-7 | I10-7-NP | JW-14 | JW-14-NP | | | | | | | | | | | | | |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----|--------|------|------|----|--------|------|------|----|--------|------|------|------|
| Sample Date | 03/13/03 | 03/13/03 | 03/13/03 | 03/13/03 | 03/13/03 | 03/10/03 | 03/10/03 | | | | | | | | | | | | | |
| Sample Type | FD | N | FD | N | N | N | N | | | | | | | | | | | | | |
| Lab Sample ID | AP47409 | AP47410 | AP47405 | AP47406 | AP47404 | AP47340 | AP47336 | | | | | | | | | | | | | |
| <i>Method</i> | | | | | | | | | | | | | | | | | | | | |
| Analyte | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL |
| <i>SW8260</i> | | | | | | | | | | | | | | | | | | | | |
| Bromodichloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Bromoform | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 |
| Chloroform | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.39 | 0.06 | 1 | 0.56 |
| Dibromochloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Dichlorodifluoromethane | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 |
| Dichloroethene, 1,1- | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 |
| Dichloroethene, cis-1,2- | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Dichloroethene, trans-1,2- | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |
| Methylene chloride | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 3.41 | B | 0.51 | 1 |
| Naphthalene | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Tetrachloroethene | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.15 | F | 0.06 | 1 |
| Toluene | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.45 | F | 0.06 | 1 |
| Trichloroethene | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 |
| Vinyl chloride | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |

Appendix B
March 2003 Quarterly Off-Post Groundwater Analytical Results

| Sample ID | JW-26 | JW-30 | JW-9 | LS-1 | LS-2 | LS-2/LS-3-A1 | LS-2/LS-3-A2 | | | | | | | | | | | | | | | | | |
|----------------------------|----------|----------|----------|----------|----------|--------------|--------------|----|--------|------|------|----|--------|------|------|----|--------|------|------|----|------|---|------|---|
| Sample Date | 03/13/03 | 03/13/03 | 03/11/03 | 03/12/03 | 03/12/03 | 03/12/03 | 03/12/03 | | | | | | | | | | | | | | | | | |
| Sample Type | N | N | N | N | N | N | N | | | | | | | | | | | | | | | | | |
| Lab Sample ID | AP47402 | AP47403 | AP47322 | AP47344 | AP47337 | AP47338 | AP47339 | | | | | | | | | | | | | | | | | |
| <i>Method</i> | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyte | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | | | | |
| <i>SW8260</i> | | | | | | | | | | | | | | | | | | | | | | | | |
| Bromodichloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.46 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Bromoform | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.58 | F | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 |
| Chloroform | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.42 | | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.24 | F | 0.06 | 1 |
| Dibromochloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.51 | | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Dichlorodifluoromethane | 0.11 | M | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 |
| Dichloroethene, 1,1- | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 |
| Dichloroethene, cis-1,2- | 0.07 | U | 0.07 | 1 | 0.3 | F | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Dichloroethene, trans-1,2- | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |
| Methylene chloride | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 |
| Naphthalene | 0.07 | M | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Tetrachloroethene | 0.11 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.46 | F | 0.06 | 1 | 4.25 | | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Toluene | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.23 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Trichloroethene | 0.05 | U | 0.05 | 1 | 0.08 | F | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.12 | F | 0.05 | 1 | 0.3 | F | 0.05 | 1 | 0.05 | U | 0.05 | 1 |
| Vinyl chloride | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |

| Sample ID | LS-3 | LS-4 | LS-5 | LS-5 | LS-6 | LS-6-A2 | LS-7 | | | | | | | | | | | | | | | | | |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----|--------|------|------|----|--------|------|------|----|--------|------|------|----|------|---|------|---|
| Sample Date | 03/12/03 | 03/12/03 | 03/12/03 | 03/12/03 | 03/12/03 | 03/12/03 | 03/12/03 | | | | | | | | | | | | | | | | | |
| Sample Type | N | N | FD | N | N | N | N | | | | | | | | | | | | | | | | | |
| Lab Sample ID | AP47341 | AP47342 | AP47325 | AP47326 | AP47327 | AP47328 | AP47323 | | | | | | | | | | | | | | | | | |
| <i>Method</i> | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyte | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | | | | |
| <i>SW8260</i> | | | | | | | | | | | | | | | | | | | | | | | | |
| Bromodichloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Bromoform | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 |
| Chloroform | 0.12 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Dibromochloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Dichlorodifluoromethane | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 |
| Dichloroethene, 1,1- | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 |
| Dichloroethene, cis-1,2- | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Dichloroethene, trans-1,2- | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |
| Methylene chloride | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 |
| Naphthalene | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Tetrachloroethene | 3.99 | | 0.06 | 1 | 0.25 | F | 0.06 | 1 | 0.08 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 4.19 | | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Toluene | 0.37 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.17 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Trichloroethene | 0.35 | F | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.21 | F | 0.05 | 1 | 0.19 | F | 0.05 | 1 | 0.21 | F | 0.05 | 1 | 0.05 | U | 0.05 | 1 |
| Vinyl chloride | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |

Appendix B

March 2003 Quarterly Off-Post Groundwater Analytical Results

| Sample ID | LS-7-A2 | LS-7-NP | OFR-1 | OFR-2 | OFR-3 | OFR-3-A2 | RFR-10 | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----|--------|------|------|----|--------|------|------|----|--------|------|------|------|------|------|------|-------|------|---|------|---|
| Sample Date | 03/12/03 | 03/10/03 | 03/12/03 | 03/12/03 | 03/12/03 | 03/12/03 | 03/12/03 | | | | | | | | | | | | | | | | | | | | | |
| Sample Type | N | N | N | N | N | N | N | | | | | | | | | | | | | | | | | | | | | |
| Lab Sample ID | AP47324 | AP47350 | AP47349 | AP47335 | AP47333 | AP47334 | AP47331 | | | | | | | | | | | | | | | | | | | | | |
| Method | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyte | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | | | | | | | | |
| <i>SW8260</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bromodichloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | | | | | | | | |
| Bromoform | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | | | | | | | | |
| Chloroform | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | | | | | | | | |
| Dibromochloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | | | | | | | | |
| Dichlorodifluoromethane | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | | | | | | | | |
| Dichloroethene, 1,1- | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | | | | | | | | |
| Dichloroethene, cis-1,2- | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | | | | | | | | |
| Dichloroethene, trans-1,2- | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | | | | | | | | |
| Methylene chloride | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | | | | | | | | |
| Naphthalene | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | | | | | | | | |
| Tetrachloroethene | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.37 | F | 0.06 | 1 | 0.11 | F | 0.06 | 1 | 2.81 | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 13.88 | 0.06 | 1 | | |
| Toluene | 0.52 | F | 0.06 | 1 | 0.78 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.62 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.36 | F | 0.06 | 1 |
| Trichloroethene | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 3.25 | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 8.37 | 0.05 | 1 | | |
| Vinyl chloride | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |

| Sample ID | RFR-10-A2 | RFR-11 | RFR-11-A2 | RFR-12 | | | | | | | | | | | | |
|----------------------------|-----------|----------|-----------|----------|--------|------|------|----|--------|------|------|----|--------|------|------|----|
| Sample Date | 03/12/03 | 03/12/03 | 03/12/03 | 03/13/03 | | | | | | | | | | | | |
| Sample Type | N | N | N | N | | | | | | | | | | | | |
| Lab Sample ID | AP47332 | AP47329 | AP47330 | AP47408 | | | | | | | | | | | | |
| Method | | | | | | | | | | | | | | | | |
| Analyte | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL | Result | Flag | SQL | DL |
| <i>SW8260</i> | | | | | | | | | | | | | | | | |
| Bromodichloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Bromoform | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 | 0.13 | U | 0.13 | 1 |
| Chloroform | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Dibromochloromethane | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Dichlorodifluoromethane | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 | 0.11 | U | 0.11 | 1 |
| Dichloroethene, 1,1- | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 | 0.12 | U | 0.12 | 1 |
| Dichloroethene, cis-1,2- | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Dichloroethene, trans-1,2- | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |
| Methylene chloride | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 | 0.51 | U | 0.51 | 1 |
| Naphthalene | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 | 0.07 | U | 0.07 | 1 |
| Tetrachloroethene | 0.06 | U | 0.06 | 1 | 10.02 | U | 0.06 | 1 | 0.07 | F | 0.06 | 1 | 0.1 | F | 0.06 | 1 |
| Toluene | 0.12 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 | 0.07 | F | 0.06 | 1 | 0.06 | U | 0.06 | 1 |
| Trichloroethene | 0.05 | U | 0.05 | 1 | 0.12 | F | 0.05 | 1 | 0.05 | U | 0.05 | 1 | 0.23 | F | 0.05 | 1 |
| Vinyl chloride | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 | 0.08 | U | 0.08 | 1 |

| Abbreviations/Notes: | |
|----------------------|-----------------------------|
| FD | Field Duplicate |
| MDL | Method Detection Limit |
| N | Environmental Sample |
| DL | Dilution |
| RL | Reporting Limit |
| SQL | Sample Quantitation Limit |
| MCL | Maximum Contamination Level |

| Data Qualifiers: | |
|------------------|--|
| F- | The analyte was positively identified but the associated numerical value is below the RL. |
| J- | The analyte was positively identified, the quantitation is an estimation. |
| U- | The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL. |
| R- | The data are unusable due to deficiencies in the ability to analyze the sample and meet QC criteria. |
| M- | Matrix Effect Present |
| B- | The analyte was found in an associated blank, as well as in the sample. |

-Tables present all laboratory results.
 -Results for analytes detected above the method detection limit are presented in Table 3.1.
 -All samples were analyzed by APPL Inc. unless otherwise noted.
 -Referenced laboratory package number: APPL Inc.: 40960 & 40972.

BOLD Value > or = MCL
BOLD MCL > Value > or = RL
BOLD RL > Value > MDL