


Appendix A

**Laboratory Reports
and
Chain-of-Custody Record**



CHEMRON
INCORPORATED

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Report Date: 10/11/94
Chemron Sample #: 38500
Sample Matrix: Water

Sample Description:

Project No. 721397.07
Project Name/L Location CSQM - GW Evaluation
Client Sample #: Well 1


HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroform | 1.0 | UG/L | 17 | 10/07/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |

ND - Not Detected

Approved By: _____

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38532
Sample Matrix: Water

Sample Description:
Project No. 721397.07
Project Name/L Location CSQE - GW Evaluation
Client Sample #: Well 2


HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | 4 | 10/09/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |

ND - Not Detected

Approved By: *M. Eickman*

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON
INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38536
Sample Matrix: Water

Sample Description:

Project No. 721397.07
Project Name/L Location CSQE - GW Evaluation
Client Sample #: Dup- A = ~~WELL 2~~

HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/10/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/10/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/10/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/10/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/10/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | 1 | 10/10/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | 2 | 10/10/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/10/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/10/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/10/94 | 8010 |

ND - Not Detected

Approved By: *A. [Signature]*

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON
INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38533
Sample Matrix: Water

Sample Description:

Project No. 721397.07
Project Name/L Location CSQE - GW Evaluation
Client Sample #: Well 3


HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | 3 | 10/09/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |

ND - Not Detected

Approved By: 

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38534
Sample Matrix: Water

Sample Description:


Project No. 721397.07
Project Name/L Location CSQE - GW Evaluation
Client Sample #: Well 6 PURGE

HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/09/94 | 8010 |
| ND - Not Detected | | | | | |

Approved By: _____

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON
INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38499
Sample Matrix: Water

Sample Description:

Project No. 721397.07
Project Name/L Location CSQM - GW Evaluation
Client Sample #: Well 9


HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | 1 | 10/07/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | 10 | 10/07/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |

ND - Not Detected

Approved By: *R. Olan*

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON
INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38498
Sample Matrix: Water

Sample Description:

Project No. 721397.07
Project Name/L Location CSQM - GW Evaluation
Client Sample #: Well 10


HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | 8.0 | 10/07/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |

ND - Not Detected

Approved By: *T. Olan*

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON
INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38502
Sample Matrix: Water

Sample Description:

Project No. 721397.07
Project Name/L Location CSQM - GW Evaluation
Client Sample #: Well 11

HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroform | 1.0 | UG/L | 7 | 10/07/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |

ND - Not Detected

Approved By: 

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON
INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38503
Sample Matrix: Water

Sample Description:

Project No. 721397.07
Project Name/L Location CSQM - GW Evaluation
Client Sample #: Well 16


HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | 81 | 10/07/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | 81 | 10/07/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |

ND - Not Detected

Approved By: _____

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON
INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38504
Sample Matrix: Water

Sample Description:


Project No. 721397.07
Project Name/L Location CSQM - GW Evaluation
Client Sample #: Well D

HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | 130 | 10/07/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | 110 | 10/07/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| ND - Not Detected | | | | | |

Approved By: _____

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.



CHEMRON
INCORPORATED

10526 Gulfdale • San Antonio, Texas 78216-3601 • (210) 340-8121

Client: Engineering Science
8000 Centre Park Drive Suite 200
Austin, Texas 78753

Report Date: 10/11/94
Chemron Sample #: 38501
Sample Matrix: Water

Sample Description:

Project No. 721397.07
Project Name/L Location CSQM - GW Evaluation
Client Sample #: Well G

HALOGENATED VOLATILE ORGANICS ANALYSIS RESULTS

| Analyte | MDL | Units | Result | Date Analyzed | Test Method |
|---------------------------|-----|-------|--------|---------------|-------------|
| Dichlorodifluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Vinyl chloride | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromomethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichlorofluoromethane | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Methylene chloride | 1.0 | UG/L | 6 | 10/07/94 | 8010 |
| trans-1,2-Dichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chloroform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,1-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Carbon tetrachloride | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Trichloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 2-Chloroethylvinyl ether | 2.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromodichloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| cis-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| trans-1,3-Dichloropropane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2-Trichloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Tetrachloroethene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Dibromochloromethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Chlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| Bromoform | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,1,2,2-Tetrachloroethane | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,3-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,4-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |
| 1,2-Dichlorobenzene | 1.0 | UG/L | ND | 10/07/94 | 8010 |

ND - Not Detected

Approved By: *R. O'Connell*

All test method numbers are references to US Environmental Protection Agency methods unless otherwise noted. MDLs shown represent the minimum detection limit for the analytical procedure used based on the amount of sample analyzed.