

Table 1. CSSA Groundwater Elevations

CSSA Well Number	Total Depth (Feet)	Measuring Point Elevation	Previous Casing Depth (Feet)	September 1994 Casing Depth (Feet)	Oct-92		May-94	
					Depth to Water (ft)	Groundwater Elevation (ft-MSL)	Depth to Water (ft-BTOC)	Groundwater Elevation (ft-MSL)
1	451	1,167.80	451	451	105.44	1062.36	108.02	1059.78
2	350	1,234.28	45	205*	151.87	1082.41	146.6	1087.68
3	328	1,236.78	42	205*	149.2	1087.58	146.44	1090.34
4	252	1,225.82	2.5	200*	139.87	1085.95	135.9	1089.92
9	546	1,325.50	60	60	206.47	1119.03	243.41	1082.08
10	559	NA	390	390	152	1179.12	NA	NA
11	550	NA	NA	NA	129	1203.15	NA	NA
16	431	1,244.00	21	195*	152.35	1091.65	158.81	1085.19
D	263	1,233.20	21	205*	144.84	1088.36	145.33	1087.87
G	NA	NA	NA	NA	NA	NA	NA	NA
H	NA	NA	NA	NA	NA	NA	NA	NA
I	362	1,314.09	NA	NA	207.89	1106.2	218.58	1095.51

CSSA Well Number	Measuring Point Elevation	1-Sep-94		5-Dec-94		12-Dec-94		19-Dec-94	
		Depth to Water (ft-BTOC)	Groundwater Elevation (ft-MSL)	Depth to Water (ft)	Groundwater Elevation (ft-MSL)	Depth to Water (ft-BTOC)	Groundwater Elevation (ft-MSL)	Depth to Water (ft-BTOC)	Groundwater Elevation (ft-MSL)
1	1,167.80	201.99	965.56	169.09	998.71	171.5	996.3	169.93	997.87
2	1,237.26	256.21	981.05	220.13	1017.13	229.15	1008.11	213.88	1023.38
3	1,239.98	259.88	980.1	217.8	1022.18	226.6	1013.38	215.38	1024.6
4	1,229.07	248.8	980.27	204.47	1024.6	213.55	1015.52	202.72	1026.35
9	1,325.50	377.05	948.45	307.5	1018	317.28	1008.22	304.18	1021.32
10	NA	390.64	940.48	NA	NA	NA	NA	NA	NA
11	NA	364.5	967.65	NA	NA	NA	NA	NA	NA
16	1,243.80	259.6	984.2	216.17	1027.63	224	1019.8	219.34	1024.46
D	1,236.18	250.3	985.88	210.33	1025.85	219.2	1016.98	209.35	1026.63
G	1,325.86	303.4	1022.46	283.84	1042.02	288.05	1037.81	286.78	1039.08
H	NA	NA	NA	NA	NA	NA	NA	NA	NA
I	1,314.09	297	1017.09	273.33	1040.76	277.45	1036.64	277.25	1036.84

ft-BTOC = feet below top of casing
ft-MSL = feet above mean sea level
* = wells in which additional surface casing was added
NA = Wells 10 and 11 were measured via air-line; depths were not measured, or groundwater elevations were not calculated.
Note: In well H, measuring equipment is obstructed at about 20 feet BTOC.

Table 1 Continued. CSSA Groundwater Elevations

CSSA Well Number	Measuring Point Elevation	3-Apr-95		12-Jun-95	
		Depth to Water (ft-BTOC)	Groundwater Elevation (ft-MSL)	Depth to Water (ft)	Groundwater Elevation (ft-MSL)
1	1,167.80	168.48	999.32	149.70	1018.10
2	1,237.26	214.87	1022.39	167.02	1070.24
3	1,239.98	214.86	1025.12	173.65	1066.33
4	1,229.07	203	1026.07	160.06	1069.01
9	1,325.50	311.37	1014.13	318.30	1063.75
10	NA	372.16	958.96	369.85	961.27
11	NA	320.61	1011.54	327.54	1004.61
16	1,243.80	216.88	1026.19	179.95	1063.12
D	1,236.18	209.3	1026.88	167.03	1069.15
G	1,325.86	284.87	1040.99	256.40	1069.46
H	NA	NA	NA	NA	NA
I	1,314.09	274.59	1039.5	244.00	1070.09

ft-BTOC = feet below top of casing

ft-MSL = feet above mean sea level

* = wells in which additional surface casing was added

NA = Wells 10 and 11 were measured via air-line; depths were not measured; or groundwater elevations were not calculated.

Note: In well H, measuring equipment is obstructed at about 20 feet BTOC.