

Table 5-1
June 2004 Quarterly Groundwater Detected Concentrations

Sample ID				CS-D				CS-D				CS-1				CS-2				CS-4				CS-11				CS-MWG-LGR				
Logdate				6/16/2004				6/16/2004				6/15/2004				6/16/2004				6/16/2004				6/22/2004				6/15/2004				
Sample Type				N				FD				N				N				N				N								
Lab Sample ID				D4F170404				D4F170404				D4F170404				D4F170404				D4F170404				D4F240332				D4F170404				
Matrix				WG				WG				WG				WG				WG				WG								
Method	Analyte (ug/L)	Lab MDL	Lab RL	MCL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL				
<i>SW6010B</i>																																
	Barium	0.37	5.0	2000	30.0				29.0				130.0				36.0				29.0				37.0				20.0			
	Copper	0.97	10.0	1300	0.97 U				0.97 U				0.97 U				0.97 U				0.97 U				13.0				0.97 U			
	Nickel	4.2	10.0	100	4.2 U				4.2 U				4.2 U				4.2 U				4.2 U				4.2 U				4.4 F			
	Zinc	3.6	50.0	--	12.0 F				11.0 F				18.0 F				3.6 U				9.3 F				740.0				8.4 F			
<i>SW6020</i>																																
	Arsenic	0.094	20.0	50	0.16 F				0.28 F				0.25 F				0.54 F				0.42 F				0.48 F				0.25 F			
	Cadmium	0.028	2.0	5	0.053 F				0.06 F				0.028 U				0.028 U				0.034 F				0.028 U				0.028 U			
	Lead	0.077	2.0	15	0.82 F				0.93 F				0.3 F				0.31 F				0.33 F				4.8				0.41 F			
<i>SW8260B (ug/L)</i>																																
	Bromodichloromethane	0.04	0.8	80	0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U			
	Chloroform	0.05	0.3	80	0.21 F				0.2 F				0.05 U				0.05 U				0.057 F				0.05 U				0.05 U			
	Dichloroethene, 1,1-	0.03	1.2	7	0.03 U				0.075 F				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U			
	Dichloroethene, cis-1,2-	0.09	1.2	70	220.0				230.0				0.09 U				0.09 U				7.2				0.09 U				0.09 U			
	Dichloroethene, trans-1,2-	0.04	0.6	100	0.91				0.74				0.04 U				0.04 U				0.068 F				0.04 U				0.04 U			
	Methylene chloride	0.2	2.0	5	0.2 U				0.2 U				0.2 U				0.2 U				0.2 U				0.2 U				0.2 U			
	Tetrachloroethene	0.05	1.4	5	180.0				170.0				0.05 U				0.099 F				5.1				0.05 U				0.05 U			
	Toluene	0.06	1.1	1000	0.06 U				0.06 U				0.06 U				0.06 U				0.06 U				0.06 U				0.06 U			
	Trichloroethene	0.03	1.0	5	250.0				250.0				0.03 U				0.03 U				15.0				0.03 U				0.03 U			
	Vinyl chloride	0.03	1.1	2	0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U			

Sample ID				CS-MWH-LGR				CS-MW1-BS				CS-MW1-BS				CS-MW1-CC				CS-MW1-LGR				CS-MW2-CC				CS-MW2-LGR				
Logdate				6/15/2004				6/17/04 & 7/26/2004				6/17/04 & 7/26/2004				6/17/04 & 7/26/2004				6/17/2004				6/17/2004				6/17/2004				
Sample Type				N				N				FD				N				N				N								
Lab Sample ID				D4G170404				D4G270299				D4G270299				D4G270299				D4F180203				D4F180203				D4F180203				
Matrix				WG				WG				WG				WG				WG				WG								
Method	Analyte (ug/L)	Lab MDL	Lab RL	MCL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL				
<i>SW6010B</i>																																
	Barium	0.37	5.0	2000	29.0				38.0				38.0				19.0				32.0				21.0				91.0			
	Copper	0.97	10.0	1300	0.97 U				0.97 U				0.97 U				0.97 U				0.97 U				0.97 U				0.97 U			
	Nickel	4.2	10.0	100	5.9 F				4.2 U				4.2 U				4.2 U				4.4 U				4.2 U				4.2 U			
	Zinc	3.6	50.0	--	680.0				3.6 U				3.6 U				3.6 U				3.6 U				3.6 U				17.0 F			
<i>SW6020</i>																																
	Arsenic	0.094	20.0	50	0.38 F				2.0 F				2.0 F				0.46 F				0.26 F				0.3 F				1.9 F			
	Cadmium	0.028	2.0	5	0.028 U				0.036 F				0.033 F				0.028 U				0.028 U				0.028 U				0.028 U			
	Lead	0.077	2.0	15	2.3				0.077 U				0.077 U				0.14 F				0.091 F				0.077 U				0.18 F			
<i>SW8260B (ug/L)</i>																																
	Bromodichloromethane	0.04	0.8	80	0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U			
	Chloroform	0.05	0.3	80	0.05 U				0.05 U				0.05 U				0.05 U				0.11 F				0.05 U				0.05 U			
	Dichloroethene, 1,1-	0.03	1.2	7	0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U			
	Dichloroethene, cis-1,2-	0.09	1.2	70	0.09 U				0.19 F				0.2 F				0.09 U				33.0				0.09 U				2.8			
	Dichloroethene, trans-1,2-	0.04	0.6	100	0.04 U				0.04 U				0.04 U				0.04 U				0.33 F				0.04 U				0.04 U			
	Methylene chloride	0.2	2.0	5	0.2 U				0.2 U				0.2 U				0.2 U				0.2 U				0.2 U				0.2 U			
	Tetrachloroethene	0.05	1.4	5	0.05 U				0.05 U				0.05 U				0.05 U				19.0				0.05 U				0.17 F			
	Toluene	0.06	1.1	1000	0.06 U				2.2				2.2				0.06 U				0.06 U				0.11 F				1.7			
	Trichloroethene	0.03	1.0	5	0.03 U				0.053 F				0.044 F				0.03 U				33.0				0.03 U				0.36 F			
	Vinyl chloride	0.03	1.1	2	0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U			

**Table 5-1
June 2004 Quarterly Groundwater Detected Concentrations**

Method	Sample ID			CS-MW3-LGR				CS-MW4-LGR				CS-MW5-LGR				CS-MW6-BS				CS-MW6-CC				CS-MW6-LGR				CS-MW7-CC			
	Analyte (ug/L)	Lab MDL	Lab RL	MCL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL
<p align="center">Sample ID Logdate Sample Type Lab Sample ID Matrix</p>																															
<p align="center">6/15/2004 N D4F170404 WG 6/17/2004 N D4F180203 WG 6/16/2004 N D4F170404 WG 6/21/2004 N D4F220238 WG 6/21/2004 N D4F220238 WG 6/21/2004 N D4F220238 WG 6/23/2004 N D4F240332 WG</p>																															
<p><i>SW6010B</i></p>																															
Barium	0.37	5.0	2000	28.0		0.37	1	53.0		0.37	1	27.0		0.37	1	33.0		0.37	1	36.0		0.37	1	39.0		0.37	1	28.0		0.37	1
Copper	0.97	10.0	1300	0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1	
Nickel	4.2	10.0	100	4.2 U	4.2	1		11.0		4.2	1	9.5 F		4.2	1	4.2 U	4.2	1		4.2 U	4.2	1		16.0		4.2	1	4.2 U	4.2	1	
Zinc	3.6	50.0	--	20.0 F		3.6	1	3.6 U	3.6	1		9.5 F		3.6	1	22.0 F		3.6	1	19.0 F		3.6	1	8.6 F		3.6	1	3.6 U	3.6	1	
<p><i>SW6020</i></p>																															
Arsenic	0.094	20.0	50	0.69 F		0.094	1	1.3 F		0.094	1	1.7 F		0.094	1	5.6 F		0.094	1	1.3 F		0.094	1	0.68 F		0.094	1	1.1 F		0.094	1
Cadmium	0.028	2.0	5	0.028 U	0.028	1		0.028 U	0.028	1		0.028 U	0.028	1		0.028 U	0.028	1		0.028 U	0.028	1		0.028 U	0.028	1		0.028 U	0.028	1	
Lead	0.077	2.0	15	0.13 F		0.077	1	0.077 U	0.077	1		0.094 F		0.077	1	0.077 U	0.077	1		0.077 U	0.077	1		0.077 U	0.077	1		0.11 F		0.077	1
<p><i>SW8260B (ug/L)</i></p>																															
Bromodichloromethane	0.04	0.8	80	0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1	
Chloroform	0.05	0.3	80	0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1	
Dichloroethene, 1,1-	0.03	1.2	7	0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1	
Dichloroethene, cis-1,2-	0.09	1.2	70	0.09 U	0.09	1		0.18 F		0.09	1	0.84 F		0.09	1	0.09 U	0.09	1		0.09 U	0.09	1		0.09 U	0.09	1		0.09 U	0.09	1	
Dichloroethene, trans-1,2-	0.04	0.6	100	0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1	
Methylene chloride	0.2	2.0	5	0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1	
Tetrachloroethene	0.05	1.4	5	0.05 U	0.05	1		0.074 F		0.05	1	0.75 F		0.05	1	0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1	
Toluene	0.06	1.1	1000	0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1	
Trichloroethene	0.03	1.0	5	0.03 U	0.03	1		0.069 F		0.03	1	0.86 F		0.03	1	0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1	
Vinyl chloride	0.03	1.1	2	0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1	
<p align="center">Sample ID Logdate Sample Type Lab Sample ID Matrix</p>																															
<p align="center">6/23/2004 FD D4F240332 WG 6/23/2004 N D4F240332 WG 6/23/2004 N D4F240332 WG 6/21/2004 N D4F220238 WG 6/21/2004 N D4F220238 WG 6/15/2004 N D4F170404 WG 6/15/2004 N D4F170404 WG</p>																															
<p><i>SW6010B</i></p>																															
Barium	0.37	5.0	2000	28.0		0.37	1	47.0		0.37	1	30.0		0.37	1	35.0		0.37	1	36.0		0.37	1	59.0		0.37	1	22.0		0.37	1
Copper	0.97	10.0	1300	0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1		0.97 U	0.97	1	
Nickel	4.2	10.0	100	4.2 U	4.2	1		4.2 U	4.2	1		4.2 U	4.2	1		4.2 U	4.2	1		4.2 U	4.2	1		4.2 U	4.2	1		4.2 U	4.2	1	
Zinc	3.6	50.0	--	3.6 U	3.6	1		4.4 F		3.6	1	3.6 U	3.6	1		18.0 F		3.6	1	17.0 F		3.6	1	4.4 F		3.6	1	3.6 U	3.6	1	
<p><i>SW6020</i></p>																															
Arsenic	0.094	20.0	50	1.2 F		0.094	1	0.71 F		0.094	1	3.3 F		0.094	1	0.8 F		0.094	1	0.74 F		0.094	1	2.8 F		0.094	1	0.23 F		0.094	1
Cadmium	0.028	2.0	5	0.028 U	0.028	1		0.028 U	0.028	1		0.028 U	0.028	1		0.028 U	0.028	1		0.028 U	0.028	1		0.033 F		0.028	1	0.028 U	0.028	1	
Lead	0.077	2.0	15	0.077 U	0.077	1		0.13 F		0.077	1	0.12 F		0.077	1	0.16 F		0.077	1	0.077 U	0.077	1		0.2 F		0.077	1	0.077 U	0.077	1	
<p><i>SW8260B (ug/L)</i></p>																															
Bromodichloromethane	0.04	0.8	80	0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1	
Chloroform	0.05	0.3	80	0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1	
Dichloroethene, 1,1-	0.03	1.2	7	0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1	
Dichloroethene, cis-1,2-	0.09	1.2	70	0.09 U	0.09	1		0.09 U	0.09	1		0.09 U	0.09	1		0.09 U	0.09	1		0.09 U	0.09	1		0.09 U	0.09	1		0.09 U	0.09	1	
Dichloroethene, trans-1,2-	0.04	0.6	100	0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1		0.04 U	0.04	1	
Methylene chloride	0.2	2.0	5	0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1		0.2 U	0.2	1	
Tetrachloroethene	0.05	1.4	5	0.05 U	0.05	1		0.05 U	0.05	1		0.05 U	0.05	1		0.59 F		0.05	1	0.57 F		0.05	1	0.05 U	0.05	1		0.05 U	0.05	1	
Toluene	0.06	1.1	1000	0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1		0.06 U	0.06	1	
Trichloroethene	0.03	1.0	5	0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1	
Vinyl chloride	0.03	1.1	2	0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1		0.03 U	0.03	1	

Table 5-1
June 2004 Quarterly Groundwater Detected Concentrations

Sample ID				CS-MW9-LGR				CS-MW10-CC				CS-MW10-LGR				CS-MW11A-LGR				CS-MW11B-LGR				CS-MW12-BS				CS-MW12-CC			
Logdate				6/15/2004				6/23/2004				6/23/2004				6/23/2004				5/26/2004				6/21/2004				6/21/2004			
Sample Type				N				N				N				N				N				N							
Lab Sample ID				D4F170404				D4F240332				D4F240332				D4F240332				D4F220238				D4F220238							
Matrix				WG				WG				WG				WG				WG				WG							
Method	Lab MDL	Lab RL	MCL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL				
<i>SW6010B</i>																															
Barium	0.37	5.0	2000	34.0				32.0				46.0				35.0				36.0				17.0				35.0			
Copper	0.97	10.0	1300	0.97 U				0.97 U				0.97 U				0.97 U				0.97 U				0.97 U				0.97 U			
Nickel	4.2	10.0	100	41.0				4.2 U				4.2 U				4.7 F				11.0				6.9 F				4.2 U			
Zinc	3.6	50.0	--	4.6 F				3.6 U				3.6 U				5.3 F				21.0 F				3.6 U				3.6 U			
<i>SW6020</i>																															
Arsenic	0.094	20.0	50	0.35 F				0.094 F				0.66 F				0.55 F				38.0 F				1.8 F				3.1 F			
Cadmium	0.028	2.0	5	0.028 U				0.028 U				0.028 U				0.028 U				0.028 U				0.028 U				0.028 U			
Lead	0.077	2.0	15	0.082 F				0.11 F				0.19 F				0.12 F				0.15 F				0.077 U				0.077 U			
<i>SW8260B (ug/L)</i>																															
Bromodichloromethane	0.04	0.8	80	0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U			
Chloroform	0.05	0.3	80	0.05 U				0.05 U				0.095 F				0.05 U				0.05 U				0.05 U				0.05 U			
Dichloroethene, 1,1-	0.03	1.2	7	0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U			
Dichloroethene, cis-1,2-	0.09	1.2	70	0.09 U				0.09 U				0.09 U				0.09 U				0.09 U				0.09 U				0.09 U			
Dichloroethene, trans-1,2-	0.04	0.6	100	0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U			
Methylene chloride	0.2	2.0	5	0.2 U				0.2 U				0.2 U				0.2 U				0.2 U				0.23 F				0.2 U			
Tetrachloroethene	0.05	1.4	5	0.05 U				0.05 U				2.2				0.19 F				0.83 F				0.05 U				0.05 U			
Toluene	0.06	1.1	1000	0.06 U				0.06 U				0.06 U				0.06 U				0.06 U				0.16 F				0.06 U			
Trichloroethene	0.03	1.0	5	0.03 U				0.03 U				0.42 F				0.03 U				0.03 U				0.03 U				0.03 U			
Vinyl chloride	0.03	1.1	2	0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.19 F				0.03 U			

Sample ID				CS-MW12-LGR				CS-MW16-CC				CS-MW16-LGR				CS-MW17-LGR				CS-MW18-LGR				CS-MW19-LGR							
Logdate				6/21/2004				6/16/2004				6/16/2004				6/15/2004				6/17/2004				6/16/2004							
Sample Type				N				N				N				N				N											
Lab Sample ID				D4F220238				D4F170404				D4F170404				D4F170404				D4F180203				D4F170404							
Matrix				WG				WG				WG				WG				WG											
Method	Lab MDL	Lab RL	MCL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL				
<i>SW6010B</i>																															
Barium	0.37	5.0	2000	37.0				22.0				36.0				36.0				45.0				36.0				0.37 U			
Copper	0.97	10.0	1300	0.97 U				0.97 U				0.97 U				0.97 U				0.97 U				0.97 U				0.97 U			
Nickel	4.2	10.0	100	4.2 U				4.2 U				4.2 U				29.0				14.0				61.0				4.2 U			
Zinc	3.6	50.0	--	23.0 F				110.0				630.0				3.6 U				3.6 U				15.0 F				3.6 U			
<i>SW6020</i>																															
Arsenic	0.094	20.0	50	0.49 F				0.31 F				0.27 F				0.41 F				0.41 F				0.62 F				0.094 U			
Cadmium	0.028	2.0	5	0.028 U				0.028 U				0.028 U				0.028 U				0.028 U				0.028 U				0.028 U			
Lead	0.077	2.0	15	0.095 F				1.5 F				0.24 F				0.077 U				0.077 U				0.077 U				0.077 U			
<i>SW8260B (ug/L)</i>																															
Bromodichloromethane	0.04	0.8	80	0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U				0.04 U			
Chloroform	0.05	0.3	80	0.05 U				0.05 U				0.054 F				0.05 U				0.05 U				0.05 U				0.05 U			
Dichloroethene, 1,1-	0.03	1.2	7	0.03 U				0.58 F				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U			
Dichloroethene, cis-1,2-	0.09	1.2	70	0.09 U				120.0			6.66	48.0				0.09 U				0.09 U				0.09 U				0.09 U			
Dichloroethene, trans-1,2-	0.04	0.6	100	0.04 U				1.8				0.15 F				0.04 U				0.04 U				0.04 U				0.04 U			
Methylene chloride	0.2	2.0	5	0.2 U				0.2 U				0.2 U				0.2 U				0.2 U				0.2 U				0.2 U			
Tetrachloroethene	0.05	1.4	5	0.05 U				55.0				48.0				0.24 F				0.05 U				0.28 F				0.05 U			
Toluene	0.06	1.1	1000	0.06 U				0.06 U				0.06 U				0.06 U				0.06 U				0.06 U				0.06 U			
Trichloroethene	0.03	1.0	5	0.03 U				120.0			6.66	56.0				0.03 U				0.03 U				0.03 U				0.03 U			
Vinyl chloride	0.03	1.1	2	0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U				0.03 U			

**Table 5-1
June 2004 Quarterly Groundwater Detected Concentrations**

Sample ID				CS-1				CS-9				CS-10			
Logdate				6/22/2004				6/22/2004				6/22/2004			
Sample Type				N				N				N			
Lab Sample ID				D4F240326				D4F240326				D4F240326			
Matrix				WG				WG				WG			
Method	Lab MDL	Lab RL	MCL	Result	Flag	SQL	DL	Result	Flag	SQL	DL	Result	Flag	SQL	DL
<i>SW6010B</i>															
Barium	0.37	5.0	2000	36.0		0.37	1	37.0		0.37	1	41.0		0.37	1
Copper	0.97	10.0	1300	24.0		0.97	1	5.6 F		0.97	1	6.0 F		0.97	1
Zinc	3.6	50.0	--	250.0		3.6	1	49.0 F		3.6	1	17.0 F		3.6	1
<i>SW6020</i>															
Arsenic	0.094	20.0	50	0.45 F		0.094	1	0.42 F		0.094	1	0.54 F		0.094	1
Lead	0.077	2.0	15	2.9		0.077	1	0.91 F		0.077	1	0.48 F		0.077	1
<i>SW8260B</i>															
Chloroform	0.05	0.3	80	0.05 U		0.05	1	0.05 U		0.05	1	0.18 F		0.05	1
Tetrachloroethene	0.05	1.4	5	0.09 F		0.05	1	0.054 F		0.05	1	0.055 F		0.05	1
Trichloroethene	0.03	1.0	5	0.12 F		0.03	1	0.03 U		0.03	1	0.03 U		0.03	1

Tables present all laboratory results for analytes detected above the method detection limit. Results from all laboratory analysis are presented in Appendix B. All samples were analyzed by Severn Trent Laboratories (STL).

Data Qualifiers:

F- The analyte was positively identified but the associated numerical value is below the RL.
 J - The analyte was positively identified, the quantitation is an estimation.
 U - The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.
 M- Matrix Effect Present
 B - The analyte was found in an associated blank, as well as in the sample.
 R - The data are unusable due to deficiencies in laboratory QC criteria.
 Bolded results indicate the analyte was detected.
 Bolded and boxed results indicate results > RL.
 Bolded and shaded results indicate results > MCL.

Abbreviations/Notes:

-- = No risk reduction standard or background level available.
 FD = Field Duplicate
 MDL = Method Detection Limit
 N = Environmental Sample
 RL = Reporting Limit
 SQL = Sample Quantitation Limit
 MCL = Maximum Contamination Level
 DL = Dilution