

Table 6-1, Summary of Detections for March 2004 compared to December 2003

Detections above the applicable MCL

	PCE	TCE	<i>cis</i> -1,2- DCE
CS-D	Dec	Dec	Dec
CS-MW1-LGR	Dec	Dec	Inc
CS-MW16-LGR	Dec	Dec	Dec
CS-MW16-CC	Dec	Inc	Inc

(Compared to September 03 sampling event results.)

Detections above the laboratory RL

	PCE	TCE	<i>cis</i> -1,2- DCE	<i>trans</i> -1,2- DCE	toluene
CS-MW1-BS	--	Dec	Dec	--	Dec
CS-MW2-LGR	Dec	Dec	Inc	--	Inc
CS-MW5-LGR	Equal	Inc	Inc	Inc	Dec
CS-MW10-LGR	Dec	Dec	--	--	--
CS-MW12-CC	--	--	--	--	Dec

Detections above the laboratory MDL, but below the RL (F-flagged)

	PCE	TCE	<i>cis</i> -1,2- DCE	<i>trans</i> -1,2- DCE	toluene	1,1-DCE	naph- thalene	methyl- ene chloride	chloro- form
CS-2	Dec	Dec	--	Inc	--	Inc	--	Dec	--
CS-4	Inc	Inc	--	Inc	Dec	Inc	--	Inc	--
CS-MWG-LGR	--	--	--	--	--	--	--	Inc	--
CS-MWH-LGR	--	--	--	--	Dec	--	--	Inc	--
CS-I	--	--	--	--	Dec	--	--	Inc	--
CS-MW1-CC	--	--	--	Inc	Inc	Inc	--	Inc	--
CS-MW2-CC	--	--	--	--	Dec	--	--	Inc	--
CS-MW3-LGR	--	--	--	--	--	--	--	Inc	--
CS-MW4-LGR	Inc	Inc	Inc	--	--	--	--	Inc	--
CS-MW6-LGR	--	--	--	--	Dec	--	--	Inc	--
CS-MW6-BS	--	--	--	--	Inc	--	--	Inc	--
CS-MW6-CC	--	--	--	--	--	--	--	Inc	--
CS-MW7-CC	--	--	--	--	Dec	--	--	Inc	--
CS-MW7-LGR	Dec	Dec	--	--	Dec	--	--	Inc	--
CS-MW8-CC	--	--	--	--	--	--	--	Dec	--
CS-MW8-LGR	Inc	--	--	--	Dec	--	--	Inc	--
CS-MW9-LGR	Dec	--	--	--	--	--	--	Inc	--
CS-MW9-BS	--	--	--	--	Dec	--	--	Inc	--
CS-MW9-CC	--	--	--	--	--	--	--	Inc	--
CS-MW10-CC	--	--	--	--	Dec	--	--	Inc	--
CS-MW11A-LGR	Inc	--	--	--	Dec	--	--	Inc	--
CS-MW12-LGR	--	--	--	--	--	--	--	Inc	--
CS-MW12-BS	--	--	--	--	Dec	--	Dec	Inc	--
CS-MW17-LGR	Inc	--	--	--	Dec	--	--	Inc	--
CS-MW18-LGR	--	--	--	--	Dec	--	--	Inc	--
CS-MW19-LGR	Dec	--	--	--	--	--	--	Inc	--
CS-1	Dec	Dec	--	--	Dec	--	--	Inc	Dec
CS-10	--	--	--	--	Dec	--	--	Inc	Inc
CS-11	--	--	--	--	Dec	--	--	Inc	Dec

Bold well ID indicates a drinking water well.

"--" indicates the analyte was not detected above the MDL in that well.

"Inc" indicates that the concentration detected in March 2004 is an increase from the December 2003 result.

"Dec" indicates that the concentration detected in March 2004 is a decrease from the December 2003 result.

"Equal" indicates that the concentration detected in March 2004 is equal to the December 2003 result.