

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis-1,2 (ug/L)	Dichloro-ethene, trans-1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)	
CS-1	TDH		8/9/91	1.0U	NA	1.0U	1.0U	NA	1.0U	1.0U	1.0U	1.0U	NA	1.0U	NA	1.0U	NA	
	Parsons ES	SW8010/8020	11/3/92	4.7	NA	7.3	4.5	NA	0.5U	NA	0.5U	3.0	NA	0.5U	NA	0.5U	5.0U	
	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	0.3U	NA	1.2U	1.8U	
	Chemron	SW8010	9/30/94	1.0U	NA	17	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U	
	Chemron	SW8010	12/19/94	2.0	NA	18	2.0	NA	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U*	
	Chemron	SW8260	3/30/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U	
	Chemron	SW8260	6/13/95	3U	NA	7	3U	NA	5U	4U	4U	4U	NA	5U	3U	2U	3U	
	Chemron	SW8260	8/25/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	8/11/95	3U	NA	10	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	2/28/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	ITS	SW8260	1/7/97 ¹	0.13U	NA	0.25F	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.16U	0.34U	0.40U	
	ITS	SW8260B	10/23/97 ¹	0.13U	NA	1.5	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.160U	0.34U	0.40U	
	DHL	SW8260B	11/6/98 ¹	NA	NA	0.4U	NA	NA	NA	0.3U	0.2U	NA	NA	0.4U	NA	0.22 F	NA	
	O'B&G	SW8260B	9/9/99	0.025U	NA	0.29F	0.049U	NA	0.144U	0.145U	0.14U	0.21F	NA	0.087U	0.017U	0.75F	NA	
	O'B&G	SW8260B	12/14/99	0.025U	NA	0.2F	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.17F	0.017U	0.7F	0.019U	
	O'B&G	SW8260B	3/21/00**	0.025U	NA	0.2F	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.11F	NA	0.6F	0.019U	
	O'B&G	SW8260B	6/14/00**	0.011U	NA	0.36	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.5F	0.013U	
<i>Duplicate</i>	O'B&G	SW8260B	6/14/00**	0.011U	NA	0.36	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.5F	0.013U	
	O'B&G	SW8260B	9/13/00**	0.011U	NA	0.16F	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.3F	0.013U	
	O'B&G	SW8260B	12/13/00	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	1.2U	0.013U	
	O'B&G	SW8260B	3/19/01	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.11F	NA	0.2F	0.013U	
	AP18430	SW8260	6/12/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.19F	0.18U	
	AP22229	SW8260	9/17/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.14F	0.11U	0.29F	0.27U	
	AP26254/AP26259	SW8260	12/11/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.2F	0.27U	
	AP30837	SW8260	3/19/2002	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.49F	0.08U	0.12F	0.24F	0.47F	0.27U	
	STL	SW8260B	6/17/2002	0.03U	NA	0.076F	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.04U	0.11F	0.05U	0.63F	0.04U	
	STL	SW8260B	9/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.08F	0.06U	0.2F	0.03U	
	STL	SW8260B	12/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.1F	0.06U	0.26F	0.03U	
	STLD3C250256	SW8260B	3/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.31F	0.09U	0.08F	3.7B	0.15F	0.03U	
	STLD3F200339	SW8260B	6/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.088F	0.06U	0.18F	0.03U	
	STLD3I170355	SW8260B	9/16/2003	0.04U	0.1U	0.053F	0.03U	0.06U	0.03U	0.09U	0.04U	0.34F	0.09U	0.084F	0.06U	0.37F	0.03U	
	STLD3L180116	SW8260B	12/16/2003	0.04U	0.1U	0.062F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.1F	0.091F	0.56F	0.03U	
<i>Duplicate</i>	STLD3L180116	SW8260B	12/16/2003	0.04U	0.1U	0.057F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.089F	0.088F	0.5F	0.03U	
	STLD4C120341	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.57F	0.09U	0.086F	0.06U	0.15F	0.03U	
<i>Duplicate</i>	STLD4C120341	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.64F	0.09U	0.087F	0.06U	0.15F	0.03U	
	STLD4F240326	SW8260B	06/22/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.09F	0.06U	0.12F	0.03U	
	STLD4I160208	SW8260B	09/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.053F	0.09U	0.04U	0.45F	0.09U	0.066F	0.15F	0.093F	0.03U	
CS-1-NP	STLD3C250256	SW8260B	3/19/2003	2.6	3.4	1.8	3.7	0.06U	0.03U	0.09U	0.04U	1.2F	0.09U	0.05U	0.32F	0.03U	0.03U	
CS-2	Parsons ES	SW8010/8020	11/3/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	3.2	NA	0.52	NA	0.5U	5.0U	
	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	0.44	NA	1.2U	1.8U	
	Chemron	SW8010	9/30/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	4.0	NA	1.0U	NA	1.0U	2.0U	
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U*	
	Chemron	SW8260	4/6/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0	0.6U	0.4U	0.6U	
	Chemron	SW8260	6/13/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	3U	2U	3U	
	Chemron	SW8260	8/30/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	12/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	<i>Duplicate</i>	Chemron	SW8260	12/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	Chemron	SW8260	2/29/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	ITS	SW8260	1/15/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.16U	0.34U	0.40U	
	ITS	SW8260	10/23/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.160U	0.34U	0.40U	
	DHL	SW8260B	11/6/98 ¹	NA	NA	0.4U	NA	NA	NA	0.3U	0.2U	NA	NA	0.43	NA	0.2U	NA	

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis-1,2 (ug/L)	Dichloro-ethene, trans-1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)	
CS-2 cont'd	O'B&G	SW8260B	9/7/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	1.109F	0.017U	0.06U	0.019U	
	O'B&G	SW8260B	12/14/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	0.017U	0.06U	0.019U	
	<i>Duplicate</i>	O'B&G	SW8260B	12/14/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	0.017U	0.06U	0.019U
	<i>Duplicate</i>	O'B&G	SW8260B	3/21/00**	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	NA	0.06U	0.019U
	<i>Duplicate</i>	O'B&G	SW8260B	3/21/00**	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	NA	0.06U	0.019U
	<i>Duplicate</i>	O'B&G	SW8260B	6/12/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U
	<i>Duplicate</i>	O'B&G	SW8260B	9/15/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U
	<i>Duplicate</i>	O'B&G	SW8260B	9/15/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U
	<i>Duplicate</i>	O'B&G	SW8260B	12/13/00	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U
	<i>Duplicate</i>	O'B&G	SW8260B	3/20/01	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U
	AP18323	SW8260	6/13/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	NA	0.16U	NA	0.16U	0.18U	
	AP22213	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.22F	NA	0.14U	0.27U	
	AP26534/AP26520	SW8260	12/14/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.35F	NA	0.17F	0.27U	
	STL EWGMV1AL	SW8260B	3/14/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.2U	NA	0.036U	NA	0.05U	0.036U	
	<i>Duplicate</i>	STL	SW8260B	6/18/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.52F	NA	0.05U	0.04U
	<i>Duplicate</i>	STL	SW8260B	6/18/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.5F	NA	0.05U	0.04U
	<i>Duplicate</i>	STL	SW8260B	9/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.073F	NA	0.03U	0.03U
	<i>Duplicate</i>	STL	SW8260B	12/16/2002	0.04U	NA	0.11F	0.03U	NA	0.03U	0.09U	0.04U	0.34F	NA	0.05U	NA	0.03U	0.03U
	STLD3C250212	SW8260B	3/20/2003	0.04U	0.1U	0.12F	0.03U	0.06U	0.03U	0.09U	0.04U	0.04R	0.2U	0.09U	0.05U	8.7J	0.03U	0.03U
	STLD3F200337	SW8260B	6/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.1F	0.06U	0.03U	0.03U	
STLD3I200215	SW8260B	9/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.73F	0.09U	0.34F	0.06U	0.03U	0.03U		
STLD3L120400	SW8260B	12/10/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.3F	0.09R	0.75F	0.06U	0.071F	0.03U		
STLD4C120336	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03M	0.09U	0.04M	0.28M	0.09U	0.17F	0.06U	0.03U	0.03U		
STLD4F170404	SW8260B	06/16/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.099F	0.06U	0.03U	0.03U		
STLD4I170212	SW8260B	09/16/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.28F	0.09M	0.096F	0.06U	0.03U	0.03U		
CS-3	Parsons ES	SW8010/8020	11/4/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	2.0U	NA	1.1	NA	0.5U	5.0U	
	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	0.95	NA	1.2U	1.8U	
	<i>Duplicate</i>	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	NA	0.92	NA	1.2U	1.8U	
	<i>Duplicate</i>	Chemron	SW8010	9/30/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	3.0	NA	1.0U	NA	2.0U	
	<i>Duplicate</i>	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	0.8U	1.0U	NA	1.0U	NA	1.0U	2.0U*
	<i>Duplicate</i>	Chemron	SW8260	4/6/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U
	<i>Duplicate</i>	Chemron	SW8260	6/13/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	3U	2U	3U
	<i>Duplicate</i>	Chemron	SW8260	6/13/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	<i>Duplicate</i>	Chemron	SW8260	8/30/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	<i>Duplicate</i>	Chemron	SW8260	12/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
<i>Duplicate</i>	Chemron	SW8260	2/27/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
ITS	SW8260	1/10/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.16U	0.34U	0.40U		
DHL	SW8260B	11/6/98 ¹	NA	NA	0.4U	NA	NA	NA	0.3U	0.2U	NA	NA	0.9	NA	0.2U	NA		
O'B&G	SW8260B	12/16/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.99 F	0.017U	0.06U	0.019U		
CS-4	TWC		12/4/91	1.0U	NA	1.0U	1.0U	NA	1.0U	1.0U	1.0U	1.0U	NA	1.0U	1.0U	1.0U	NA	
	Parsons ES	SW8010/8020	11/4/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	2.0U	NA	2.8	NA	1.1	5.0U	
	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	2.6	NA	1.2U	1.8U	
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	2.0	NA	1.0U	2.0U*	
	Chemron	SW8260	4/6/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	2.1	0.6U	0.9	0.6U	
	Chemron	SW8260	6/13/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	3U	2U	3U	
	Chemron	SW8260	8/30/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	12/13/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.2	0.04U	0.2U	0.09U	1.7	0.06U	3.5	0.03U	
	STLD3I260150	SW8260B	9/25/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.11F	0.04U	0.43F	0.09U	1F	0.06U	1	0.03U	
	STLD3L180113	SW8260B	12/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.7F	0.076F	0.43F	0.03U	
	STLD4C120336	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03M	0.09U	0.04M	0.28M	0.09U	0.82F	0.06U	0.65F	0.03U	
	STLD4F170404	SW8260B	06/16/04	0.04U	0.1U	0.057F	0.03U	0.06U	0.03U	7.2	0.068F	0.2U	0.09U	5.1	0.06U	15	0.03U	
	STLD4I160216	SW8260B	09/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.7	0.061F	0.37F	0.09U	2	0.06U	3.4	0.03U	
	<i>Duplicate</i>	STLD4I160216	SW8260B	09/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.6	0.058F	0.39F	0.09U	1.8	0.06U	3.2	0.03U

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis - 1,2 (ug/L)	Dichloro-ethene, trans - 1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)	
CS-6	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	1.5	NA	1.2U	1.8U	
CS-9	TDH		8/9/91	1.0U	NA	1.0U	1.0U	NA	1.0U	1.0U	1.0U	1.0U	NA	1.0U	1.0U	1.0U	NA	
	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	0.3U	NA	1.2U	1.8U	
	Chemron	SW8260	9/30/94	1.0U	NA	1.0U	1.0U	NA	1.0	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U	
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U*	
	Chemron	SW8260	3/30/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U	
	Chemron	SW8260	6/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	3U	3U	3U	
	Chemron	SW8260	8/29/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	12/12/95	3U	NA	8	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	2/28/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	ITS	SW8260	1/6/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.16U	0.34U	0.4U	
	ITS	SW8260B	10/23/97 ¹	0.13U	NA	0.98	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.160U	0.34U	0.40U	
	O'B&G	SW8260B	9/8/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.17F	NA	0.087U	0.017U	0.06U	0.019U	
	O'B&G	SW8260B	12/13/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	0.017U	0.06U	0.019U	
	O'B&G	SW8260B	3/21/00**	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	NA	0.06U	0.019U	
	O'B&G	SW8260B	6/13/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U	
	O'B&G	SW8260B	9/13/00**	0.011R	NA	0.011R	0.012R	NA	0.025R	0.062R	0.077R	0.03R	NA	0.008R	NA	0.01R	0.013R	
	O'B&G	SW8260B	12/12/00	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U	
	O'B&G	SW8260B	3/19/01	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.11F	NA	0.01U	0.013U	
	AP18428	SW8260	6/12/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U	
	AP22230	SW8260	9/17/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	0.11U	0.14U	0.27U	
	AP26251/AP26256	SW8260	12/11/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U	
	AP30835	SW8260	3/19/2002	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.25F	0.08U	0.11U	0.11U	0.14U	0.27U	
	STL	SW8260B	6/17/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.04U	0.04U	0.05U	0.05U	0.04U	
	STL	SW8260B	9/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
	STL	SW8260B	12/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD3C250256	SW8260B	3/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.36F	0.09U	0.055F	2.5B	0.03U	0.03U	
	STLD3F180197	SW8260B	6/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.061F	0.06U	0.03U	0.03U	
Duplicate	STLD3F180197	SW8260B	6/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.054F	0.11F	0.03U	0.03U	
	STLD3I170355	SW8260B	9/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.38F	0.09U	0.05F	0.06U	0.03U	0.03U	
	STLD3L180116	SW8260B	12/15/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.1F	0.03U	0.03U	
	STLD4F240326	SW8260B	06/22/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.054F	0.06U	0.03U	0.03U	
	STLD4I160208	SW8260B	09/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.38F	0.09U	0.05U	0.13F	0.03U	0.03U	
CS-9-NP	STLD3C250256	SW8260B	3/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.33F	0.09U	0.05U	3B	0.03U	0.03U	
CS-10	TDH		8/9/91	1.0U	NA	1.0U	1.0U	NA	1.0U	1.0U	1.0U	1.0U	NA	1.0U	1.0U	1.0U	--	
	Parsons ES	SW8010/8020	11/5/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	5.8	NA	0.5U	NA	0.5U	5.0U	
	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	0.3U	NA	1.2U	1.8U	
	Chemron	SW8010	9/30/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	8.0	NA	1.0U	NA	1.0U	2.0U	
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U*	
	Chemron	SW8260	3/30/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U	
	Chemron	SW8260	6/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	3U	2U	3U	
	Chemron	SW8260	8/29/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	12/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	2/26/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
		ITS	SW8260	1/7/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.16U	0.34U	0.40U
		ITS	SW8260B	10/23/97 ¹	0.13U	NA	0.11R	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.160U	0.34U	0.40U
		DHL	SW8260B	11/6/98 ¹	NA	NA	0.4U	NA	NA	NA	0.3U	0.2U	NA	NA	0.4U	NA	0.2U	NA
		O'B&G	SW8260B	9/10/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.12F	NA	0.087U	0.017U	0.06U	0.019U
		O'B&G	SW8260B	12/13/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	0.017U	0.06U	0.019U
		O'B&G	SW8260B	3/21/00**	0.025U	NA	0.13F	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	NA	0.06U	0.019U
	O'B&G	SW8260B**	6/13/00**	0.011U	NA	0.3	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U	
	O'B&G	SW8260B**	9/13/00	0.011U	NA	0.19F	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U	
	O'B&G	SW8260B	12/12/00	0.011U	NA	0.18F	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U*	NA	0.01U	0.013U	

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis-1,2 (ug/L)	Dichloro-ethene, trans-1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)	
CS-10 cont'd	O'B&G	SW8260B	3/19/01	0.011U	NA	0.21F	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.11F	NA	0.01U	0.013U	
	AP18429	SW8260	6/12/2001	0.11U	NA	0.26F	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U	
	AP22231	SW8260	9/17/2001	0.12U	NA	0.29F	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	0.11U	0.14U	0.27U	
	AP26252/AP26257	SW8260	12/11/2001	0.12U	NA	0.38	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U	
	AP30836	SW8260	3/19/2002	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.46F	0.08U	0.11U	0.11U	0.14U	0.27U	
	STL	SW8260B	6/17/2002	0.03U	NA	0.053F	0.03U	NA	0.03M	0.09U	0.04U	0.2U	0.04U	0.04U	0.05U	0.05U	0.04U	
	STL	SW8260B	9/10/2002	0.04U	NA	0.4	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.086F	0.06U	0.03U	0.03U	
	STL	SW8260B	12/10/2002	0.04U	NA	0.56	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.098F	0.06U	0.03U	0.03U	
	STLD3C250256	SW8260B	3/19/2003	0.04U	0.1U	0.41	0.03U	0.06U	0.03U	0.09U	0.04U	0.29F	0.09U	0.09U	4.6B	0.03U	0.03U	
	STLD3F180197	SW8260B	6/17/2003	0.04U	0.1U	0.39F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.072F	0.06U	0.03U	0.03U	
	STLD3I170355	SW8260B	9/16/2003	0.04U	0.1U	0.77	0.03U	0.06U	0.03U	0.09U	0.04U	0.32F	0.09U	0.099F	0.06U	0.03U	0.03U	
	Duplicate	STLD3I170355	SW8260B	9/16/2003	0.04U	0.1U	0.79	0.03U	0.06U	0.03U	0.09U	0.04U	0.33F	0.09U	0.097F	0.06U	0.03U	0.03U
	STLD3L180116	SW8260B	12/16/2003	0.04U	0.1U	0.11F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.089F	0.03U	0.03U	
	STLD4C120341	SW8260B	3/11/2004	0.04U	0.1U	0.2F	0.03U	0.06U	0.03U	0.09U	0.04U	0.61F	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD4F240326	SW8260B	06/22/04	0.04U	0.1U	0.18F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.055F	0.06U	0.03U	0.03U	
	STLD4I160208	SW8260B	09/15/04	0.04U	0.1U	0.37	0.03U	0.06U	0.071F	0.09U	0.04U	0.36F	0.09U	0.074F	0.06U	0.03U	0.03U	
CS-10-NP	STLD3C250256	SW8260B	3/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.31F	0.09U	0.05U	1.6B	0.03U	0.03U	
CS-11	TDH		8/9/91	1.0U	NA	1.0U	1.0U	NA	1.0U	1.0U	1.0U	1.0U	NA	1.0U	1.0U	1.0U	NA	
	Duplicate	Chemron	SW8010	5/25/94	1.9	NA	6.5	2.6	NA	1.0U	1.0U	1.0U	1.0U	NA	0.3U	NA	1.2U	1.8U
	Chemron	SW8010	5/25/94	1.9	NA	6.0	2.6	NA	1.0U	1.0U	1.0U	1.0U	NA	0.3U	NA	1.2U	1.8U	
	Chemron	SW8010	9/30/94	1.0U	NA	7.0	1.0U	NA	1.0U	NA	1.0U	7.0	NA	1.0U	NA	1.0U	2.0U	
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U*	
	Chemron	SW8260	3/30/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U	
	Chemron	SW8260	6/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	3U	2U	3U	
	Chemron	SW8260	8/29/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	12/15/95	3U	NA	10	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	2/29/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
ITS	SW8260	1/20/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.16U	0.34U	0.40U		
ITS	SW8260	10/23/97 ¹	0.13U	NA	39.7J	0.10U	NA	0.23U	0.20U	0.33U	0.862	NA	0.47U	0.160U	0.34U	0.40U		
O'B&G	SW8260B	9/10/99	0.233F	NA	52.647	0.049U	NA	0.144U	0.145U	0.14U	0.68F	NA	0.087U	0.017U	0.06U	0.019U		
O'B&G	SW8260B	12/15/99	0.025U	NA	0.32	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	0.017U	0.06U	0.019U		
O'B&G	SW8260B	3/21/00**	0.025U	NA	0.45	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	NA	0.06U	0.019U		
O'B&G	SW8260B	6/14/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.41F	NA	0.01U	0.013U		
O'B&G	SW8260B	9/13/00**	0.011U	NA	0.26F	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.41F	NA	0.01U	0.013U		
O'B&G	SW8260B	12/12/01	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U*	NA	0.01U	0.013U		
O'B&G	SW8260B	3/19/01	0.011U	NA	0.011U	0.012U	NA	0.025U	0.38F	0.077U	0.03U	NA	0.16F	NA	0.2F	0.013U		
AP26253/AP26258	SW8260	12/11/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.3F	0.14U	0.19U	0.08U	0.11U	0.11U	0.14U	0.27U		
STL EWGMK1AL	SW8260B	3/14/2002	0.027U	NA	0.15F	0.028U	NA	0.026U	0.093U	0.038U	0.2U	NA	0.062F	NA	0.05U	0.036U		
STL	SW8260B	6/17/2002	0.03U	NA	0.13F	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.04U	NA	0.05U	0.04U		
STL	SW8260B	9/10/2002	0.04U	NA	0.05U	0.03U	NA	0.032F	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U		
STL	SW8260B	12/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U		
STLD3C250212	SW8260B	3/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	2.3	0.03U	0.03U		
STLD3F180197	SW8260B	6/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U		
STLD3I170358	SW8260B	9/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.37F	0.09U	0.05U	0.06U	0.03U	0.03U		
STLD3L180113	SW8260B	12/16/2003	0.04U	0.1U	0.11F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.098F	0.03U	0.03U		
STLD4C120336	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03M	0.09U	0.04M	0.21M	0.09U	0.05U	0.06U	0.03U	0.03U		
STLD4F240332	SW8260B	06/22/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U		
CS-MW16-LGR	TDH		8/9/91	1.0U	NA	1.0U	1.0U	NA	1.0U	127	127	1.0U	NA	137	NA	151	NA	
	TDH		8/23/91	1.0U	NA	1.0U	1.0U	NA	1.0U	69	69	1.0U	NA	196	NA	509	NA	
	TWC		12/4/91	1.0U	NA	1.0U	1.0U	NA	1.0U	84	84	1.0U	NA	54	NA	29	NA	
	Parsons ES	SW8010/8020	11/3/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	2.0U	NA	47	NA	53	5.0U	
	Top of water	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	75	1.0U	1.0U	NA	75	NA	83	1.8U
	Bottom of well	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	150	1.3	1.0U	NA	150	NA	170	1.8U

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis-1,2 (ug/L)	Dichloro-ethene, trans-1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)	
CS-MW16-LGR cont'd	Chemron	SW8010	9/30/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	81	NA	81	2.0U	
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	25	NA	21	2.0U*	
	<i>Duplicate</i>	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	1.0U	1.0U	NA	24	NA	20	2.0U*	
	Chemron	SW8260	4/6/95	0.6U	NA	0.6U	0.6U	NA	1.0U	270	0.8U	0.8U	NA	170	0.6U	170	0.6U	
	Chemron	SW8260	4/7/95	0.6U	NA	0.6U	0.6U	NA	1.0U	280	0.8U	0.8U	NA	170	0.6U	170	0.6U	
	<i>Duplicate</i>	Chemron	SW8260	4/7/95	0.6U	NA	0.6U	0.6U	NA	1.0U	290	0.8U	0.8U	NA	160	0.6U	170	0.6U
	Chemron	SW8260	6/14/95	3U	NA	3U	3U	NA	5U	38	4U	4U	NA	39	3U	45	3U	
	Chemron	SW8260	8/30/95	3U	NA	3U	3U	NA	5U	72	4U	4U	NA	78	NA	83	NA	
	Chemron	SW8260	12/13/95	3U	NA	3U	3U	NA	5U	63	4U	4U	NA	64	NA	77	NA	
Chemron	SW8260	2/29/96	3U	NA	3U	3U	NA	5U	152	4U	4U	NA	158	NA	175	NA		
	ITS	SW8260	1/21/97 ¹	0.13 R	NA	0.11 R	0.10 R	NA	0.23R	51 R	0.33 R	0.23 R	NA	9.42 R	0.16U	29.8 R	0.40U	
	ITS	SW8260	10/24/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	141 R	2.03	0.23U	NA	130 R	0.160U	134 R	0.40U	
	DHL	SW8260B	11/6/98 ¹	NA	NA	0.4U	NA	NA	NA	212	1.61	NA	NA	204	NA	233	NA	
	O'B&G	SW8260B	9/14/99	0.025U	NA	0.159F	0.049U	NA	0.144U	174.005	5.593	0.06U	NA	173.953	0.017U	220.87	0.019U	
	O'B&G	SW8260B	12/14/99	0.025U	NA	0.19F	0.049U	NA	0.144U	184.66 R	9.59	0.06U	NA	211.62 R	0.017U	215 R	0.019U	
	O'B&G	SW8260B	12/14/99	0.025U	NA	1.32F	0.49U	NA	1.44U	134.17	9.01	9.6 F	NA	160.83	0.17U	176.5	0.19U	
	O'B&G	SW8260B	4/27/00**	0.025U	NA	0.14F	0.049U	NA	0.144U	118.87 R	3.18	0.06U	NA	105.88 R	NA	118.7 R	0.019U	
	O'B&G	SW8260B**	6/13/00**	0.055U	NA	0.055U	0.06U	NA	0.125U	131.32	0.51F	0.13U	NA	128.96	NA	158.7	0.065U	
<i>Duplicate</i>	O'B&G	SW8260B**	6/13/00**	0.055U	NA	0.055U	0.06U	NA	0.125U	131.11	0.56F	0.13U	NA	127.26	NA	157	0.065U	
	O'B&G	SW8260B**	6/13/00**	0.011U	NA	0.12F	0.012U	NA	0.025U	116.37R	2.9	0.03U	NA	96.02R	NA	118.6R	0.013U	
<i>Duplicate</i>	O'B&G	SW8260B**	6/13/00**	0.011U	NA	0.12F	0.012U	NA	0.025U	113.47R	2.76	0.03U	NA	93.51R	NA	115R	0.013U	
	O'B&G	SW8260B**	9/15/00**	0.011U	NA	0.13F	0.012U	NA	0.12F	233.51	2.02	0.03U	NA	360.66	NA	368.7	0.013U	
	O'B&G	SW8260B	12/13/00	0.011U	NA	0.11F	0.012U	NA	0.025U	244.98R	2.44	0.03U	NA	199.66R	NA	221.6R	0.013U	
	O'B&G	SW8260B	3/20/01	0.011U	NA	0.13F	0.012U	NA	0.025U	89.84R	0.49F	0.03U	NA	78.46R	NA	97.5R	0.013U	
	API8327	SW8260	6/13/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	73.0	0.26U	0.36U	NA	75.0	NA	73.0	0.18U	
	AP22210	SW8260	9/13/2001	0.12U	NA	0.15F	0.09U	NA	0.16U	150.0	1.5	0.19U	NA	140.0	NA	170.0	0.27U	
	AP26533/AP26519	SW8260	12/14/2001	0.12U	NA	0.14F	0.09U	NA	0.16U	141.7	0.22F	0.19U	NA	148.43	NA	164.54	0.27U	
	STL EWGMG1AL	SW8260B	3/14/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	22	0.052F	0.2U	NA	28	NA	26	0.036U	
	STL	SW8260B	6/18/2002	0.03U	NA	0.096F	0.03U	NA	0.03U	100.0	3.9	0.2U	NA	95.0	NA	100	0.04U	
Well Upgraded	STL	SW8260B	9/9/2002	0.04U	NA	0.071F	0.03U	NA	0.03U	59.0	0.23F	0.2U	0.09U	54.0	0.45F	61.0	0.03U	
	STL	SW8260B	12/12/2002	0.04U	NA	0.096F	0.03U	NA	0.045F	110	0.54F	0.32F	NA	93	NA	120	0.03U	
	STLD3C250212	SW8260B	3/21/2003	0.04U	0.1U	0.11F	0.03U	0.06U	0.052F	110	0.48F	0.2U	0.09U	90	3.5J	110.0	0.03U	
<i>Duplicate</i>	STLD3C250212	SW8260B	3/21/2003	0.04U	0.1U	0.1F	0.03U	0.06U	0.038F	110	3.4	0.2U	0.09U	86	5.6J	110.0	0.03U	
	STLD3F200337	SW8260B	6/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	15	0.5F	0.2U	0.09U	18	0.06U	18	0.03U	
	STLD3I190397	SW8260B	9/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	8.6	0.27F	0.4F	0.09U	12	0.06U	11	0.03U	
<i>Duplicate</i>	STLD3I190397	SW8260B	9/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	8.3	0.04U	0.34F	0.09U	11	0.06U	10	0.03U	
	STLD3L120400	SW8260B	12/10/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	10	0.04U	0.21F	0.09R	14	0.06U	13	0.03U	
	STLD4C120336	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03M	8.3	0.047M	0.27M	0.09U	12	0.06U	10	0.03U	
	STLD4F170404	SW8260B	06/16/04	0.04U	0.1U	0.054F	0.03U	0.06U	0.03U	48	0.15F	0.2U	0.09U	48	0.06U	56	0.03U	
	STLD4I090263	SW8260B	09/08/04	0.04U	0.1U	0.081F	0.03U	0.06U	0.04F	71	0.26F	0.54F	0.09U	64	0.06U	80	0.03U	
CS-MW16-CC	STLD3I170355	SW8260B	9/16/2003	0.8U	2U	1U	0.6U	1.2U	0.6U	93	4.4F	8.3F	1.8U	33	2.8F	78	1.3F	
	STLD4C120336	SW8260B	3/10/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.33M	110	6M	0.79M	0.09U	28	0.39F	110	0.29F	
	STLD4F170404	SW8260B	06/16/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.58F	120	1.8	0.2U	0.09U	55	0.06U	120	0.03U	
	STLD4I090263	SW8260B	09/08/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.51F	88	1.5	0.55F	0.09U	50	0.06U	88	0.19F	
CS-D	TWC		12/4/91	1.0U	NA	1.0U	1.0U	NA	1.0U	43	43	1.0U	NA	1.0U	NA	1.0U	NA	
<i>Bottom of well</i>	Parsons ES	SW8010/8020	11/3/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	4.7	NA	8.9	NA	15	5.0U	
<i>Top of water</i>	Parsons ES	SW8010/8020	11/3/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	5.9	NA	8.6	NA	15	5.0U	
	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	76	1.0U	1.0U	NA	82	NA	120	1.8U	
	Chemron	SW8010	9/30/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	110	NA	130	2.0U	
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	99	NA	130	2.0U*	
<i>Duplicate</i>	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	240	1.0U	1.0U	NA	120	NA	130	2.0U*	

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis-1,2 (ug/L)	Dichloro-ethene, trans-1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)	
CS-D cont'd	Chemron	SW8260	4/6/95	0.6U	NA	0.6U	0.6U	NA	1.0U	240	0.8U	0.8U	NA	110	0.6U	130	0.6U	
	Chemron	SW8260	6/14/95	3U	NA	3U	3U	NA	5U	120	4U	4U	NA	64	3U	99	3U	
	Chemron	SW8260	8/30/95	3U	NA	3U	3U	NA	5U	86	4U	4U	NA	80	NA	88	NA	
	Chemron	SW8260	12/12/95	3U	NA	3U	3U	NA	5U	130	4U	4U	NA	110	NA	150	NA	
	Chemron	SW8260	2/29/96	3U	NA	3U	3U	NA	5U	81	4U	4U	NA	72	NA	98	NA	
	ITS	SW8260	1/20/97 ¹	0.13 R	NA	0.11 R	0.10 R	NA	0.23 R	0.20 R	0.33 R	0.23 R	NA	0.47 R	0.16U	0.34 R	0.40U	
	ITS	SW8260	10/24/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	145 R	14.6	0.23U	NA	140 R	0.160U	160 R	0.40U	
	O'B&G	SW8260B	9/10/99	Water level bel	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	O'B&G	SW8260B	12/14/99	Water level bel	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	O'B&G	SW8260B	3/21/00**	Water level bel	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	O'B&G	SW8260B**	6/12/00**	Water level bel	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	O'B&G	SW8260B**	9/13/00**	Water level bel	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	O'B&G	SW8260B	12/13/00	0.011U	NA	0.011U	0.012U	NA	0.025U	133.99R	1.48	0.03U	NA	108.54R	NA	150.7R	0.013U	
	O'B&G	SW8260B	3/20/01	0.011U	NA	0.11F	0.012U	NA	0.025U	61.68R	1.93	0.03U	NA	50.53R	NA	68.7R	0.013U	
	AP18326	SW8260	6/13/2001	0.11U	NA	0.17F	0.15U	NA	0.23U	140R	0.94	0.36U	NA	120R	NA	150R	0.18U	
	AP18326	SW8260	6/13/2001	NA	NA	NA	NA	NA	NA	130.0	NA	NA	NA	110.0	NA	140.0	NA	
	AP22209	SW8260	9/13/2001	0.12U	NA	0.15F	0.09U	NA	0.16U	140.0	0.61	0.19U	NA	120.0	NA	170.0	0.27U	
	AP26531/AP26527	SW8260	12/14/2001	0.12U	NA	0.15F	0.09U	NA	0.16U	145.19R	0.46F	0.77F	NA	130.14R	NA	178.59R	0.27U	
Duplicate	AP26532/AP26528	SW8260	12/14/2001	0.12U	NA	0.16F	0.09U	NA	0.16U	145.11R	0.43F	0.83F	NA	129.12R	NA	178.61R	0.27U	
	STL EWGME1AL	SW8260B	3/14/2002	0.27U	NA	0.27U	0.28U	NA	0.26U	150	1.5F	4.9F	NA	100	NA	160	0.36U	
	STL	SW8260B	6/18/2002	0.03U	NA	0.1F	0.03U	NA	0.03U	140	2.5	0.2U	NA	110	NA	150	0.04U	
	STL	SW8260B	9/9/2002	0.04U	NA	0.2F	0.03U	NA	0.12F	230	1.5	0.2U	NA	170	NA	250R	0.03U	
	STL	SW8260B	12/12/2002	0.04U	NA	0.2F	0.03U	NA	0.091F	230	1	0.2U	NA	180	NA	250	0.03U	
Duplicate	STL	SW8260B	12/12/2002	0.04U	NA	0.18F	0.03U	NA	0.066F	230.0	1.4	0.2U	NA	180	NA	260.0	0.03U	
	STLD3C250212	SW8260B	3/20/2003	0.04U	0.1U	0.21F	0.03U	0.06U	0.061F	250.0	1.2J	0.2U	0.09U	180.0	1.3J	260.0	0.03	
Duplicate	STLD3C250212	SW8260B	3/20/2003	0.04U	0.1U	0.2F	0.03U	0.06U	0.084F	250	1.2J	0.2U	0.09U	180.0	2.7J	260.0	0.03U	
	STLD3F200337	SW8260B	6/19/2003	0.53U	1.3U	0.67U	0.4U	0.8U	0.4U	270	1.1F	2.7U	1.2U	200	0.8U	290	0.4U	
	STLD3I190397	SW8260B	9/18/2003	0.04U	0.1U	0.23F	0.03U	0.06U	0.15F	270	0.93	0.49F	0.09U	220	0.06U	300	0.062F	
	STLD3L120400	SW8260B	12/10/2003	0.04U	0.1U	0.23F	0.03U	0.06U	0.092F	270	2.1	0.2U	0.09U	230	0.06U	290	0.03U	
	STLD4C120336	SW8260B	3/11/2004	0.04U	0.1U	0.2F	0.03U	0.06U	0.077M	210	1.5M	0.73M	0.09U	160	0.06U	220	0.03U	
	STLD4F170404	SW8260B	06/16/04	0.04U	0.1U	0.21F	0.03U	0.06U	0.03U	220	0.91	0.2U	0.09U	180	0.06U	250	0.03U	
Duplicate	STLD4F170404	SW8260B	06/16/04	0.04U	0.1U	0.2F	0.03U	0.06U	0.075F	230	0.74	0.2U	0.09U	170	0.06U	250	0.03U	
	STL	SW8260B	09/08/04	0.04U	0.1U	0.2F	0.03U	0.06U	0.085F	230	0.92	0.5F	0.09U	160	0.06U	230	0.03U	
Duplicate	STLD4I090263	SW8260B	09/08/04	0.04U	0.1U	0.2F	0.03U	0.06U	0.078F	230	1.1	0.5F	0.09U	170	0.06U	240	0.03U	
CS-MWG-LGR	Parsons ES	SW8010/8020	11/3/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	2.3	NA	0.5U	NA	0.5U	5.0U	
	Chemron	SW8010	5/26/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	0.3U	NA	1.2U	1.8U	
	Chemron	SW8010	9/30/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	6.0	NA	1.0U	NA	1.0U	2.0U	
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U*	
	Chemron	SW8260	4/7/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U	
	Chemron	SW8260	6/14/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	3U	2U	3U	
	Chemron	SW8260	8/29/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	12/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
	Chemron	SW8260	2/28/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA	
		ITS	SW8260	1/17/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.16U	0.34U	0.40U
		ITS	SW8260	10/24/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.160U	0.34U	0.40U
		O'B&G	SW8260B	9/8/99	0.114U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	0.155F	0.06U	0.019U
		AP18432	SW8260	6/12/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U
	AP22201	SW8260	9/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U	
	AP26733	SW8260	12/18/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.4F	NA	0.11U	NA	0.14U	0.27U	
	STL EWE0L1AL	SW8260B	3/13/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.24F	NA	0.036U	NA	0.05U	0.036U	
	STL	SW8260B	6/19/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.04U	NA	0.05U	0.04U	
Well Upgraded	STL	SW8260B	9/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06	0.03U	0.03U	

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis - 1,2 (ug/L)	Dichloro-ethene, trans - 1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)
CS-MWG-LGR cont'd	STL	SW8260B	12/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/17/2003	0.04R	0.1R	0.05R	0.03R	0.06R	0.03R	0.09R	0.04R	0.2R	0.09R	0.05R	0.33R	0.03R	0.03R
	STLD3F180197	SW8260B	6/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3I190397	SW8260B	9/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.32F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3L100321	SW8260B	12/9/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.24F	0.09U	0.05U	0.06U	0.03U	0.03U
	<i>Duplicate</i> STLD3L100321	SW8260B	12/9/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09R	0.05U	0.06U	0.03U	0.03U
	STLD4C170386	SW8260B	3/16/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.3F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4F170404	SW8260B	06/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4I090263	SW8260B	09/07/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.47F	0.09U	0.05U	0.06U	0.03U	0.03U
CS-MWH-LGR	Parsons ES	SW8010/8020	11/4/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	3.4	NA	0.5U	NA	0.5U	5.0U
	Chemron	SW8010	5/25/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	0.3U	NA	1.2U	1.8U
	Chemron	SW8260	4/25/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U
	Chemron	SW8260	12/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	Chemron	SW8260	2/28/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	ITS	SW8260	1/7/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.16U	0.34U	0.40U
	ITS	SW8260B	10/23/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.160U	0.34U	0.40U
	AP18433	SW8260	6/12/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.31F	0.16U	0.18U
	AP22202	SW8260	9/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26732	SW8260	12/18/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	STL EWE0K1AL	SW8260B	3/13/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.2F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/19/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.23F	NA	0.04U	NA	0.05U	0.04U
	Well Upgraded STLD3C240193	SW8260B	3/17/2003	0.04U	0.1	0.05U	0.03	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	4B	0.03U	0.03U
	STLD3I170358	SW8260B	9/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.35F	0.09U	0.05U	9.2	0.03U	0.03U
	STLD3L100321	SW8260B	12/9/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	3.3	0.03U	0.03U
	STLD4C170386	SW8260B	3/16/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.28F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4F170404	SW8260B	06/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4I090263	SW8260B	09/07/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.51F	0.09U	0.05U	0.06U	0.03U	0.03U
CS-I	Parsons ES	SW8010/8020	11/4/92	0.5U	NA	0.5U	0.5U	NA	0.5U	NA	0.5U	2.0U	NA	0.5U	NA	0.5U	5.0U
	Chemron	SW8010	5/25/94	1.0U	NA	0.5U	0.9U	NA	1.0U	1.0U	1.0U	1.0U	NA	0.3U	NA	1.2U	1.8U
	Chemron	SW8010	9/30/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	3.0	NA	1.0U	NA	1.0U	2.0U
	Chemron	SW8010	12/19/94	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	1.0U	NA	1.0U	NA	1.0U	2.0U*
	Chemron	SW8260	4/7/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U
	<i>Duplicate</i> Chemron	SW8260	4/7/95	0.6U	NA	0.6U	0.6U	NA	1.0U	0.8U	0.8U	0.8U	NA	1.0U	0.6U	0.4U	0.6U
	Chemron	SW8260	6/14/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	3U	2U	3U
	<i>Duplicate</i> Chemron	SW8260	6/14/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	Chemron	SW8260	8/29/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	Chemron	SW8260	12/12/95	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	Chemron	SW8260	3/1/96	3U	NA	3U	3U	NA	5U	4U	4U	4U	NA	5U	NA	2U	NA
	ITS	SW8260B	10/23/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	0.20U	0.33U	0.23U	NA	0.47U	0.160U	0.34U	0.40U
	O'B&G	SW8260B	9/7/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	0.017U	0.06U	0.019U
	O'B&G	SW8260B	12/14/99	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	0.017U	0.06U	0.019U
	O'B&G	SW8260B	3/22/00**	0.025U	NA	0.061U	0.049U	NA	0.144U	0.145U	0.14U	0.06U	NA	0.087U	NA	0.06U	0.019U
	O'B&G	SW8260B	6/13/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U
	O'B&G	SW8260B	9/15/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U
	O'B&G	SW8260B	12/12/00	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U*	NA	0.01U	0.013U
	O'B&G	SW8260B	3/20/01	0.011U	NA	0.011U	0.012U	NA	0.025U	0.062U	0.077U	0.03U	NA	0.008U	NA	0.01U	0.013U
	AP18434	SW8260	6/12/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U
	AP22206	SW8260	9/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26642/AP26639	SW8260	12/17/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	STL EWE0M1AL	SW8260B	3/13/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.23F	NA	0.036U	NA	0.05U	0.036U
	STLD3I260150	SW8260B	9/24/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.34F	0.09U	0.05U	23	0.03U	0.03U
	STLD3L100321	SW8260B	12/9/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.22F	0.03U	0.03U
	STLD4C170386	SW8260B	3/16/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.29F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4F170404	SW8260B	06/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4I090263	SW8260B	09/07/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.49F	0.09U	0.054F	0.06U	0.041F	0.03U

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis - 1,2 (ug/L)	Dichloro-ethene, trans - 1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)
CS-MW1-LGR	ITS	SW8260	1/9/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	3.92	0.33U	0.23U	NA	13.7	0.16U	12.3	0.40U
	ITS	SW8260	10/23/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	29.6 R	2.47 R	0.23U	NA	24.8 R	0.160U	32.9 R	0.40U
Well Upgraded	DHL	SW8260B	11/6/98 ¹	NA	NA	0.4U	NA	NA	NA	27.3	0.34	NA	NA	23	NA	28.5	NA
	O'B&G	SW8260B	9/8/99	0.025U	NA	0.061U	0.049U	NA	0.144U	15.802	2.027	0.06U	NA	15.232	0.017U	25.13	0.019U
	O'B&G	SW8260B	12/13/99	0.025U	NA	0.061U	0.049U	NA	0.144U	3.91	0.14U	0.06U	NA	5.58	0.017U	5.3	0.019U
	O'B&G	SW8260B	3/22/00**	0.025U	NA	0.061U	0.049U	NA	0.144U	2.3	0.15F	0.06U	NA	3.13	NA	3	0.019U
	O'B&G	SW8260B	6/12/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	2.68	0.16F	0.03U	NA	3.21	NA	3.6	0.013U
	O'B&G	SW8260B	9/18/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	26.38	0.18F	0.03U	NA	25.44	NA	25	0.013U
	O'B&G	SW8260B	12/13/00	0.011U	NA	0.011U	0.012U	NA	0.025U	16.94	1.36	0.03U	NA	15.76	NA	16.8	0.013U
	O'B&G	SW8260B	3/20/01	0.011U	NA	0.011U	0.012U	NA	0.025U	27.5	2.55	0.03U	NA	24.56	NA	27.8	0.013U
	AP18324	SW8260	6/13/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	27.0	0.27F	0.36U	NA	21.0	NA	30.0	0.18U
	AP22212	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	29.0	0.26F	0.19U	NA	24.0	NA	30.0	0.27U
	AP26362/AP26368	SW8260	12/12/2001	0.12U	NA	0.07F	0.09U	NA	0.16U	27.7	0.23F	0.19U	NA	22.84	NA	32.29	0.27U
	STL EWGML2AL	SW8260B	3/14/2002	0.11U	NA	0.11U	0.11U	NA	0.1U	26	0.15U	0.8U	NA	19	NA	30	0.14U
	Duplicate STL EWGMM2AL	SW8260B	3/14/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	27	1.6	0.2U	NA	16	NA	29	0.036U
	D21110315	SW8260B	9/10/2002	0.04U	NA	0.085F	0.03U	NA	0.045F	17.0	0.19F	0.2U	0.09U	12.0	0.06U	25.0	0.03U
	STL	SW8260B	12/16/2002	0.04U	NA	0.078F	0.03U	NA	0.03U	28	0.26F	0.3F	NA	17.0	NA	31.0	0.03U
	STLD3C250212	SW8260B	3/20/2003	0.04U	0.1U	0.091F	0.03U	0.06U	0.03U	25.0	0.22F	0.2U	0.09U	13.0	5.2J	30.0	0.032F
	STLD3F200337	SW8260B	6/19/2003	0.04U	0.1U	0.11F	0.03U	0.06U	0.03U	17M	0.18F	0.2U	0.09U	9.9	0.06U	26M	0.03U
	STLD3I170358	SW8260B	9/15/2003	0.04U	0.1U	0.12F	0.03U	0.06U	0.03U	17	0.22F	0.31F	0.09U	11	0.06U	26	0.03U
	STLD3L120400	SW8260B	12/10/2003	NA	0.1U	0.1F	0.03U	0.06U	0.03U	16	0.13F	0.3F	0.09R	10	0.06U	26	0.03U
	STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.12F	0.03U	0.06U	0.03U	17	0.17F	0.64F	0.09U	9.4	0.06U	24	0.03U
STLD4F180203	SW8260B	06/17/04	0.04U	0.1U	0.11F	0.03U	0.06U	0.03U	33	0.33F	0.2U	0.09U	19	0.06U	33	0.03U	
STLD4I090263	SW8260B	09/08/04	0.04U	0.1U	0.12F	0.03U	0.06U	0.03U	23	0.25F	0.54F	0.09U	16	0.06U	31	0.03U	
CS-MW1-BS	STLD3C260199	SW8260B	3/25/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.3	0.04U	0.2U	0.09U	0.19F	9.9	0.24F	0.03U
	STLD3F180197	SW8260B	6/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.1F	0.04U	0.2U	0.09U	0.05U	26	0.17F	0.069F
	STLD3I170358	SW8260B	9/15/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.71F	0.04U	0.33F	0.11F	0.05U	18	0.03U	0.03U
	STLD3L120400	SW8260B	12/10/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.27F	0.04U	0.2U	0.09R	0.05U	8.5	0.11F	0.03U
	STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.12F	0.04U	0.62F	0.09U	0.05U	1.8	0.056F	0.03U
	STLD4G270299	SW8260B	07/26/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.19F	0.04U	0.2U	0.09U	0.05U	2.2	0.053F	0.03U
	Duplicate STL4G270299	SW8260B	07/26/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.2F	0.04U	0.2U	0.09U	0.05U	2.2	0.044F	0.03U
	STLD4I090263	SW8260B	09/08/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.21F	0.04U	0.54F	0.09U	0.05U	1.8	0.062F	0.03U
CS-MW1-CC	STLD3C260199	SW8260B	3/25/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.54F	0.03U	0.03U
	STLD3F180197	SW8260B	6/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.1F	0.03U	0.052F
	STLD3I170358	SW8260B	9/15/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.35F	0.09U	0.05U	0.099F	0.03U	0.03U
	STLD3L120400	SW8260B	12/10/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09R	0.05U	0.15F	0.03U	0.03U
	Duplicate STL3L120400	SW8260B	12/10/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.27F	0.09R	0.05U	0.12F	0.03U	0.03U
	STLD4C120336	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03M	0.09U	0.04M	0.27M	0.09U	0.05U	0.28F	0.03U	0.03U
	STLD4G270299	SW8260B	07/26/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
STLD4I090263	SW8260B	09/08/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.52F	0.09U	0.05U	0.086F	0.03U	0.03U	
CS-MW2-LGR	ITS	SW8260	1/10/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	1.14 F	0.33U	0.23U	NA	6.74	0.16U	7	0.40U
	ITS	SW8260	10/24/97 ¹	0.13U	NA	0.11U	0.10U	NA	0.23U	4.72	0.33U	0.23U	NA	6.13	0.160U	8.25	0.4U
Well Upgraded	DHL		11/6/98 ¹	NA	NA	0.4U	NA	NA	NA	4.4	0.2U	NA	NA	9.33	NA	9.62	NA
	O'B&G		9/9/99	0.025U	NA	0.061U	0.049U	NA	0.144U	3.54	0.206F	0.13F	NA	9.236	0.017U	7.47	0.019U
	O'B&G	SW8260B	12/13/99	0.025U	NA	0.061U	0.049U	NA	0.144U	4.58	0.14U	0.06U	NA	13.97	0.017U	9.2	0.019U
	Duplicate O'B&G	SW8260B	12/13/99	0.025U	NA	0.061U	0.049U	NA	0.144U	4.37	0.14U	0.06U	NA	13.37	0.017U	9	0.019U
	O'B&G	SW8260B	3/22/00**	0.025U	NA	0.061U	0.049U	NA	0.144U	4.03	0.2F	0.06U	NA	11.37	NA	7.9	0.019U
	Duplicate O'B&G	SW8260B	3/22/00**	0.025U	NA	0.061U	0.049U	NA	0.144U	3.95	0.18F	0.06U	NA	10.87	NA	7.6	0.019U
	O'B&G	SW8260B	6/12/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	3.50	0.22F	0.03U	NA	9.56	NA	6.7	0.013U
	O'B&G	SW8260B	9/18/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	4.15	0.19F	0.03U	NA	11.58	NA	7.6	0.013U
	Duplicate O'B&G	SW8260B	9/18/00**	0.011U	NA	0.011U	0.012U	NA	0.025U	4.38	0.21F	0.03U	NA	13.85	NA	8.2	0.013U

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis - 1,2 (ug/L)	Dichloro-ethene, trans - 1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)	
CS-MW2-LGR cont'd	O'B&G	SW8260B	12/12/00	0.011U	NA	0.011U	0.012U	NA	0.025U	2.78	0.2F	0.03U	NA	5.83J	NA	5.7	0.013U	
	<i>Duplicate</i>	O'B&G	SW8260B	12/12/00	0.011U	NA	0.011U	0.012U	NA	0.025U	2.86	0.16F	0.03U	NA	7.4J	NA	6.3	0.013U
		O'B&G	SW8260B	3/20/01	0.011U	NA	0.011U	0.012U	NA	0.025U	4.58	0.27F	0.03U	NA	9.23	NA	9.5	0.013U
	<i>Duplicate</i>	O'B&G	SW8260B	3/20/01	0.011U	NA	0.011U	0.012U	NA	0.025U	4.63	0.27F	0.03U	NA	9.31	NA	9.8	0.013U
		AP18325	SW8260	6/13/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	3.1	0.26U	0.36U	NA	7.1	NA	6.5	0.18U
		AP22211	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	4.6	0.19F	0.19U	NA	13.0	NA	9.4	0.27U
		AP26363/AP26369	SW8260	12/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	3.95	0.15F	0.19U	NA	10.6	NA	8.94	0.27U
	<i>Duplicate</i>	AP26364/AP26370	SW8260	12/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	4.06	0.16F	0.19U	NA	10.46	NA	8.97	0.27U
		STL EWGMJ1AL	SW8260B	3/14/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	4	0.1F	0.2U	NA	9.1	NA	7.1	0.036U
	Well Upgraded	STL	SW8260B	9/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	1.1F	0.055F	0.2U	0.09U	2.9	0.071F	2.0	0.03U
		STL	SW8260B	12/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	1.3	0.057F	0.2U	NA	2.1	NA	1.8	0.03U
		STLD3C250212	SW8260B	3/20/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.4	0.04R	0.2U	0.09U	2.2	5.7J	2.1	0.032F
		STLD3F180197	SW8260B	6/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.1F	0.04	0.2U	0.09U	2.2	0.072F	1.8	0.03U
		STLD3I260150	SW8260B	9/25/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.68F	0.04U	0.32F	0.09U	1.1F	0.45F	0.83F	0.03U
		STLD3L100321	SW8260B	12/8/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.6F	0.04U	0.2U	0.09U	1.1F	3.8	0.84F	0.03U
		STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.73F	0.04U	0.78F	0.09U	0.65F	8.1	0.71F	0.03U
	STLD4F180203	SW8260B	06/17/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	2.8	0.04U	0.2U	0.09U	0.17F	1.7	0.36F	0.03U	
	STLD4I110116	SW8260B	09/09/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	4.3	0.04U	0.6F	0.09U	0.12F	0.95F	0.25F	0.03U	
CS-MW2-CC	STLD3F180197	SW8260B	6/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.26F	0.03U	0.03U	
	STLD3I170358	SW8260B	9/15/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.36F	0.09U	0.05U	0.22F	0.03U	0.03U	
	STLD3L100321	SW8260B	12/8/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.35F	0.03U	0.03U	
	STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.62F	0.09U	0.05U	0.16F	0.03U	0.03U	
	<i>Duplicate</i>	STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.75F	0.09U	0.05U	0.18F	0.03U	0.03U
		STLD4F180203	SW8260B	06/17/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.11F	0.03U	0.03U
		STLD4I110116	SW8260B	09/09/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.59F	0.09U	0.05U	0.16F	0.03U	0.03U
CS-MW3-LGR	AP18445	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U	
	AP22207	SW8260	9/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U	
	AP26643/AP26640	SW8260	12/17/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.48F	NA	0.11U	NA	0.14U	0.27U	
	<i>Duplicate</i>	AP26644/AP26641	SW8260	12/17/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.49F	NA	0.11U	NA	0.14U	0.27U
		STL EWE0J1AL	SW8260B	3/13/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.2F	NA	0.036U	NA	0.05U	0.036U
		STL	SW8260B	9/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
		STL	SW8260B	12/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
		STLD3C240193	SW8260B	3/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
		STLD3F210180	SW8260B	6/20/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
		STLD3I190397	SW8260B	9/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.37F	0.09U	0.05U	0.06U	0.03U	0.03U
		STLD3L100321	SW8260B	12/9/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
		STLD4C170386	SW8260B	3/16/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.4F	0.09U	0.05U	0.06U	0.03U	0.03U
	<i>Duplicate</i>	STLD4C170386	SW8260B	3/16/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.34F	0.09U	0.05U	0.06U	0.03U	0.03U
		STLD4F170404	SW8260B	06/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4I090263	SW8260B	09/07/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.48F	0.09U	0.062F	0.06U	0.056F	0.03U	
CS-MW4-LGR	AP18446	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.25F	0.16U	0.07U	0.16U	0.18U	
	<i>Duplicate</i>	AP18447	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U	
		AP22214	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
		AP26365/AP26371	SW8260	12/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.12F	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
		STL EWGMR1AL	SW8260B	3/14/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.2U	NA	0.036U	NA	0.05U	0.036U
		STL	SW8260B	6/18/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.11F	0.04U	0.2U	NA	0.04U	NA	0.05U	0.04U
		D2I120175	SW8260B	9/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.14F	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
		STL	SW8260B	12/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.15F	0.04U	0.2U	NA	0.094F	NA	0.074F	0.03U
		STLD3C250212	SW8260B	3/21/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.22F	0.04U	0.2U	0.86	0.12F	2.5J	0.098F	0.051F
		STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.2F	0.04U	0.2U	0.09U	0.061F	0.06U	0.044F	0.03U
		STLD3I190397	SW8260B	9/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.18F	0.04U	0.37F	0.09U	0.05U	0.06U	0.03U	0.03U
		STLD3L120400	SW8260B	12/10/2003	NA	0.1U	0.05U	0.03U	0.06M	0.03M	0.15F	0.04U	0.33M	0.09R	0.05U	0.06U	0.054F	0.03U
		STLD4C150145	SW8260B	3/12/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.19F	0.04U	0.35M	0.09U	0.062F	0.06U	0.057F	0.03U
		STLD4F180203	SW8260B	06/17/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.18F	0.04U	0.2U	0.09U	0.074F	0.06U	0.069F	0.03U
	STLD4I110116	SW8260B	09/09/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.19F	0.04U	0.57F	0.09U	0.084F	0.06U	0.062F	0.03U	

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, <i>cis</i> -1,2 (ug/L)	Dichloro-ethene, <i>trans</i> -1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)
CS-MW5-LGR	AP18448	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	1.9	0.26U	0.36U	0.19U	1.1F	0.07U	1.7	0.18U
	AP22208	SW8260	9/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	1.9	0.14U	0.19U	NA	1.7	NA	2.0	0.27U
	AP26366/AP26372	SW8260	12/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	2.25	0.14U	0.19U	NA	1.02F	NA	2.22	0.27U
	STL EWV3Q1AL	SW8260B	3/21/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	2.1	0.038U	0.22F	NA	1.1F	NA	1.9	0.036U
	STL	SW8260B	6/18/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	1.6	0.041F	0.2U	NA	1.3F	NA	1.5	0.04U
	STL	SW8260B	9/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.46F	0.04U	0.2U	NA	0.32F	NA	0.4F	0.03U
	STL	SW8260B	12/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	1.0F	0.04U	0.2U	NA	0.63F	NA	0.98F	0.03U
	STLD3C240193	SW8260B	3/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	2.8	0.08F	0.2U	0.09U	1.7	0.077F	2.5	0.03U
	STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	2.1	0.057F	0.2U	0.09U	1.3F	0.06U	2.6	0.03U
	STLD3I190397	SW8260B	9/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.7	0.049F	0.4F	0.09U	1.2F	0.06U	1.7	0.03U
	Duplicate STL	SW8260B	9/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	1.6	0.044F	0.39F	0.09U	1.1F	0.06U	1.5	0.03U
	STLD3L120400	SW8260B	12/11/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	2.2	0.048F	0.2U	0.09R	1.5	0.068F	2.3	0.03U
	STLD4C150145	SW8260B	3/12/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	2.6	0.052F	0.35M	0.09U	1.5	0.06U	2.4	0.03U
	STLD4F170404	SW8260B	06/16/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.84F	0.04U	0.2U	0.09U	0.75F	0.06U	0.86F	0.03U
STLD4I110116	SW8260B	09/09/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.79F	0.04U	0.55F	0.09U	0.64F	0.06U	0.72F	0.03U	
CS-MW6-LGR	AP18328	SW8260	6/13/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.26F	0.26U	0.36U	0.19U	0.5F	0.07U	0.42F	0.18U
	AP22221	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26445/AP26437	SW8260	12/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	STL EWCKJ1AL	SW8260B	3/12/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.65F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/20/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.25F	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STL	SW8260B	12/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.25F	0.05U	2.2B	0.03U	0.03U
	STLD3F190360	SW8260B	6/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3I170358	SW8260B	9/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.3F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3L120400	SW8260B	12/11/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09R	0.05U	0.061F	0.03U	0.03U
	STLD4C100292	SW8260B	3/8/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.84F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4F220238	SW8260B	06/21/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4I110116	SW8260B	09/10/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.56F	0.09U	0.05U	0.085F	0.03U	0.03U
CS-MW6-BS	AP18329	SW8260	6/13/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.34F	0.16U	0.18U
	AP22222	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26446/AP26438	SW8260	12/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	STL EWCKK1AL	SW8260B	3/12/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.56F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/20/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.25F	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STL	SW8260B	9/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STL	SW8260B	12/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.14F	0.04U	0.2U	0.23F	0.05U	1.9B	0.03U	0.03U
	STLD3F190360	SW8260B	6/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.076F	0.03U	0.03U
	STLD3I170358	SW8260B	9/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.32F	0.12F	0.05U	0.06U	0.03U	0.03U
	STLD3L120400	SW8260B	12/11/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09R	0.05U	0.093F	0.03U	0.03U
	STLD4C100292	SW8260B	3/8/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.82F	0.09U	0.05U	0.13F	0.03U	0.03U
	STLD4F220238	SW8260B	06/21/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
STLD4I110116	SW8260B	09/10/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.57F	0.09U	0.05U	0.13F	0.03U	0.03U	
CS-MW6-CC	AP18330	SW8260	6/13/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.43F	0.16U	0.18U
	AP22223	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26447/AP26439	SW8260	12/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	STL EWCKM1AL	SW8260B	3/12/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.58F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/20/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.26F	NA	0.04U	NA	0.05U	0.04U
	Duplicate STL	SW8260B	6/20/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.28F	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STL	SW8260B	12/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	2.4B	0.09F	0.03U
	Duplicate STL	SW8260B	3/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.23F	0.04U	0.2U	0.23F	0.05U	2.6B	0.03U	0.03U

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis - 1,2 (ug/L)	Dichloro-ethene, trans - 1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)
CS-MW6-CC cont'd	STLD3F190360	SW8260B	6/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3I170358	SW8260B	9/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.29F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3L120400	SW8260B	12/11/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09R	0.05U	0.06U	0.03U	0.03U
	STLD4C100292	SW8260B	3/8/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.85F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4F220238	SW8260B	06/21/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
STLD4I110116	SW8260B	09/10/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.59F	0.09U	0.05U	0.11F	0.03U	0.03U	
CS-MW7-LGR	AP22218	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	<i>Duplicate</i> AP22219	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26529/AP26525	SW8260	12/14/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.85F	NA	0.11U	NA	0.14U	0.27U
	STL EWCKH1AL	SW8260B	3/12/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.59F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/24/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.59F	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.073F	NA	0.03U	0.03U
	STL	SW8260B	12/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.32F	0.05U	2.5B	0.03U	0.03U
	STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.053F	0.06U	0.03U	0.03U
	STLD3I200215	SW8260B	9/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.55F	0.09U	0.08F	0.06U	0.03U	0.03U
	STLD3L180113	SW8260B	12/15/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.074F	0.11F	0.038F	0.03U
	STLD4C120336	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03M	0.09U	0.04M	0.2M	0.09U	0.05U	0.06U	0.037F	0.03U
	STLD4F240332	SW8260B	06/23/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4I160216	SW8260B	09/13/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.41F	0.09U	0.05U	0.094F	0.03U	0.03U
CS-MW7-CC	AP22215	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	<i>Duplicate</i> AP22216	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26530/AP26526	SW8260	12/14/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.21F	NA	0.11U	NA	0.14U	0.27U
	STL EWCKD1AL	SW8260B	3/12/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.66F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/24/2002	0.03U	NA	0.03U	0.03U	NA	0.33F	0.09U	0.04U	1.8F	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.13F	NA	0.03U	0.03U
	STL	SW8260B	12/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	2.8B	0.03U	0.03U
	STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3I200215	SW8260B	9/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.67F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3L180113	SW8260B	12/15/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.084F	0.03U	0.03U
	STLD4C120336	SW8260B	3/11/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03M	0.09U	0.04M	0.3M	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4F240332	SW8260B	06/23/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	<i>Duplicate</i> STLD4F240332	SW8260B	06/23/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
STLD4I160216	SW8260B	09/13/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.034F	0.09U	0.04U	0.41F	0.09U	0.05U	0.12F	0.03U	0.03U	
CS-MW8-LGR	AP18435	SW8260	6/12/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	1.1F	0.07U	0.18F	0.18U
	AP22227	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.6F	NA	0.14U	0.27U
	<i>Duplicate</i> AP22228	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.64F	NA	0.14U	0.27U
	AP26448/AP26440	SW8260	12/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.62F	NA	0.14U	0.27U
	STL EWCKN1AL	SW8260B	3/12/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.53F	NA	0.036U	NA	0.057F	0.036U
	STL	SW8260B	6/19/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.057F	NA	0.05U	0.04U
	STL	SW8260B	9/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.59F	NA	0.03U	0.03U
	<i>Duplicate</i> STL	SW8260B	9/10/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.57F	NA	0.03U	0.03U
	STL	SW8260B	12/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.63F	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.21F	0.04U	0.2U	0.09U	0.67F	2.9B	0.032F	0.03U
	STLD3F190360	SW8260B	6/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.65F	0.06U	0.03U	0.03U
	STLD3I190397	SW8260B	9/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.38F	0.09U	0.71F	0.06U	0.03U	0.03U
	STLD3L130180	SW8260B	12/12/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.11F	0.03U	0.03U
	STLD4C150145	SW8260B	3/12/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.31M	0.09U	0.59F	0.06U	0.03U	0.03U
	STLD4F220238	SW8260B	06/21/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.59F	0.06U	0.03U	0.03U
	<i>Duplicate</i> STLD4F220238	SW8260B	06/21/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.57F	0.06U	0.03U	0.03U
STLD4I160216	SW8260B	09/13/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.39F	0.09U	0.51F	0.1F	0.03U	0.03U	

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis - 1,2 (ug/L)	Dichloro-ethene, trans - 1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)
CS-MW8-CC	AP18444	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U
	AP22224	SW8260	9/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26449/AP26441	SW8260	12/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	STL EWCKP1AL	SW8260B	3/12/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.52F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/19/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STL	SW8260B	12/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C250212	SW8260B	3/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	3.5	0.03U	0.03U
	STLD3F200337	SW8260B	6/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3I170358	SW8260B	9/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.34F	0.34F	0.05U	0.25F	0.03U	0.03U
	STLD4A220211	SW8260B	1/21/2004	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.49F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4C150145	SW8260B	3/12/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.35M	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4F240332	SW8260B	06/23/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
STLD4I160216	SW8260B	09/13/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.37F	0.09U	0.19F	0.082F	0.03U	0.03U	
CS-MW9-LGR	AP18439	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U
	<i>Duplicate</i> AP18440	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U
	AP22203	SW8260	9/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26535/AP26521	SW8260	12/14/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	STL EWEX91AL	SW8260B	3/13/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.2U	NA	0.041F	NA	0.05U	0.036U
	<i>Duplicate</i> STL EWE0F1AL	SW8260B	3/13/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.22F	NA	0.046F	NA	0.05U	0.036U
	STL	SW8260B	6/19/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STL	SW8260B	12/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	<i>Duplicate</i> STL	SW8260B	12/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.49	0.05U	0.26F	0.26F	0.03U
	STLD3F210180	SW8260B	6/20/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.071F	0.06U	0.03U	0.03U
	STLD3I190397	SW8260B	9/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.47F	0.09U	0.059F	0.06U	0.03U	0.03U
STLD3L100321	SW8260B	12/9/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.18F	0.06U	0.03U	0.03U	
STLD4C170386	SW8260B	3/16/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.36F	0.09U	0.15F	0.06U	0.03U	0.03U	
STLD4F170404	SW8260B	06/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
STLD4I090263	SW8260B	09/07/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.49F	0.09U	0.05U	0.06U	0.03U	0.03U	
CS-MW9-BS	AP18441	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.07U	0.16U	0.18U
	AP22204	SW8260	9/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26536/AP26522	SW8260	12/14/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.33F	NA	0.11U	NA	0.14U	0.27U
	STL EWE0G1AL	SW8260B	3/13/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.23F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/19/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STL	SW8260B	12/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.055F
	STLD3C240193	SW8260B	3/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.6F	0.03U	0.059F
	STLD3F210180	SW8260B	6/20/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.072F	0.03U	0.03U
	STLD3I190397	SW8260B	9/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.34F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3L100321	SW8260B	12/9/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.08F	0.03U	0.03U
	STLD4C170386	SW8260B	3/16/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.32F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4F170404	SW8260B	06/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
STLD4I090263	SW8260B	09/07/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.52F	0.09U	0.05U	0.06U	0.03U	0.03U	
CS-MW9-CC	AP18442	SW8260	6/14/2001	0.11U	NA	0.15U	0.15U	NA	0.23U	0.25U	0.26U	0.36U	0.19U	0.16U	0.12F	0.16U	0.18U
	AP22205	SW8260	9/12/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	NA	0.11U	NA	0.14U	0.27U
	AP26537/AP26523	SW8260	12/14/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.7F	NA	0.11U	NA	0.14U	0.27U
	STL EWE0H1AL	SW8260B	3/13/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.24F	NA	0.036U	NA	0.05U	0.036U
	STL	SW8260B	6/19/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.04U	NA	0.05U	0.04U
	STL	SW8260B	9/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STL	SW8260B	12/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.4F	0.04U	0.2U	0.09U	0.05U	0.2F	0.03U	0.03U
	<i>Duplicate</i> STL	SW8260B	3/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.69F	0.03U	0.03U
	STLD3F210180	SW8260B	6/20/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	<i>Duplicate</i> STL	SW8260B	6/20/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U

**Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas**

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis - 1,2 (ug/L)	Dichloro-ethene, trans - 1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)	
CS-MW9-CC cont'd	STLD3I190397	SW8260B	9/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.34F	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD3L100321	SW8260B	12/9/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD4C170386	SW8260B	3/16/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.32F	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD4F170404	SW8260B	06/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD4I090263	SW8260B	09/07/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.5F	0.09U	0.05U	0.06U	0.03U	0.03U	
CS-MW10-LGR	AP26450/AP26442	SW8260	12/13/2001	0.12U	NA	0.1F	0.09U	NA	0.16U	0.11U	0.14U	0.19U	0.08U	2.5	0.11U	0.51F	0.27U	
	STL EWCKR1AL	SW8260B	3/12/2002	0.027U	NA	0.12F	0.028U	NA	0.026U	0.093U	0.038U	0.49F	NA	2.1	NA	0.72F	0.036U	
	STL	SW8260B	6/18/2002	0.03U	NA	0.12F	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	2.5	NA	0.6F	0.04U	
	STL	SW8260B	9/13/2002	0.04U	NA	0.12F	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	2.2	NA	0.56F	0.03U	
	STL	SW8260B	12/13/2002	0.04U	NA	0.11F	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	2.3	NA	0.51F	0.03U	
	Duplicate	STL	SW8260B	12/13/2002	0.04U	NA	0.12F	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	2.3	NA	0.53F	0.03U
	STLD3C250212	SW8260B	3/20/2003	0.04U	0.1U	0.13F	0.03U	0.06U	0.052F	0.09U	0.04R	0.2U	0.09U	2.1	2.6J	0.51F	0.03U	
	STLD3F190360	SW8260B	6/18/2003	0.04U	0.1U	0.13F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	2.3	0.06U	0.51F	0.03U	
	Duplicate	STLD3F190360	SW8260B	6/18/2003	0.04U	0.1U	0.12F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	2.2	0.06U	0.49F	0.03U
	STLD3I200215	SW8260B	9/19/2003	0.04U	0.1U	0.12F	0.03U	0.06U	0.03U	0.09U	0.04U	0.69F	0.09U	2.3	0.06U	0.37F	0.03U	
	STLD4A220211	SW8260B	1/21/2004	NA	0.1U	0.1F	0.03U	0.06U	0.03U	0.09U	0.04U	0.38F	0.09U	2.6	0.06U	0.48F	0.03U	
	STLD4C150145	SW8260B	3/12/2004	0.04U	0.1U	0.11F	0.03U	0.06U	0.03U	0.09U	0.04U	0.72M	0.09U	2	0.06U	0.42F	0.03U	
	STLD4F240332	SW8260B	06/23/04	0.04U	0.1U	0.095F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	2.2	0.06U	0.42F	0.03U	
	STLD4I170212	SW8260B	09/16/04	0.04U	0.1U	0.11F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09M	2.1	0.06U	0.37F	0.03U	
Duplicate	STLD4I170212	SW8260B	09/16/04	0.04U	0.1U	0.12F	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09M	2.3	0.06U	0.4F	0.03U	
CS-MW10-CC	AP26451/AP26443	SW8260	12/13/2001	0.12U	NA	0.06U	0.09U	NA	0.16U	0.11U	0.14U	0.19U	0.08U	0.11U	0.11U	0.14U	0.27U	
	STL EWCK31AL	SW8260B	3/12/2002	0.027U	NA	0.027U	0.028U	NA	0.026U	0.093U	0.038U	0.51F	NA	0.036U	NA	0.05U	0.036U	
	STL	SW8260B	6/18/2002	0.03U	NA	0.03U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.04U	NA	0.05U	0.04U	
	STL	SW8260B	9/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.058F	NA	0.03U	0.03U	
	STL	SW8260B	12/13/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	NA	0.05U	NA	0.03U	0.03U	
	STLD3C250212	SW8260B	3/20/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04R	0.2U	0.23F	0.05U	2.1J	0.03U	0.03U	
	STLD3F190360	SW8260B	6/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD3I260150	SW8260B	9/22/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.35F	0.09U	0.05U	0.06U	0.03U	0.03U	
	Duplicate	STLD3I260150	SW8260B	9/22/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.36F	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD3L130180	SW8260B	12/12/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.2F	0.03U	0.03U	
STLD4C150145	SW8260B	3/12/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.68M	0.09U	0.05U	0.06U	0.03U	0.03U		
Duplicate	STLD4C150145	SW8260B	3/12/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.65M	0.09U	0.05U	0.06U	0.03U	0.03U	
STLD4F240332	SW8260B	06/23/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U		
STLD4I170212	SW8260B	09/16/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.28F	0.09M	0.05U	0.062F	0.03U	0.03U		
CS-MW11A-LGR	STLD3F180197	SW8260B	6/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.32F	0.16F	0.03U	0.03U	
	STLD3I170358	SW8260B	9/15/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.3F	0.09U	0.33F	0.1F	0.03U	0.03U	
	STLD3L180113	SW8260B	12/15/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.17F	0.96F	0.03U	0.03U	
	STLD4C170386	SW8260B	3/15/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.32F	0.09U	0.27F	0.06U	0.03U	0.03U	
	STLD4F240332	SW8260B	06/23/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.19F	0.06U	0.03U	0.03U	
	STLD4I160216	SW8260B	09/13/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.41F	0.09U	0.29F	0.09F	0.03U	0.03U	
CS-MW11B-LGR	STLD3F180197	SW8260B	6/17/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	1.2F	0.1F	0.03U	0.03U	
	STLD3I170358	SW8260B	9/15/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.35F	0.09U	1.1F	0.06U	0.03U	0.03U	
	STLD4I160216	SW8260B	09/13/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.39F	0.09U	1.1F	0.06U	0.03U	0.03U	
CS-MW12-LGR	STL	SW8260B	12/16/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD3C250212	SW8260B	3/21/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	1.4J	0.03U	0.03U	
	STLD3F180197	SW8260B	6/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD3I190397	SW8260B	9/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.36F	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD3L100321	SW8260B	12/8/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.6F	0.09U	0.05U	0.06U	0.03U	0.03U	
	STLD4F220238	SW8260B	06/21/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U	
STLD4I110116	SW8260B	09/09/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.7F	0.09U	0.05U	0.12F	0.03U	0.03U		

**Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas**

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, cis-1,2 (ug/L)	Dichloro-ethene, trans-1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)
CS-MW12-BS	STL	SW8260B	12/16/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.22F	0.03U	0.03U
	STLD3C250212	SW8260B	3/21/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.032F	0.09U	0.04U	0.2U	0.31F	0.05U	2.8J	0.03U	0.096F
	STLD3F180197	SW8260B	6/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.36F	0.05U	0.31F	0.03U	0.14F
	STLD3I190397	SW8260B	9/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.4F	0.29F	0.05U	0.32F	0.03U	0.2F
	STLD3L100321	SW8260B	12/8/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.29F	0.05U	0.27F	0.03U	0.03U
	STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.55F	0.23F	0.05U	0.18F	0.03U	0.099F
	STLD4F220238	SW8260B	06/21/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.23F	0.09U	0.05U	0.16F	0.03U	0.19F
	STLD4I110116	SW8260B	09/09/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.68F	0.33F	0.05U	0.26F	0.03U	0.21F
CS-MW12-CC <i>Duplicate</i>	STL	SW8260B	12/16/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.28F	0.03U	0.03U
	STL	SW8260B	12/16/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.24F	0.03U	0.03U
	STLD3C250212	SW8260B	3/21/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	3.3J	0.03U	0.03U
	STLD3F180197	SW8260B	6/16/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.82F	0.03U	0.03U
	STLD3I190397	SW8260B	9/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.42F	0.09U	0.05U	0.43F	0.03U	0.03U
	STLD3L100321	SW8260B	12/8/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	6.6	0.03U	0.14F
	STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.61F	0.09U	0.05U	3.3	0.03U	0.03U
	STLD4F220238	SW8260B	06/21/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.39F	0.03U	0.03U
STLD4I110116	SW8260B	09/09/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.66F	0.09U	0.05U	0.28F	0.03U	0.03U	
CS-MW17-LGR	STL	SW8260B	9/12/2002	0.04U	NA	0.05U	0.03U	NA	0.055F	0.09U	0.04U	0.2U	0.09U	0.083F	0.14F	0.03U	0.03U
	STL	SW8260B	12/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.57F	NA	0.19F	NA	0.03U	0.03U
	STLD3C250212	SW8260B	3/21/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.25F	0.09U	0.23F	3.6J	0.03U	0.03U
	STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.19F	0.06U	0.03U	0.03U
	<i>Duplicate</i> STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.18F	0.06U	0.03U	0.03U
	STLD3I200215	SW8260B	9/19/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.82F	0.09U	0.17F	0.071F	0.03U	0.03U
	STLD3L180113	SW8260B	12/15/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.17F	0.13F	0.03U	0.03U
	<i>Duplicate</i> STLD3L180113	SW8260B	12/15/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.2F	0.12F	0.03U	0.03U
	STLD4C170386	SW8260B	3/15/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.36F	0.09U	0.18F	0.06U	0.03U	0.03U
	STLD4F170404	SW8260B	06/15/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.24F	0.06U	0.03U	0.03U
STLD4I090263	SW8260B	09/07/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.54F	0.09U	0.34F	0.06U	0.067F	0.03U	
CS-MW18-LGR	STL	SW8260B	9/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.75F	0.03U	0.03U
	STL	SW8260B	12/11/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	NA	0.03U	0.03U
	STLD3C240193	SW8260B	3/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	3.6B	0.097F	0.03U
	STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	1.7F	0.09U	0.05U	1.4	0.03U	0.03U
	STLD3I260150	SW8260B	9/24/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.37F	0.09U	0.05U	0.1F	0.03U	0.03U
	STLD3L180113	SW8260B	12/15/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.69F	0.03U	0.03U
	STLD4C100292	SW8260B	3/9/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.62F	0.09U	0.05U	0.37F	0.03U	0.03U
	STLD4F180203	SW8260B	06/17/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.05U	0.06U	0.03U	0.03U
	STLD4I110116	SW8260B	09/10/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.69F	0.09U	0.051F	0.09F	0.03U	0.03U
	<i>Duplicate</i> STLD4I110116	SW8260B	09/10/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.68F	0.09U	0.052F	0.065F	0.03U	0.03U
CS-MW19-LGR	STL	SW8260B	9/12/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	0.61F	0.09U	0.28F	0.22F	0.03U	0.03U
	STL	SW8260B	12/16/2002	0.04U	NA	0.05U	0.03U	NA	0.03U	0.09U	0.04U	3.3	NA	0.14F	NA	0.03U	0.03U
	STLD3C250212	SW8260B	3/20/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.032F	0.09U	0.04J	2.6	0.09U	0.21F	4.4J	0.03U	0.053F
	STLD3F240154	SW8260B	6/23/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.3F	0.06U	0.03U	0.03U
	STLD3I190397	SW8260B	9/18/2003	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.37F	0.09U	0.34F	0.06U	0.03U	0.03U
	STLD3L120400	SW8260B	12/10/2003	NA	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.3F	0.09R	0.36F	0.06U	0.03U	0.03U
	STLD4C170386	SW8260B	3/15/2004	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.35F	0.09U	0.27F	0.06U	0.03U	0.03U
	STLD4F170404	SW8260B	06/16/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09U	0.28F	0.06U	0.03U	0.03U
	STLD4I170212	SW8260B	09/16/04	0.04U	0.1U	0.05U	0.03U	0.06U	0.03U	0.09U	0.04U	0.2U	0.09M	0.28F	0.066F	0.03U	0.03U
	Comparison Criteria			MCL	100***	***	100***	100***		7	70	100	5		5	1000	5
			GW-INA	100		100	100		7	70	100	5		5	1000	5	2
	Chemron ²	SW8260	PQL	3		3	3		5	4	4	4		5		2	
	Chemron	SW8260	MDL	MDLs not provided by laboratory													
	ITS	SW8260A	PQL	0.8		0.30	0.50		0.40	1.20	0.60	0.30		1.40	--	1.00	--
	ITS	SW8260A	MDL	0.130		0.110	0.100		0.230	0.200	0.330	0.230		0.470	--	0.340	--
	DHL	SW8260B	PQL	NA		1.0	NA		NA	1.0	1.0	NA		1.0	--	1.0	--
	DHL	SW8260B	MDL	NA		0.4	NA		NA	0.3	0.2	NA		0.4	--	0.2	--

Appendix D
Groundwater VOC Analytical Results, 1991-2004
Camp Stanley Storage Activity, Texas

Well Number	Laboratory	Analytical Method	Sample Date	Bromo-dichloro-methane * (ug/L)	Bromoform (ug/L)	Chloroform* (ug/L)	Dibromo-chloro-methane * (ug/L)	Dichlorodi-fluorometh-ane (ug/L)	Dichloro-ethene, 1,1 (ug/L)	Dichloro-ethene, <i>cis</i> -1,2 (ug/L)	Dichloro-ethene, <i>trans</i> -1,2 (ug/L)	Dichloro-methane (methylene chloride) (ug/L)	Naphthalene (ug/L)	Tetra-chloroethene (ug/L)	Toluene (ug/L)	Trichloroeth-ene (ug/L)	Vinyl chloride (ug/L)
Comparison	O'B&G	SW8260B	RL	0.8		0.3	0.5		1.2	1.2	0.6	1.0		1.4	1.1	1.0	1.1
Criteria cont'd	O'B&G	SW8260B	MDL	0.011		0.011	0.012		0.025	0.062	0.077	0.03		0.008	0.017	0.01	0.013
	APPL	SW8260B	RL	0.8		0.3	0.5		1.2	1.2	0.6	1.0		1.4	1.1	1.0	1.1
	APPL	SW8260B	MDL	0.011		0.15	0.15		0.23	0.25	0.26	0.36		0.16	0.07	0.16	0.18
	APPL	SW8260	RL	0.8		0.3	0.5		1.2	1.2	0.6	1.0	0.8	1.4	1.1	1.0	1.1
	APPL	SW8260	MDL	0.12		0.06	0.09		0.16	0.11	0.14	0.19	0.08	0.11	0.11	0.14	0.27
	STL	SW8260B	RL	0.8	1.2	0.3	0.5	1.0	1.2	1.2	0.6	2.0	1.0	1.4	1.1	1.0	1.1
	STL	SW8260B	MDL	0.04	0.1	0.05	0.03	0.06	0.03	0.09	0.04	0.2	0.09	0.05	0.06	0.03	0.03

Shaded areas indicate analytical data analyzed by ITS Laboratories.

Bold	Value > or = MCL
Bold	MCL > Value > or = RL
Bold	RL > Value > MDL

¹ = INAIcates data is screening analytical data only

² = Chemron quantitation limits varied over the years that samples were analyzed by the lab. Values listed are for June 1995 through February 1996.

Notes:

- Due to potential improper practices, the ITS data cannot be used to draw any conclusions about groundwater quality at CSSA.
- ug/L = micrograms per liter
- * Chlorination byproducts in water supply well (referenced in SWDA drinking water regulations as THMs, or trihalomethanes). MCL for total concentration of THMs is 100 ug/L.
- F = The analyte was positively identified but the associated numerical value is below the RL.
- J = The analyte was positively identified below quantitation limits; the quantitation is an estimate.
- R = The data are unusable with deficiencies in the ability to analyze the sample and meet QC criteria.
- U = The analyte was analyzed for, but not detected. The associated numerical value is at or below the method detection.
- NA = Not sampled for this parameter.
- * Values represent MDLs for the analytical procedure used.
- ** Analysis included bromodichloromethane, chloroform, dibromochloromethane, 1,1-dichloroethene, *cis*-1,2-dichloroethene, dichloromethane, tetrachloroethene, trichloroethene, and vinyl chloride ONLY, as agreed by the EPA and TNRCC.

Appendix D
Groundwater Metals Analytical Results, 1995 - 2003
Camp Stanley Storage Activity, Texas

Well ID	Laboratory	Sample Date	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Calcium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Mercury (mg/L)	Magnesium (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Potassium (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sodium (mg/L)	Thallium (mg/L)	Zinc (mg/L)	
CS-1	Chemron	12/11/1995	0.005U	0.05U	0.005U	NA	0.01U	0.06	NA	0.023	0.0004U	NA	NA	0.02	NA	NA	NA	NA	NA	4	
	Chemron	1/19/1996	0.01U	0.03	0.005U	NA	0.01U	0.02	NA	0.015	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.39	
	Chemron	3/1/1996	0.005U	0.03	0.001U	NA	0.01U	0.07	NA	0.015	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.48	
	ITS	01/07/97 ¹	0.001U	0.04	0.00028F	NA	0.00227F	0.01867F	NA	0.030	0.0001U	NA	NA	0.00307F	NA	NA	NA	NA	NA	0.69	
	ITS	10/23/97 ¹	0.0009U	0.034	0.0002U	NA	0.002U	0.0072F	NA	0.007	0.0001U	NA	NA	0.003U	NA	NA	NA	NA	NA	0.85	
Duplicate	O'B&G	9/9/1999	0.00044U	0.0300	0.00019U	NA	0.002F	0.008F	NA	0.0017F	0.00016U	NA	NA	0.0014U	NA	0.0021U	0.0012U	NA	0.0034U	0.293	
	O'B&G	12/14/1999	0.00045U	0.0293	0.00019U	NA	0.003F	0.002F	NA	0.0026F	0.00016U	NA	NA	0.0014U	NA	0.0021U	0.0012U	NA	0.0034U	0.472	
	O'B&G	3/20/2000	0.0006F	0.0278	0.00019U	NA	0.003F	0.003F	NA	0.0172	0.00016U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.387	
	O'B&G	6/14/2000	0.00045J	0.032	0.00019U	NA	0.004F	0.002F	NA	0.0043F	0.00008U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.3	
	O'B&G	6/14/2000	0.00045J	0.0323	0.00019U	NA	0.004F	0.003F	NA	0.0041F	0.00008U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.303	
	O'B&G	9/13/2000	0.002F	0.0347	0.00019U	NA	0.006F	0.016	NA	0.0851J	0.00012U	NA	NA	0.002F	NA	NA	NA	NA	NA	0.959	
	O'B&G	12/12/2000	0.0005F	0.0302	0.0114R	NA	0.003F	0.004F	NA	0.0314J	0.00012U	NA	NA	0.00107U	NA	NA	NA	NA	NA	1.7813	
	O'B&G	3/19/2001	0.0013F	0.0372	0.0002U	NA	0.004F	0.003F	NA	0.0131	0.0001U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.290	
	AP18430	6/12/2001	0.0008U	0.0377	0.0001U	NA	0.001U	0.009F	NA	0.0063	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.265	
	AP22229	9/17/2001	0.0009F	0.0352J	0.0001U	69.05	0.001U	0.006F	0.233	0.0082	0.0002F	26.253	0.004F	0.002F	1.81	NA	NA	8.55	NA	0.521	
	AP26254/AP26259	12/11/2001	0.0008U	0.0356	0.0001U	NA	0.001U	0.003U	NA	0.0037F	0.0001U	NA	NA	0.003F	NA	NA	NA	NA	NA	0.327	
	AP30837	3/19/2002	0.0008U	0.0343	0.0001U	NA	0.001U	0.009F	NA	0.005	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.431J	
	STL	6/17/2002	0.0006F	0.0308	0.000027F	NA	0.0026U	0.012	NA	0.0028	0.000028U	NA	NA	0.0041U	NA	NA	NA	NA	NA	0.381J	
	STL	9/10/2002	0.00059F	0.036	0.000022U	NA	0.00074U	0.0042F	NA	0.0031	0.000028U	NA	NA	0.002F	NA	NA	NA	NA	NA	0.270	
	STL	12/10/2002	0.00059F	0.037	0.000036F	NA	0.00074U	0.022	NA	0.0053	0.000015U	NA	NA	0.0022F	NA	NA	NA	NA	NA	0.290J	
	STLD3C250256	3/19/2003	0.00043F	0.035	0.000022U	NA	0.00074U	0.0022F	NA	0.003	0.000015U	NA	NA	0.0017U	NA	NA	NA	NA	NA	0.3	
	STLD3F200339	6/19/2003	0.00057F	0.034	0.000051U	NA	0.0021U	0.0033F	NA	0.0021	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.3	
	STLD3L170355	9/16/2003	0.57F	0.037	0.000051U	NA	0.0021U	0.0052F	NA	0.004	0.000054U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.63	
	STLD3L180116	12/16/2003	0.00066F	0.035	0.000051U	NA	0.0021U	0.0062F	NA	0.0066	0.000054U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.36	
	Duplicate	STLD3L180116	12/16/2003	0.00066F	0.036	0.000051U	NA	0.0021U	0.002F	NA	0.0062	0.000054U	NA	NA	0.0042U	NA	NA	NA	NA	0.34	
Duplicate	STLD4C120341	3/11/2004	0.00045F	0.039	0.000051R	NA	0.0021U	0.011J	NA	0.0032J	0.000054U	NA	NA	0.0042U	NA	NA	NA	NA	0.25		
Duplicate	STLD4C120341	3/11/2004	0.00051F	0.039	0.000051R	NA	0.0021U	0.042J	NA	0.0051J	0.000054U	NA	NA	0.0042U	NA	NA	NA	NA	0.26		
	STLD4F240326	06/22/04	0.00045F	0.036	0.000028U	NA	0.0021U	0.024	NA	0.0029	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	0.25		
	STLD4I160208	09/15/04	0.00051F	0.036	0.000028U	NA	0.0012U	0.0016U	NA	0.0021	0.000047F	NA	NA	0.002U	NA	NA	NA	NA	0.23		
CS-2	Chemron	12/12/1995	0.013	0.3	0.008	NA	0.01	0.05	NA	0.25	0.0004U	NA	NA	0.04	NA	NA	NA	NA	0.33		
	Duplicate	Chemron	12/12/1995	0.005U	0.05U	0.005U	NA	0.01U	NA	0.02U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.04	
	Chemron	1/19/1996	0.01	0.03	0.005U	NA	0.01U	0.02	NA	0.01	0.0004U	NA	NA	0.02	NA	NA	NA	NA	NA	0.03	
	Duplicate	Chemron	1/19/1996	0.015U	0.04	0.005U	NA	0.01U	0.03U	NA	0.011	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	0.04	
	Chemron	2/29/1996	0.006	0.04	0.001U	NA	0.01U	0.02	NA	0.005	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	0.02U		
	ITS	01/15/97 ¹	0.001U	0.04	0.0002U	NA	0.002U	0.00889F	NA	0.00205F	0.0001U	NA	NA	0.00205F	NA	NA	NA	NA	0.016U		
	ITS	10/23/97 ¹	0.0009U	0.03	0.0002U	NA	0.002U	0.004U	NA	0.0015U	0.0001U	NA	NA	0.003U	NA	NA	NA	NA	0.016U		
Duplicate	O'B&G	9/7/1999	0.00044U	0.04	0.00019U	NA	0.005F	0.002F	NA	0.00142U	0.00016U	NA	NA	0.012	NA	0.003F	0.0012U	NA	0.0034U	0.005F	
	O'B&G	9/7/1999	0.00044U	0.0386	0.00019U	NA	0.003F	0.003F	NA	0.00142U	0.00016U	NA	NA	0.013	NA	0.0021U	0.0012U	NA	0.0034U	0.006F	
	O'B&G	12/14/1999	0.00045U	0.0327	0.00019U	NA	0.004F	0.0009U	NA	0.00142U	0.00016U	NA	NA	0.002F	NA	0.0021U	0.0004U	NA	0.0034U	0.0021U	
	Duplicate	O'B&G	12/14/1999	0.00045U	0.0332	0.00019U	NA	0.004F	0.0009U	NA	0.00142U	0.00016U	NA	NA	0.002F	NA	0.0021U	0.0004U	NA	0.0034U	0.004F
	O'B&G	3/20/2000	0.00045U	0.0340	0.00019U	NA	0.003F	0.0009U	NA	0.00053U	0.00016U	NA	NA	0.002F	NA	NA	NA	NA	NA	0.007F	
	Duplicate	O'B&G	3/20/2000	0.0007F	0.0342	0.00019U	NA	0.003F	0.0009U	NA	0.00053U	0.00016U	NA	NA	0.002F	NA	NA	NA	NA	0.004F	
	O'B&G	6/12/2000	0.00045J	0.0338	0.00019U	NA	0.004F	0.0009U	NA	0.00053U	0.00008U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.005F	
	Duplicate	O'B&G	9/12/2000	0.00045M	0.0364	0.00019U	NA	0.006F	0.001F	NA	0.00053J	0.00012M	NA	NA	0.002F	NA	NA	NA	NA	0.006F	
	O'B&G	9/12/2000	0.00045M	0.0370	0.00019U	NA	0.004F	0.001F	NA	0.00053J	0.00012M	NA	NA	0.002F	NA	NA	NA	NA	NA	0.006F	
	Duplicate	O'B&G	12/13/2000	0.00045U	0.0359	0.00019J	NA	0.004F	0.0005U	NA	0.00053J	0.00012U	NA	NA	0.0137J	NA	NA	NA	NA	0.0029F	
	O'B&G	12/13/2000	0.00045U	0.0373	0.00019J	NA	0.006F	0.0005U	NA	0.00053J	0.00012U	NA	NA	0.0234J	NA	NA	NA	NA	NA	0.0036F	
	Duplicate	O'B&G	3/20/2001	0.00028U	0.0338	0.00021M	NA	0.003F	0.001F	NA	0.00026U	0.00012U	NA	NA	0.0033F	NA	NA	NA	NA	0.0034F	
	O'B&G	3/20/2001	0.00028U	0.0332	0.00021M	NA	0.002F	0.001F	NA	0.00026U	0.00012U	NA	NA	0.0037F	NA	NA	NA	NA	NA	0.0037F	
	AP18323	6/13/2001	0.0008U	0.0349	0.0001U	NA	0.002F	0.004F	NA	0.0008U	0.0001U	NA	NA	0.004F	NA	NA	NA	NA	NA	0.018F	
	AP22213	9/13/2001	0.0008U	0.0352J	0.0001U	96.96	0.004F	0.003U	0.328	0.0012F	0.0001U	14.765	0.0155	0.006F	1.48	NA	NA	12.79	NA	0.013F	
	AP26534/AP26520	12/14/2001	0.0008U	0.0318	0.0001	NA	0.001U	0.003U	NA	0.0014F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.008U	
	STL D2C150260009	3/14/2002	0.00059F	0.035	0.000022U	NA	0.0058F	0.042U	NA	0.00073F	0.000028U	NA	NA	0.0103	NA	NA	NA	NA	NA	0.066F	
	Duplicate	STL	6/18/2002	0.00097F	0.0358	0.000029F	NA	0.039J	0.042U	NA	0.0014F	0.000028U	NA	NA	0.0187J	NA	NA	NA	NA	0.077F	
	STL	6/18/2002	0.00086F	0.0346	0.000032F	NA	0.0173J	0.042U	NA	0.0013F	0.000028U	NA	NA	0.0136J	NA	NA	NA	NA	NA	0.099F	
	STLD3F200337	6/19/2003	0.00056F	0.034	0.00011F	NA	0.0021U	0.0016F	NA	0.00021F	0.000015U	NA	NA	0.042U	NA	NA	NA	NA	NA	0.0053F	
STLD4F170404	06/16/04	0.00054F	0.036	0.000028U	NA	0.0021U	0.00097U	NA	0.00031F												

Appendix D
Groundwater Metals Analytical Results, 1995 - 2003
Camp Stanley Storage Activity, Texas

Well ID	Laboratory	Sample Date	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Calcium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Mercury (mg/L)	Magnesium (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Potassium (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sodium (mg/L)	Thallium (mg/L)	Zinc (mg/L)
CS-4	Chemron	12/13/1995	0.005U	0.05U	0.005U	NA	0.01U	0.02U	NA	0.015U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.04
	STLD3F240154	6/23/2003	0.00057F	0.031	0.00037F	NA	.0021U	.002F	NA	0.00019	0.000015U	NA	NA	.0042U	NA	NA	NA	NA	NA	0.072
	STLD4F170404	06/16/04	0.00042F	0.029	0.000034F	NA	0.0021U	0.00097U	NA	0.00033F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0093F
CS-9	Chemron	12/12/1995	0.005U	0.05U	0.005U	NA	0.01U	0.02	NA	0.015U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.84
	Chemron	2/28/1996	0.02	0.03	0.001U	NA	0.01U	0.02	NA	0.005	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.2
Duplicate	ITS	01/06/97 ¹	0.001U	0.03	0.00026F	NA	0.002U	0.05578F	NA	0.013	0.00038F	NA	NA	0.002U	NA	NA	NA	NA	NA	0.45
	ITS	10/23/97 ¹	0.0018F	0.04	0.00045F	NA	0.0023F	0.0103F	NA	0.013	0.000247F	NA	NA	0.0051F	NA	NA	NA	NA	NA	0.56
	O'B&G	9/8/1999	0.00044U	0.0331	0.00019U	NA	0.004F	0.007F	NA	0.0034F	0.00016U	NA	NA	0.001F	NA	0.004F	0.0012U	NA	0.0034U	0.624
	O'B&G	12/13/1999	0.00045U	0.0331	0.00019U	NA	0.006F	0.004F	NA	0.0018F	0.00016U	NA	NA	0.002F	NA	0.003F	0.0004U	NA	0.0034U	0.421
	O'B&G	3/20/2000	0.00045U	0.0347	0.00019U	NA	0.005F	0.003F	NA	0.0025F	0.00016U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.717
	O'B&G	6/13/2000	0.00045M	0.0356	0.00019U	NA	0.004F	0.004F	NA	0.0046F	0.00008U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.590
	O'B&G	9/13/2000	0.00045J	0.0364	0.00019U	NA	0.005F	0.003F	NA	0.0142J	0.00012U	NA	NA	0.0014U	NA	NA	NA	NA	NA	1.319
	O'B&G	12/12/2000	0.00045U	0.0363	0.00019J	NA	0.003F	0.006F	NA	0.0019F	0.00012U	NA	NA	0.00107U	NA	NA	NA	NA	NA	0.4585
	O'B&G	3/19/2001	0.00028U	0.0339	0.00021U	NA	0.003F	0.005F	NA	0.0018F	0.00012U	NA	NA	0.0011U	NA	NA	NA	NA	NA	0.3331
	AP18428	6/12/2001	0.0008U	0.0383	0.0001U	NA	0.001U	0.007F	NA	0.002F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.28
	AP22230	9/17/2001	0.0008U	0.0356J	0.0003F	78.81	0.001U	0.009F	0.01U	0.005	0.0002F	23.74	0.0005F	0.003F	1.39	NA	NA	8.98	NA	0.138
	AP26251/AP26256	12/11/2001	0.0008U	0.0349	0.0001U	NA	0.001U	0.008F	NA	0.0028F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.256
	AP30835	3/19/2002	0.0008U	0.0348	0.0001U	NA	0.001U	0.007F	NA	0.0025F	0.0001U	NA	NA	0.003F	NA	NA	NA	NA	NA	0.087J
	STL	6/17/2002	.0011F	0.0381	0.00011F	NA	.0026U	0.0138	NA	0.0109	0.0013	NA	NA	.0041U	NA	NA	NA	NA	NA	0.693J
	STL	9/10/2002	0.00044F	0.035	0.000032F	NA	0.00074U	.0026F	NA	0.00065F	0.000028U	NA	NA	.0017U	NA	NA	NA	NA	NA	.160J
	STL	12/10/2002	0.00034F	0.039	0.000022U	NA	0.00074U	0.00076U	NA	.0013F	0.000015U	NA	NA	.0029F	NA	NA	NA	NA	NA	.170J
	STLD3C250256	3/19/2003	0.00039F	0.035	0.00004F	NA	0.00074U	.0046F	NA	.0014F	0.000015U	NA	NA	.0017U	NA	NA	NA	NA	NA	0.1
	STLD3F180197	6/17/2003	0.0004F	0.036	0.000051U	NA	.0021U	.008F	NA	0.00078F	0.000037F	NA	NA	.0042U	NA	NA	NA	NA	NA	0.17
	STLD3F180197	6/17/2003	0.00042F	0.036	0.000051U	NA	.0021U	.0084F	NA	0.00086F	0.000039F	NA	NA	.0042U	NA	NA	NA	NA	NA	0.16
	STLD3I170355	9/16/2003	0.00035F	0.036	0.000051U	NA	.0021U	.007F	NA	.0015F	0.000054U	NA	NA	.0042U	NA	NA	NA	NA	NA	0.17
	STLD3L180116	12/15/2003	0.00049F	0.039	0.000051U	NA	.0021U	.0023F	NA	.00091F	0.000091F	NA	NA	.0042U	NA	NA	NA	NA	NA	0.13
	STLD4F240326	06/22/04	0.00042F	0.037	0.000028U	NA	0.0021U	0.0056F	NA	0.00091F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.049F
	STLD4I160208	09/15/04	0.00056F	0.035	0.000028U	NA	0.0012U	0.003F	NA	0.00062F	0.000042F	NA	NA	0.002U	NA	NA	NA	NA	NA	0.068
	CS-10	Chemron	12/12/1995	0.005U	0.05U	0.005U	NA	0.01U	0.02	NA	0.06	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA
Chemron		1/19/1996	0.01U	0.03	0.005U	NA	0.01U	0.02U	NA	0.004	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.080
Chemron		2/28/1996	0.006	0.04	0.001U	NA	0.01U	0.02	NA	0.002U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.040
Duplicate	ITS	01/07/97 ¹	0.001U	0.04	0.0002U	NA	0.002U	0.015F	NA	0.0015U	0.0001U	NA	NA	0.002U	NA	NA	NA	NA	NA	0.041
	ITS	10/23/97 ¹	0.0009U	0.04	0.0002U	NA	0.002U	0.004U	NA	0.0015U	0.0001U	NA	NA	0.003U	NA	NA	NA	NA	NA	0.022
	O'B&G	9/10/1999	0.00444U	0.0354	0.00019U	NA	0.004F	0.006F	NA	0.00142U	0.00016U	NA	NA	0.002F	NA	0.0021U	0.0012U	NA	0.0034U	0.079
	O'B&G	12/13/1999	0.00045U	0.0355	0.00019U	NA	0.005F	0.002F	NA	0.00142U	0.00016U	NA	NA	0.002F	NA	0.0021U	0.0004U	NA	0.0034U	0.015
	O'B&G	3/20/2000	0.0019F	0.0375	0.00019U	NA	0.005F	0.004F	NA	0.0031F	0.00016U	NA	NA	0.003F	NA	NA	NA	NA	NA	0.057
	O'B&G	6/13/2000	0.00045J	0.0357	0.00019U	NA	0.005F	0.002F	NA	0.00053U	0.00008U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.014
	O'B&G	9/13/2000	0.00045J	0.0378	0.00019U	NA	0.006F	0.005F	NA	0.00053J	0.00012U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.016
	O'B&G	12/12/2000	0.00045U	0.0372	0.00019J	NA	0.004F	0.002F	NA	0.00053J	0.00012U	NA	NA	0.00107U	NA	NA	NA	NA	NA	0.022
	O'B&G	3/19/2001	0.0003U	0.0375	0.00021U	NA	0.005F	0.004F	NA	0.0003U	0.00012U	NA	NA	0.0013F	NA	NA	NA	NA	NA	0.032
	AP18429	6/12/2001	0.0008U	0.0406	0.0002F	NA	0.002F	0.009F	NA	0.0026F	0.0001U	NA	NA	0.003F	NA	NA	NA	NA	NA	0.042F
	AP22231	9/17/2001	0.0008U	0.0373J	0.0002F	87.05	0.001U	0.006F	0.01U	0.0032F	0.0002F	23.489	0.00089	0.009F	4.6	NA	NA	9.75	NA	0.048F
	AP26252/AP26257	12/11/2001	0.0008U	0.0405	0.0001U	NA	0.001U	0.006F	NA	0.0014F	0.0001U	NA	NA	0.003F	NA	NA	NA	NA	NA	0.069
	AP30836	3/19/2002	0.0008U	0.0372	0.0001U	NA	0.001U	0.006F	NA	0.0026F	0.0001U	NA	NA	0.008F	NA	NA	NA	NA	NA	0.037F
	STL	6/17/2002	0.00095F	0.0349	0.000061F	NA	.0026U	.0042U	NA	0.0023	0.000028U	NA	NA	0.0054F	NA	NA	NA	NA	NA	.125J
	STL	9/10/2002	0.00061F	0.0390	0.000022U	NA	0.00074U	.0014F	NA	0.00048F	0.000028U	NA	NA	0.0017U	NA	NA	NA	NA	NA	0.016
	STL	12/10/2002	0.00053F	0.039	0.000026F	NA	0.00074U	0.00076U	NA	0.00064F	0.000015U	NA	NA	0.0026F	NA	NA	NA	NA	NA	.026J
	STLD3C250256	3/19/2003	0.00059F	0.04	0.000035F	NA	0.00074U	0.00076U	NA	.0013F	0.000015U	NA	NA	0.0017U	NA	NA	NA	NA	NA	0.049
	STLD3F180197	6/17/2003	0.00054F	0.039	0.000051U	NA	.0021U	0.0058F	NA	0.00085F	0.000039F	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.063
	STLD3I170355	9/16/2003	0.00058F	0.039	0.000051U	NA	.0021U	0.0058F	NA	0.0011F	0.000054U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.031F
	STLD3I170355	9/16/2003	0.00053F	0.038	0.000051U	NA	.0021U	0.0043F	NA	0.0008F	0.000054U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.024F
	STLD3L180116	12/16/2003	0.00066F	0.039	0.000051U	NA	.0021U	.0017F	NA	0.00059F	0.000054U	NA	NA	.0042U	NA	NA	NA	NA	NA	0.024F
	STLD4C120341	3/11/2004	0.00068F	0.04	0.000051R	NA	.0021U	.013J	NA	0.00066F	0.000054U	NA	NA	.0042U	NA	NA	NA	NA	NA	.021F
	STLD4F240326	06/22/04	0.00054F	0.041	0.000028U	NA	0.0021U	0.006F	NA	0.00048F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.017F
	STLD4I160208	09/15/04	0.00058F	0.037	0.000028U	NA	0.0012U	0.0016U	NA	0.00053F	0.000029F	NA	NA	0.002U	NA	NA	NA	NA	NA	0.013F
CS-11	Chemron	12/15/1995	0.01	0.05U	0.005U	NA	0.01U	0.02U	NA	0.015U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.04
	Chemron	2/29/1996	0.005U	0.03	0.001U	NA	0.01U	0.02U	NA	0.002U										

Appendix D
Groundwater Metals Analytical Results, 1995 - 2003
Camp Stanley Storage Activity, Texas

Well ID	Laboratory	Sample Date	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Calcium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Mercury (mg/L)	Magnesium (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Potassium (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sodium (mg/L)	Thallium (mg/L)	Zinc (mg/L)
	AP26253/AP26258	12/11/2001	0.0008U	0.0335	0.0001U	91.86	0.001U	0.005F	1.004	0.0063	0.0001U	11.026	0.0246	0.002F	1.59	NA	NA	13.05J	NA	0.739
	STL D2C150260005	3/14/2002	0.0005F	0.0367	0.000062F	NA	0.0026U	.008F	NA	0.0145	0.000028U	NA	NA	0.0041U	NA	NA	NA	NA	NA	1.12
	STL	6/17/2002	0.00066F	0.037	0.000022U	NA	0.0026U	.0042U	NA	0.0154	0.000028U	NA	NA	0.0041U	NA	NA	NA	NA	NA	5.800
	STLD3F180197	6/17/2003	0.00062F	0.037	0.000051U	NA	0.0021U	0.0092F	NA	0.004	0.00004F	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.69
	STLD4F240332	06/22/04	0.00048F	0.037	0.000028U	NA	0.0021U	0.013	NA	0.0048	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.74
CS-MW16-LGR	Chemron	12/13/1995	0.005U	0.05U	0.005U	NA	0.01U	0.05	NA	0.015U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.15
	Chemron	2/29/1996	0.005U	0.03	0.001U	NA	0.01U	0.03	NA	0.002U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.03
	ITS	02/21/97 ¹	0.001U	0.03	0.0002U	NA	0.002U	0.00916F	NA	0.0015U	0.0001U	NA	NA	0.002U	NA	NA	NA	NA	NA	0.03
	ITS	10/24/97 ¹	0.0009U	0.03	0.0002U	NA	0.002U	0.004U	NA	0.0015U	0.0001U	NA	NA	0.0030U	NA	NA	NA	NA	NA	0.02
	O'B&G	9/14/1999	0.00044U	0.0317	0.00019U	NA	0.003F	0.002F	NA	0.00142U	0.00016U	NA	NA	0.216	NA	0.002F	0.0012U	NA	0.0034U	0.014
	O'B&G	12/14/1999	0.00045U	0.0316	0.00019U	NA	0.006F	0.0009U	NA	0.00142U	0.00016U	NA	NA	0.0014U	NA	0.0021U	0.0004U	NA	0.0034U	0.015
	O'B&G	3/21/2000	0.0005F	0.0320	0.00019U	NA	0.004F	0.0009U	NA	0.00053U	0.00016U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.010F
	O'B&G	6/13/2000	0.00045J	0.0298	0.00019U	NA	0.005F	0.0009U	NA	0.00053U	0.00008U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.011
Duplicate	O'B&G	6/13/2000	0.00045J	0.0300	0.00019U	NA	0.005F	0.0009U	NA	0.00053U	0.00008U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.008F
	O'B&G	9/12/2000	0.00045J	0.0326	0.00019U	NA	0.005F	0.0009U	NA	0.00053J	0.00012U	NA	NA	0.0014U	NA	NA	NA	NA	NA	0.005F
	O'B&G	12/13/2000	0.00045U	0.0332	0.00019J	NA	0.005F	0.001F	NA	0.00053J	0.00012U	NA	NA	0.0017F	NA	NA	NA	NA	NA	0.0086F
	O'B&G	3/20/2001	0.00028U	0.0315	0.00021U	NA	0.003F	0.0005U	NA	0.00026U	0.00012U	NA	NA	0.0011U	NA	NA	NA	NA	NA	0.0138
	AP18327	6/13/2001	0.0008U	0.0397	0.0002F	NA	0.001U	0.005F	NA	0.0014F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.027F
	AP22210	9/13/2001	0.0008U	0.0329J	0.0001U	78.89	0.002F	0.003U	0.01U	0.0019F	0.0001U	23.419	0.002F	0.001U	1.28	NA	7.06	NA	NA	0.174
	AP26533/AP26519	12/14/2001	0.0008U	0.0326	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.173
	STL D2C150260003	3/14/2002	0.00033F	0.0387	0.000022U	NA	.0026U	.0042U	NA	0.00038F	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.779
	STL	6/18/2002	0.00067F	0.035	0.000028F	NA	.0026J	.0042U	NA	0.00037F	0.000028U	NA	NA	.0041J	NA	NA	NA	NA	NA	0.694
Well Upgraded	STL	9/9/2002	0.00033F	0.035	0.0001F	80.00	0.00085F	.0059F	.034F	0.0025F	0.000028U	22.00	0.00093F	.0023F	1.50	NA	8.00	NA	NA	0.26
	STLD3F200337	6/19/2003	0.0004F	0.038	0.000051U	NA	0.0021U	0.0012F	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.33
	STLD4F170404	06/16/04	0.00027F	0.036	0.000028U	NA	0.0021U	0.00097U	NA	0.00024F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.63
CS-MW16-CC	STLD31170355	9/16/2003	0.00062F	0.018	0.000051U	65	0.0021U	0.0015F	0.085F	0.00032F	0.000054U	35	0.0019F	0.0042U	3.1	NA	9.800J	NA	NA	0.35
	STLD4F170404	06/16/04	0.00031F	0.022	0.000028U	NA	0.0021U	0.0019F	NA	0.0015F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.11
CS-D	Chemron	12/13/1995	0.005U	0.05U	0.005U	NA	0.01U	0.02U	NA	0.015U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.03
	Chemron	2/29/1996	0.005U	0.03	0.001U	NA	0.01U	0.04	NA	0.003	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.03
	ITS	01/20/97 ¹	0.001U	0.03	0.0002U	NA	0.002U	0.01013F	NA	0.023	0.0001U	NA	NA	0.002U	NA	NA	NA	NA	NA	0.03
	ITS	10/24/97 ¹	0.009U	0.03	0.00026F	NA	0.002U	0.004U	NA	0.00457F	0.0001U	NA	NA	0.0043F	NA	NA	NA	NA	NA	0.02
	O'B&G	9/10/1999	Water level	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	O'B&G	12/14/1999	Water level	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	O'B&G	3/21/2000	Water level	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	O'B&G	9/13/2000	Water level	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	O'B&G	12/13/2000	0.00045U	0.03	0.00019J	NA	0.004F	0.0005U	NA	0.0006F	0.00012U	NA	NA	0.0018F	NA	NA	NA	NA	NA	0.0131
	O'B&G	3/20/2001	0.00028U	0.0283	0.00021U	NA	0.004F	0.001F	NA	0.00026U	0.00012U	NA	NA	0.0016F	NA	NA	NA	NA	NA	0.0152
	AP18326	6/13/2001	0.0008U	0.0299	0.0007F	NA	0.001U	0.006F	NA	0.0038F	0.0001U	NA	NA	0.002F	NA	NA	NA	NA	NA	0.03F
	AP22209	9/13/2001	0.0008U	0.0303J	0.0001U	80.05	0.001U	0.003U	0.05F	0.002F	0.0001U	22.712	0.0022F	0.001U	1.37	NA	7.14	NA	NA	0.021F
	AP26531/AP26527	12/14/2001	0.0008U	0.0291	0.0001	NA	0.001U	0.003U	NA	0.001F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.016F
Duplicate	AP26532/AP26528	12/14/2001	0.0008U	0.0294	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.009F	NA	NA	NA	NA	NA	0.079
	STL D2C150260002	3/14/2002	0.00029F	0.0304	0.00012F	NA	.0026U	.0042U	NA	0.0031	0.000028U	NA	NA	.0042F	NA	NA	NA	NA	NA	0.0185
	STL	6/18/2002	0.00046F	0.0273	0.00011F	NA	.0026J	.0042U	NA	0.0044	0.000028U	NA	NA	.0041J	NA	NA	NA	NA	NA	0.0188
	STLD3F200337	6/19/2003	0.00032F	0.029	0.000099F	NA	0.0021U	0.0011F	NA	0.00033F	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.013
	STLD4F170404	06/16/04	0.00016F	0.030	0.000053F	NA	0.0021U	0.00097U	NA	0.00082F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.012F
Duplicate	STLD4F170404	06/16/04	0.00028F	0.029	0.00006F	NA	0.0021U	0.00097U	NA	0.00093F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.011F
CS-MWG-LGR	Chemron	12/12/1995	0.005U	0.05U	0.001U	NA	0.01U	0.04	NA	0.002U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.36
	Chemron	1/19/1996	0.01U	0.02	0.005U	NA	0.01U	0.12	NA	0.048	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	2.8
	Chemron	2/28/1996	0.005U	0.02	0.002	NA	0.01U	0.18	NA	0.094	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	2.8
	ITS	01/17/97 ¹	0.001U	0.03	0.003	NA	0.002U	0.09	NA	0.039	0.0001U	NA	NA	0.002U	NA	NA	NA	NA	NA	2.9
	ITS	10/24/97 ¹	0.001F	0.03	0.001	NA	0.002U	0.0434F	NA	0.020	0.0001U	NA	NA	0.0030U	NA	NA	NA	NA	NA	4.2
	O'B&G	9/8/1999	0.00044U	0.032	0.0017	NA	0.003F	0.013	NA	0.00142U	0.00016U	NA	NA	0.002F	NA	0.0021U	0.0012U	NA	0.0034U	4.8
	AP18432	6/12/2001	0.0008U	0.0239	0.0001U	NA	0.001U	0.003U	NA	0.002F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.044F
	AP22201	9/12/2001	0.0009F	0.0252J	0.0003F	90.3	0.002F	0.02	6.219	0.0369	0.0001U	13.202	0.0568	0.001U	1.07	NA	7.67	NA	NA	0.261
	AP26733	12/18/2001	0.0008U	0.0219	0.0001U	NA	0.001U	0.003U	NA	0.0015F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.053
	STL D2C140338008	3/13/2002	0.00066F	0.0209	0.000041F	NA	.0026U	.0056F	NA	0.0041	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0294

Appendix D
Groundwater Metals Analytical Results, 1995 - 2003
Camp Stanley Storage Activity, Texas

Well ID	Laboratory	Sample Date	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Calcium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Mercury (mg/L)	Magnesium (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Potassium (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sodium (mg/L)	Thallium (mg/L)	Zinc (mg/L)	
Well Upgraded	AP26732	12/18/2001	0.0008U	0.0191	0.0002F	NA	0.004F	0.003U	NA	0.005	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.09	
	STL D2C140338007	3/13/2002	.0012F	0.0292	0.000097F	NA	.0026U	.0042U	NA	0.0033	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0839	
	STL	6/19/2002	.0012F	0.0267	0.00023F	NA	.0026U	.0092F	NA	0.0089	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.160	
	STLD3C240193	3/17/2003	0.00037F	0.029	0.00003F	NA	.0081F	0.00076U	NA	0.003	0.000015U	NA	NA	0.017	NA	NA	NA	NA	NA	0.56	
CS-I	STLD4F170404	06/15/04	0.00038F	0.029	0.000028U	NA	0.0021U	0.00097U	NA	0.0023	0.000025U	NA	NA	0.0059F	NA	NA	NA	NA	NA	0.68	
	Chemron	12/12/1995	0.005U	0.06	0.005U	NA	0.01U	0.05	NA	0.019	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	9.9	
	Chemron	1/19/1996	0.01U	0.05	0.005U	NA	0.01U	0.1	NA	0.022	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	8.2	
Well Upgraded	Chemron	2/28/1996	0.005U	0.05	0.001U	NA	0.01U	0.07	NA	0.018	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	8.4	
	ITS	10/23/97 ¹	0.0009U	0.11	0.0002U	NA	0.002U	0.004U	NA	0.00225F	0.0001U	NA	NA	0.004F	NA	NA	NA	NA	NA	1.94	
	O'B&G	9/7/1999	0.00044U	0.1169	0.00019U	NA	0.004F	0.004F	NA	0.00142U	0.00016U	NA	NA	0.002F	NA	0.0021U	0.0012U	NA	0.0034U	1.77	
	O'B&G	12/14/1999	0.00045U	0.1155	0.00019U	NA	0.005F	0.006F	NA	0.00142U	0.00016U	NA	NA	0.003F	NA	0.0021U	0.0012U	NA	0.0034U	1.77	
	O'B&G	3/21/2000	0.0006F	0.1242	0.00019U	NA	0.004F	0.0009U	NA	0.00053U	0.00016U	NA	NA	0.002F	NA	NA	NA	NA	NA	1.51	
	O'B&G	6/13/2000	0.00045J	0.1231	0.00019U	NA	0.005F	0.002F	NA	0.00053U	0.00008U	NA	NA	0.002F	NA	NA	NA	NA	NA	1.58	
	O'B&G	9/12/2000	0.00045J	0.1252	0.00019U	NA	0.005F	0.003F	NA	0.00053J	0.00012U	NA	NA	0.003F	NA	NA	NA	NA	NA	1.718	
	O'B&G	12/12/2000	0.00045U	0.1359	0.00019J	NA	0.004F	0.001F	NA	0.002F	0.00012U	NA	NA	0.0015F	NA	NA	NA	NA	NA	2.576	
	O'B&G	3/20/2001	0.00028U	0.1322	0.00021U	NA	0.004F	0.001F	NA	0.00026U	0.00012U	NA	NA	0.0016F	NA	NA	NA	NA	NA	2.950	
	API8434	6/12/2001	0.0008U	0.1413	0.0001U	NA	0.002F	0.014	NA	0.0349	0.0001U	NA	NA	0.003F	NA	NA	NA	NA	NA	3470.5	
	AP22206	9/12/2001	0.0008U	0.1028J	0.0001U	72.74	0.001U	0.008F	4.509	0.0193	0.0002F	32.578	0.0812	0.003F	2.11	NA	NA	7.13	NA	2.921	
	AP26642/AP26639	12/17/2001	0.0008U	0.1256	0.0003F	NA	0.001U	0.039	NA	0.0827	0.0002F	NA	NA	0.001U	NA	NA	NA	NA	NA	3.08	
	STL D2C140338009	3/13/2002	.0019F	0.2	0.00022F	NA	.0091F	0.0572	NA	0.087	0.00066F	NA	NA	.0069F	NA	NA	NA	NA	NA	8.62	
	STLD4F170404	06/15/04	0.00025F	0.130	0.000028U	NA	0.0021U	0.00097U	NA	0.0003F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.018F	
	Reservoir	Chemron	01/19/96	0.01U	0.03	0.005U	NA	0.01U	0.05	NA	0.003	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.06
Chemron		3/1/1996	0.005	0.04	0.001U	NA	0.01U	0.07	NA	0.002U	0.0004U	NA	NA	0.02U	NA	NA	NA	NA	NA	0.08	
Well Upgraded	ITS	01/09/97 ¹	0.001U	0.03	0.0002U	NA	0.002U	0.01033F	NA	0.0015U	0.0001U	NA	NA	0.00962F	NA	NA	NA	NA	NA	0.016U	
	ITS	10/23/97 ¹	0.009U	0.03	0.0002U	NA	0.002U	0.004U	NA	0.0015U	0.0001U	NA	NA	0.0033F	NA	NA	NA	NA	NA	0.016U	
	O'B&G	9/8/1999	0.00044U	0.0294	0.00019U	NA	0.004F	0.001F	NA	0.00142U	0.00016U	NA	NA	0.002F	NA	0.0021U	0.0012U	NA	0.0034U	0.009F	
	O'B&G	12/13/1999	0.0006F	0.0258	0.00019U	NA	0.006F	0.001F	NA	0.00142U	0.00016U	NA	NA	0.005F	NA	0.0021U	0.0004U	NA	0.0034U	0.005F	
	O'B&G	3/21/2000	0.0014F	0.0260	0.00019U	NA	0.006F	0.0009U	NA	0.00053U	0.00016U	NA	NA	0.006F	NA	NA	NA	NA	NA	0.008F	
	O'B&G	6/12/2000	0.001F	0.0255	0.00019U	NA	0.006F	0.0009U	NA	0.00053U	0.00008U	NA	NA	0.005F	NA	NA	NA	NA	NA	0.006F	
	O'B&G	9/12/2000	0.0007F	0.0285	0.0006F	NA	0.005F	0.001F	NA	0.00053J	0.00012U	NA	NA	0.0014F	NA	NA	NA	NA	NA	0.004F	
	O'B&G	12/13/2000	0.0006F	0.0310	0.00019J	NA	0.004F	0.0005U	NA	0.00053J	0.00012U	NA	NA	0.0029F	NA	NA	NA	NA	NA	0.0039F	
	O'B&G	3/20/2001	0.00026U	0.0299	0.00021U	NA	0.004F	0.0005U	NA	0.00026U	0.00012U	NA	NA	0.002F	NA	NA	NA	NA	NA	0.0033F	
	API8324	6/13/2001	0.0008U	0.0333	0.0001U	NA	0.003F	0.005F	NA	0.0008U	0.0001U	NA	NA	0.003F	NA	NA	NA	NA	NA	0.017F	
	AP22212	9/13/2001	0.0015F	0.033J	0.0001U	73.81	0.001U	0.003U	2.135	0.0008U	0.0001U	27.003	0.0197	0.002F	1.2	NA	NA	6.66	NA	0.012F	
	AP26362/AP26368	12/12/2001	0.0008U	0.0327	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.013F	
	STL D2C150260006	3/14/2002	0.00074F	0.0335	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0124	
	Duplicate STL D2C150260007	3/14/2002	0.00064F	0.0336	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	.0037F	
	Well Upgraded	STL	9/10/2002	0.0007F	0.04	0.000027F	77	.0013F	.0023F	0.20	0.0004F	0.000028U	24000	0.0089	.0041F	2	NA	NA	7	NA	0.081
STLD3F200337		6/19/2003	0.00036F	0.032	0.000051U	NA	0.0021U	0.0014F	NA	0.00047F	0.00015U	NA	NA	0.0089F	NA	NA	NA	NA	NA	0.0069F	
STLD4F180203		06/17/04	0.00026F	0.032	0.000028U	NA	0.0021U	0.00097U	NA	0.000091F	0.000025U	NA	NA	0.044	NA	NA	NA	NA	NA	0.0036U	
CS-MW1-BS	D3C260199	3/25/2003	.0016F	0.03	0.000025F	15	.001F	.0018F	.055F	0.00015U	0.000015U	42	0.0042	.0017U	13.00	NA	NA	50	NA	0.034	
	STLD3F180197	6/16/2003	0.002F	0.051	0.000051U	NA	0.0058F	0.0017F	NA	0.0002F	0.000038F	NA	NA	0.0098F	NA	NA	NA	NA	NA	0.078	
	STLD4F180203	06/17/04	0.002F	0.038	0.000036F	NA	0.0021U	0.00097U	NA	0.00077U	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U	
Duplicate STL D4F180203	06/17/04	0.002F	0.038	0.000033F	NA	0.0021U	0.00097U	NA	0.00077U	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U		
CS-MW1-CC	D3C260199	3/25/2003	.0015F	0.027	0.000022U	50	0.00074U	.0018F	0.420	0.00015U	0.000015U	42	0.025	.0017U	8.60	NA	NA	27	NA	.0033U	
	STLD3F180197	6/16/2003	0.00057F	0.03	0.000051U	NA	0.0021U	0.0017F	NA	0.00019U	0.000038F	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.005F	
Well Upgraded	ITS	01/10/97 ¹	0.001U	0.04	0.0002U	NA	0.002U	0.01134F	NA	0.0015U	0.0001U	NA	NA	0.01205F	NA	NA	NA	NA	NA	0.01972F	
	ITS	10/24/97 ¹	0.0011F	0.03	0.00034U	NA	0.002U	0.0044F	NA	0.0015U	0.0001U	NA	NA	0.0095F	NA	NA	NA	NA	NA	0.0193F	
	Duplicate	O'B&G	9/9/1999	0.0005F	0.0333	0.00019U	NA	0.004F	0.0009U	NA	0.00142U	0.00016U	NA	NA	0.022	NA	0.004F	0.0012U	NA	0.0034U	0.011
		O'B&G	9/9/1999	0.00044U	0.0327	0.00019U	NA	0.004F	0.0009U	NA	0.00142U	0.00016U	NA	NA	0.022	NA	0.003F	0.0012U	NA	0.0034U	0.009F
		O'B&G	12/13/1999	0.0005F	0.0328	0.00019U	NA	0.006F	0.0009U	NA	0.00142U	0.00016U	NA	NA	0.033	NA	0.006F	0.0004U	NA	0.0034U	0.005F
	Duplicate	O'B&G	12/13/1999	0.00045U	0.0321	0.00019U	NA	0.005F	0.001F	NA	0.00142U	0.00016U	NA	NA	0.032	NA	0.005F	0.0004U	NA	0.0034U	0.007F
		O'B&G	3/21/2000	0.0005F	0.0318	0.00019U	NA	0.005F	0.0009U	NA	0.00053U	0.00016U	NA	NA	0.035	NA	NA	NA	NA	NA	0.008F
		O'B&G	3/21/2000	0.0006F	0.0327	0.00019U	NA	0.009F	0.0009U	NA	0.00053U	0.00016U	NA	NA	0.038	NA	NA	NA	NA	NA	0.006F
	Duplicate	O'B&G	6/12/2000	0.00045J	0.0314	0.00019U	NA	0.006F	0.0009U	NA	0.00053U	0.00008U	NA	NA	0.035	NA	NA	NA	NA	NA	0.005F
		O'B&G	9/12/2000	0.00045J	0.0324	0.00019U	NA	0.007F	0.001F	NA	0.000										

Appendix D
Groundwater Metals Analytical Results, 1995 - 2003
Camp Stanley Storage Activity, Texas

Well ID	Laboratory	Sample Date	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Calcium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Mercury (mg/L)	Magnesium (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Potassium (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sodium (mg/L)	Thallium (mg/L)	Zinc (mg/L)
Well Upgraded	AP22211	9/13/2001	0.0008U	0.0346J	0.0001U	79.63	0.001U	0.003U	0.01U	0.0008U	0.0001U	29.516	0.0008F	0.027	2.0	NA	NA	7.68	NA	0.012F
	Duplicate AP26363/AP26369	12/12/2001	0.0008U	0.0351	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.024	NA	NA	NA	NA	NA	0.012F
	AP26364/AP26370	12/12/2001	0.0008U	0.0337	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.022	NA	NA	NA	NA	NA	0.019F
	STL D2C150260004	3/14/2002	0.00053F	0.0351	0.000095F	NA	.0026U	.0042U	NA	0.00021F	0.000028U	NA	NA	0.0237	NA	NA	NA	NA	NA	.0066F
	STL	9/10/2002	.0032F	0.044	0.000066F	48.00	0.00074U	0.00076U	0.240	0.00064F	0.000028U	47.00	0.019	0.013	8.20	NA	NA	11.00	NA	.0078F
	STLD3F180197	6/17/2003	0.004F	0.04	0.000051U	NA	0.0021U	0.0024F	NA	0.00019U	0.000038F	NA	NA	0.0042	NA	NA	NA	NA	NA	0.026
CS-MW2-CC	STLD4F180203	06/17/04	0.00046F	0.019	0.000028U	NA	0.0021U	0.00097U	NA	0.00014F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U
	STLD4F180203	06/17/04	0.0019F	0.091	0.000028U	NA	0.0021U	0.00097U	NA	0.00018F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.017F
CS-MW3-LGR	STLD3F180197	6/17/2003	0.00046F	0.037	0.000051U	54	0.0021U	0.0011F	0.52	0.00019U	0.000037F	48	0.06	0.0042U	11	NA	NA	26	NA	0.027
	STLD4F180203	06/17/04	0.0003F	0.021	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U
Duplicate	AP18445	6/14/2001	0.0008U	0.0279	0.0002F	6.08	0.002F	0.003U	0.01U	0.0316	0.0001U	26.891	0.0042F	0.003F	1.61	NA	NA	6.07	NA	0.062
	AP22207	9/12/2001	0.0021F	0.0286J	0.0001U	61.81	0.001U	0.003U	28.227	0.002F	0.0001U	0.007F	0.0071	0.004F	1.77	NA	NA	6.67	NA	0.055
	AP26643/AP26640	12/17/2001	0.0008U	0.0281	0.0001U	NA	0.001U	0.003U	NA	0.0009F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.036F
	AP26644/AP26641	12/17/2001	0.0008U	0.0277	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.045F
	STL D2C140338006	3/13/2002	0.00064F	0.0268	0.000022U	NA	.0026U	.0042U	NA	0.00023F	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0216
	STLD3F210180	6/20/2003	0.00048F	0.027	0.000081F	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.02
CS-MW4-LGR	STLD4F170404	06/15/04	0.00069F	0.028	0.000028U	NA	0.0021U	0.00097U	NA	0.00013F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.020F
	AP18446	6/14/2001	0.003F	0.0463	0.0001U	69.62	0.001U	0.003U	0.021F	0.0008U	0.0001U	38.029	0.0165	0.029	4.89M	NA	NA	11.33	NA	0.012F
Duplicate	AP18447	6/14/2001	0.003F	0.0473	0.0001U	69.77	0.002F	0.004F	0.01U	0.0008U	0.0001U	38.665	0.0169	0.025	4.51M	NA	NA	11.77	NA	0.019F
	AP22214	9/13/2001	0.0012F	0.0421J	0.0001U	70.46	0.001U	0.003U	0.01U	0.0008U	0.0001U	39.643	0.0075	0.012	2.77	NA	NA	10.9	NA	0.009F
	AP26365/AP26371	12/12/2001	0.0009F	0.0436	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.007F	NA	NA	NA	NA	NA	0.008U
	STL D2C150260008	3/14/2002	.0011F	0.0465	0.000032F	NA	.0026U	.0042U	NA	0.00015F	0.000028U	NA	NA	0.0138	NA	NA	NA	NA	NA	.0033U
	STL	6/18/2002	.0016F	0.0489	0.000022U	NA	.0026J	.0042U	NA	0.00015U	0.000028U	NA	NA	.0101J	NA	NA	NA	NA	NA	.0055F
	STLD3F240154	6/23/2003	0.002F	0.051	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.011	NA	NA	NA	NA	NA	0.013
CS-MW5-LGR	STLD4F180203	06/17/04	0.0013F	0.053	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.011	NA	NA	NA	NA	NA	0.0036U
	AP18448	6/14/2001	0.0052	0.0367	0.0001U	74.99	0.002F	0.003U	0.051F	0.0008U	0.0001U	18.692	0.0127	0.032	3.54	NA	NA	10.95	NA	0.144
Duplicate	AP22208	9/12/2001	0.0041F	0.0299J	0.0001U	78.92	0.001U	0.003U	0.01U	0.0009F	0.0001U	19.294	0.0084	0.023	1.75	NA	NA	8.77	NA	0.059
	AP26366/AP26372	12/12/2001	0.0021F	0.0318	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.019	NA	NA	NA	NA	NA	0.048F
	STL D2C230158002	3/21/2002	.0045F	0.0061	0.000022F	NA	.0026U	.0042U	NA	0.00056F	0.000028U	NA	NA	.009F	NA	NA	NA	NA	NA	0.0162
	STL	6/18/2002	.0041F	0.0279	0.000022U	NA	.0026J	.0042U	NA	0.00022F	0.000028U	NA	NA	.029J	NA	NA	NA	NA	NA	0.0423
	STLD3F240154	6/23/2003	0.0022F	0.029	0.00031F	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.015	NA	NA	NA	NA	NA	0.029
	STLD4F170404	06/16/04	0.0017F	0.027	0.000028U	NA	0.0021U	0.00097U	NA	0.000094F	0.000025U	NA	NA	0.0095F	NA	NA	NA	NA	NA	0.0095F
CS-MW6-LGR	AP18328	6/13/2001	0.0008U	0.0363	0.0001U	42.13	0.011	0.005F	0.121F	0.0012F	0.0001U	22.529	0.0053	0.003F	35.81	NA	NA	19.42	NA	0.035F
	AP22221	9/13/2001	0.0008U	0.0331J	0.0001U	71.52	0.004F	0.006F	0.064F	0.0008U	0.0001U	28.315	0.0065	0.05	3.56	NA	NA	10.34	NA	0.026F
	AP26445/AP26437	12/13/2001	0.0008U	0.0326	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0001U	NA	NA	0.065	NA	NA	NA	NA	NA	0.018F
	STL D2C130247003	3/12/2002	0.00074F	0.0346	0.000022U	NA	.0026U	.0042U	NA	0.00028F	0.000028U	NA	NA	0.019	NA	NA	NA	NA	NA	0.0161
	STL	6/20/2002	.0001F	0.0405	0.000022U	NA	.007F	.0042U	NA	0.00068F	0.000028U	NA	NA	0.0328	NA	NA	NA	NA	NA	.0168J
	STLD3F190360	6/18/2003	0.00075F	0.031	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.013	NA	NA	NA	NA	NA	0.0096F
CS-MW6-BS	STLD4F220238	06/21/04	0.00068F	0.039	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.016	NA	NA	NA	NA	NA	0.0086F
	AP18329	6/13/2001	0.0013F	0.0095	0.0001U	3.82	0.005F	0.009F	0.013F	0.0008U	0.0001U	30.606	0.0013F	0.003F	86.28R	NA	NA	75.74R	NA	0.085
Duplicate	AP18329	6/13/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	AP18329	6/13/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	70.52	NA	NA	72.43	NA	NA
	AP22222	9/13/2001	0.0034F	0.0334J	0.0001U	21.61	0.001U	0.004F	0.04F	0.0008U	0.0001U	23.591	0.0072	0.001U	12.92	NA	NA	97.15	NA	0.009F
	AP26446/AP26438	12/13/2001	0.0027F	0.0335	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0002F	NA	NA	0.001U	NA	NA	NA	NA	NA	0.008U
	STL D2C130247004	3/12/2002	.0025F	0.0187	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	.0033U
	STL	6/20/2002	.0025F	0.0171	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	.0037F
CS-MW6-CC	STLD3F190360	6/18/2003	0.0027F	0.036	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U
	STLD4F220238	06/21/04	0.0056F	0.033	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.022F
Duplicate	AP18330	6/13/2001	0.0008U	0.012	0.0001U	1.62	0.017	0.005F	0.011F	0.0008U	0.0001U	19.926	0.001F	0.008F	186.05R	NA	NA	67.83R	NA	0.018F
	AP18330	6/13/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	AP18330	6/13/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	163.63	NA	NA	59.36	NA	NA
	AP22223	9/13/2001	0.0028F	0.0343J	0.0001U	55.48	0.001U	0.006F	0.435	0.0008U	0.0001U	47.305	0.0106	0.006F	12.06	NA	NA	31.87	NA	0.124
	AP26447/AP26439	12/13/2001	0.0014F	0.037	0.0001U	NA	0.001U	0.003U	NA	0.0016F	0.0002F	NA	NA	0.002F	NA	NA	NA	NA	NA	0.033F
	STL D2C130247005	3/12/2002	.0015F	0.0375	0.000022U	NA	.0026U	.0042U	NA	0.00018F	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0591
Duplicate	STL	6/20/2002	.0013F	0.0351	0.000022U	NA	.0026U	.0042U												

Appendix D
Groundwater Metals Analytical Results, 1995 - 2003
Camp Stanley Storage Activity, Texas

Well ID	Laboratory	Sample Date	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Calcium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Mercury (mg/L)	Magnesium (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Potassium (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sodium (mg/L)	Thallium (mg/L)	Zinc (mg/L)	
CS-MW7-CC	Duplicate	AP22215	0.0039F	0.0315J	0.0001U	63.97	0.002F	0.003U	0.088F	0.0008U	0.0002F	49.985	0.0103	0.009F	7.45	NA	NA	30.51	NA	0.035F	
		AP22216	0.0042F	0.0318J	0.0001U	64.81	0.001U	0.003U	0.106F	0.0008U	0.0002F	50.433	0.0102	0.009F	7.33	NA	NA	30.71	NA	0.026F	
			AP22233	NA	0.0332J	NA	65.04	0.001U	0.003U	0.11F	NA	50.738	0.0128	0.01	7.53	NA	NA	31.05	NA	0.025F	
			AP26530/AP26526	0.0008U	0.0278	0.0001U	NA	0.001U	0.003U	NA	0.0012F	0.0002F	NA	NA	0.002F	NA	NA	NA	NA	NA	0.008U
			STL D2C130247001	0.0015F	0.0273	0.000022U	NA	.0026U	.0042U	NA	0.00019F	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0246
			STL	0.018F	0.0259	0.000022U	NA	.0056F	.0042U	NA	.0011F	0.000028U	NA	NA	.007F	NA	NA	NA	NA	NA	0.0566
			STLD3F240154	0.001F	0.025	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.013
			STLD4F240332	0.0011F	0.028	0.000028U	NA	0.0021U	0.00097U	NA	0.00011F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U
	Duplicate	STLD4F240332	0.0012F	0.028	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U	
CS-MW8-LGR	Duplicate	AP18435	0.0008U	0.0417	0.0001U	100.3	0.001U	0.004F	0.01U	0.001F	0.0001U	20.892	0.0036F	0.002F	3.1	NA	NA	10.54	NA	0.078	
		AP22227	0.0008U	0.0378J	0.0001U	91.03M	0.001U	0.003U	0.072F	0.0013M	0.0001U	23.997	0.0062	0.003F	5.17M	NA	NA	9.81	NA	0.088	
			AP22228	0.0011F	0.0389J	0.0001U	88.29	0.001U	0.003U	0.01U	0.0012F	0.0002F	24.539	0.006	0.004F	5.43	NA	NA	10.31	NA	0.087
			AP26448/AP26440	0.0008U	0.0383	0.0001U	NA	0.001U	0.003U	NA	0.0011F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.067
			STL D2C130247006	0.0005F	0.0378	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	0.0103	NA	NA	NA	NA	NA	0.0737
			STL	0.00081F	0.0361	0.00012F	NA	.0026U	0.0106	NA	0.00091F	0.000028U	NA	NA	.0069F	NA	NA	NA	NA	NA	0.053
			STLD3F190360	0.00065F	0.035	0.051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.035
			STLD4F220238	0.0008F	0.035	0.000028U	NA	0.0021U	0.00097U	NA	0.00016F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.018F
	Duplicate	STLD4F220238	0.00074F	0.036	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.017F	
CS-MW8-CC	Duplicate	AP18444	0.0037F	0.0352	0.0001U	74.2	0.002F	0.019	0.316	0.0026F	0.0001U	49.218	0.033	0.023	7.13	NA	NA	32.21	NA	0.069	
		AP22224	0.0072	0.0376J	0.0001U	57.66	0.001U	0.006F	0.209	0.0008U	0.0001U	52.259	0.0352	0.008F	10.71	NA	NA	32.62	NA	0.023F	
			AP26449/AP26441	0.0043F	0.0416	0.0001U	NA	0.001U	0.003U	NA	0.0012F	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.008U
			STL D2C130247007	0.0043F	0.032	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0033U
			STL	0.026F	0.0088	0.000058F	NA	.0026U	.0042U	NA	0.00035F	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0033U
			STLD3F200337	0.0031F	0.034	0.000051U	NA	0.0021U	0.0015F	NA	0.00019U	0.000023F	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.005F
			STLD4F240332	0.0033F	0.030	0.000028U	NA	0.0021U	0.00097U	NA	0.00012F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U
	CS-MW9-LGR	Duplicate	AP18439	0.0008U	0.0675	0.0002F	82.87M	0.002F	0.003U	0.01U	0.0025F	0.0001U	11.234	0.0177	0.024	11.02M	NA	NA	12.36	NA	0.02F
AP18440			0.0008U	0.0636	0.0001U	82.49M	0.002F	0.003U	0.05F	0.0012F	0.0002F	10.758	0.0172	0.024	10.49M	NA	NA	11.51	NA	0.022F	
			AP22203	0.0008U	0.0419J	0.0001U	97.3	0.003F	0.003U	0.02F	0.0009F	0.0001U	11.673	0.0062	0.01	3.88	NA	NA	10.08	NA	0.017F
			AP26535/AP26521	0.0008U	0.0338	0.0001J	NA	0.001U	0.003U	NA	0.0008U	0.0002F	NA	NA	0.018	NA	NA	NA	NA	NA	0.008U
			STL D2C140338002	0.00062F	0.035	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	0.033	NA	NA	NA	NA	NA	0.0135
			STL D2C140338003	0.00061F	0.035	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	0.0331	NA	NA	NA	NA	NA	0.0132
			STL	0.00059F	0.0319	0.000044F	NA	.0026U	.0042U	NA	.0015F	0.000028U	NA	NA	0.0148	NA	NA	NA	NA	NA	0.0142
			STLD3F210180	0.00042F	0.031	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.045	NA	NA	NA	NA	NA	0.016
		STLD4F170404	0.00035F	0.034	0.000028U	NA	0.0021U	0.00097U	NA	0.000082F	0.000025U	NA	NA	0.041	NA	NA	NA	NA	NA	0.0046F	
CS-MW9-BS	Duplicate	AP18441	0.0015F	0.0134	0.0001U	4.42	0.003F	0.003U	0.081F	0.0009F	0.0001U	19.006	0.0123	0.003F	53.47	NA	NA	50.62	NA	0.021F	
		AP22204	0.001F	0.025J	0.0001U	12.38	0.001U	0.003U	0.01U	0.0024F	0.0002F	22.05	0.0025F	0.001U	36.68	NA	NA	43.15	NA	0.016F	
			AP26536/AP26522	0.0008U	0.0204	0.0001U	NA	0.001U	0.003U	NA	0.0008U	0.0002F	NA	NA	0.001U	NA	NA	NA	NA	NA	0.008U
			STL D2C140338004	0.016F	0.0176	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0033F
			STL	0.018F	0.022	0.000022U	NA	.0026U	.0042U	NA	0.00054F	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0033
			STLD3F210180	0.00094F	0.048	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0074F
			STLD4F170404	0.0028F	0.059	0.000033F	NA	0.0021U	0.00097U	NA	0.0002F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0044F
	CS-MW9-CC	Duplicate	AP18442	0.0013F	0.0274	0.0001U	53.72	0.002F	0.003U	0.171F	0.0008U	0.0001U	40.007	0.0312	0.005F	9.16	NA	NA	25.71	NA	0.054
AP22205			0.0008U	0.0193J	0.0001U	56.79	0.001U	0.003U	0.01U	0.0008U	0.0001U	43.794	0.0065	0.003F	8.01	NA	NA	25.15	NA	0.036F	
			AP26537/AP26523	0.001F	0.0195	0.0001U	NA	0.013	0.003U	NA	0.0008U	0.0001U	NA	NA	0.001U	NA	NA	NA	NA	NA	0.01F
			STL D2C140338005	0.012F	0.0205	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.002F
			STL	0.013F	0.0185	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	0.0403
			STLD3F210180	0.00034F	0.02	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.011
			STLD3F210180	0.00029F	0.019	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0056F
			STLD4F170404	0.00023F	0.022	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U

Appendix D
Groundwater Metals Analytical Results, 1995 - 2003
Camp Stanley Storage Activity, Texas

Well ID	Laboratory	Sample Date	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Calcium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Mercury (mg/L)	Magnesium (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Potassium (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sodium (mg/L)	Thallium (mg/L)	Zinc (mg/L)	
CS-MW10-LGR	AP26450/AP26442	12/13/2001	0.0008U	0.0414	0.0001U	63.34	0.001U	0.014	NA	0.0022F	0.0001U	31.014	0.0023R	0.001U	17.16R	NA	NA	16.62	NA	0.052	
	STL D2C130247008	3/12/2002	0.00062F	0.0258	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041U	NA	NA	NA	NA	NA	.0063F	
	STL	6/18/2002	0.00078F	0.0348	0.000022U	NA	.0026J	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041J	NA	NA	NA	NA	NA	.005F	
	STLD3F190360	6/18/2003	0.00063F	0.048	0.000051U	NA	0.0021U	0.00097U	NA	0.00028F	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0073F	
	STLD3F190360	6/18/2003	0.00063F	0.047	0.000051U	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0067F	
Duplicate	STLD4F240332	06/23/04	0.00066F	0.046	0.000028U	NA	0.0021U	0.00097U	NA	0.00019F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U	
CS-MW10-CC	AP26451/AP26443	12/13/2001	0.0058	0.0326	0.0001U	59.39	0.001U	0.003U	NA	0.0016F	0.0001U	50.409	0.0118R	0.021	8.39R	NA	NA	32.05	NA	0.06	
	STL D2C130247009	3/12/2002	.0037F	0.0273	0.000022U	NA	.0026U	.0042U	NA	0.00015U	0.000028U	NA	NA	.0058F	NA	NA	NA	NA	NA	0.0173	
	STL	6/18/2002	.0033F	0.0243	0.000034F	NA	.0026J	.0042U	NA	0.00015U	0.000028U	NA	NA	.0041J	NA	NA	NA	NA	NA	.007F	
	STLD3F190360	6/18/2003	0.0026F	0.032	0.000051U	NA	0.0035F	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0068F	NA	NA	NA	NA	NA	0.0059F	
	STLD4F240332	06/23/04	0.0021F	0.032	0.000028U	NA	0.0021U	0.00097U	NA	0.00011F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U	
CS-MW11A-LGR	STLD3F180197	6/17/2003	0.00067F	0.03	0.000051U	80	0.0021U	0.0017F	0.019U	0.00019U	0.000031F	21	0.0015F	0.0042U	1.9	NA	NA	6.1	NA	0.044	
	STLD4F240332	06/23/04	0.00055F	0.035	0.000028U	NA	0.0021U	0.00097U	NA	0.00012F	0.000025U	NA	NA	0.0047F	NA	NA	NA	NA	NA	0.0053F	
CS-MW11B-LGR	STLD3F180197	6/17/2003	0.00034F	0.035	0.000051U	100	0.0021U	0.0018F	0.022F	0.0005F	0.000036F	16	0.0026F	0.0042U	2.4	NA	NA	10	NA	0.019	
CS-MW12-LGR	STL	12/16/2002	0.00071F	0.032	0.000022U	58	0.0013F	0.00076U	.013U	0.00015U	0.000015U	32	.0025F	.0029F	5	NA	NA	8.2	NA	0.096	
	STLD3F180197	6/16/2003	0.00046F	0.033	0.000051U	NA	0.0021U	0.0022F	NA	0.00019U	0.000035F	NA	NA	0.0056F	NA	NA	NA	NA	NA	0.031	
	STLD4F220238	06/21/04	0.00049F	0.037	0.000028U	NA	0.0021U	0.00097U	NA	0.000095F	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.023F	
CS-MW12-BS	STL	12/16/2002	.0013F	0.0069	0.000045F	3.8	0.00074U	0.00076U	.020F	0.00015U	0.000015U	27	.0013F	0.011	82	NA	NA	45	NA	0.012	
	STLD3F180197	6/16/2003	0.003F	0.0071	0.000051U	NA	0.0021U	0.0013F	NA	0.00019U	0.000032F	NA	NA	0.011	NA	NA	NA	NA	NA	0.018	
	STLD4F220238	06/21/04	0.0018F	0.017	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.0069F	NA	NA	NA	NA	NA	0.0036U	
CS-MW12-CC	STL	12/16/2002	0.011	0.095	0.000079F	5.6	.001F	0.00076U	.015F	0.00035F	0.000015U	0.49	0.00049U	0.022	360	NA	NA	93	NA	0.017	
	Duplicate	STL	12/16/2002	0.011	0.097	0.000076F	5.6	.0011F	0.00076U	.014F	0.00037F	0.000015U	0.49	0.00049U	0.023	360	NA	NA	93	NA	0.018
	STLD3F180197	6/16/2003	0.0019F	0.037	0.000051U	NA	0.0021U	0.0018F	NA	0.00019U	0.00004F	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.02	
	STLD4F220238	06/21/04	0.0031F	0.035	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.0042U	NA	NA	NA	NA	NA	0.0036U	
CS-MW17-LGR	STL	9/12/2002	0.00057F	0.037	0.000023F	82.00	.0043F	.0029F	0.270	0.00096F	0.000028U	31.00	0.035	0.15	2.00	NA	NA	9.20	NA	0.27	
	Duplicate	STLD3F240154	6/23/2003	0.00081F	0.03	0.000052F	NA	0.0021	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.039	NA	NA	NA	NA	0.011	
	STLD3F240154	6/23/2003	0.0007F	0.031	0.000066F	NA	0.0021U	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.038	NA	NA	NA	NA	NA	0.017	
	STLD4F170404	06/15/04	0.00041F	0.036	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.029	NA	NA	NA	NA	NA	0.0036U	
CS-MW18-LGR	STL	9/12/2002	0.00062F	0.039	0.000022U	79.00	0.00074U	.0045F	.020F	0.00015U	0.000028U	25.00	0.0084	0.015	1.70	NA	NA	9.10	NA	0.044	
	STLD3F240154	6/23/2003	0.00078F	0.23	0.000051U	NA	0.014	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.0066F	NA	NA	NA	NA	NA	0.0036U	
	STLD4F180203	06/17/04	0.00041F	0.045	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.014	NA	NA	NA	NA	NA	0.0036U	
CS-MW19-LGR	STL	9/12/2002	0.00051F	0.038	0.000028F	87.00	0.00074U	0.0086F	.013U	0.00019F	0.000028U	21.00	0.0068	0.011	12.00	NA	NA	13.00	NA	0.39	
	STLD3F240154	6/23/2003	0.00065F	0.034	0.000051U	NA	0.0026F	0.00097U	NA	0.00019U	0.000015U	NA	NA	0.085	NA	NA	NA	NA	NA	0.035	
	STLD4F170404	06/16/04	0.00062F	0.036	0.000028U	NA	0.0021U	0.00097U	NA	0.000077U	0.000025U	NA	NA	0.061	NA	NA	NA	NA	NA	0.015F	
Comparison Criteria	MCL	0.05	2.0	0.005	NA	0.1	1.3	NA	0.015	0.002	NA	NA	NA	0.1	NA	0.05	--	NA	0.002	--	
	GW-Ind	0.05	2.0	0.005	NA	0.1	1.3	NA	0.015	0.002	NA	NA	NA	0.1	NA	0.05	0.51	NA	0.002	31	
	Chemron PQL	0.005	0.02	0.005	NA	0.1	1.3	NA	0.015	0.002	NA	NA	NA	2	NA	--	--	NA	--	3.1	
	Chemron MDL	MDLs not prov NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	ITS PQL	0.005	0.020	0.001	NA	0.07	0.06	NA	0.005	0.001	NA	NA	NA	0.15	NA	--	--	NA	--	0.02	
	ITS MDL	0.0009	0.001	0.0002	NA	0.002	0.004	NA	0.0015	0.0001	NA	NA	NA	0.003	NA	--	--	NA	--	0.016	
	O'B&G RL	0.005	0.005	0.001	NA	0.01	0.01	NA	0.005	0.001	NA	NA	NA	0.01	NA	0.03	0.01	NA	0.08	0.05	
	O'B&G MDL	0.00028	0.0003	0.00021	NA	0.0012	0.0009	NA	0.00142	0.00016	NA	NA	NA	0.0014	NA	0.0021	0.0012	NA	0.0034	0.0014	
	APPL RL	0.005	0.005	0.001	1.1	0.01	0.01	0.2	0.005	0.001	0.1	0.005	0.01	1.	NA	NA	1.	NA	0.05	0.05	
	APPL MDL	0.0008	0.0003	0.0001	0.02	0.001	0.003	0.01	0.0008	0.0001	0.005	0.0003	0.001	0.02	NA	NA	0.02	NA	0.008	0.008	
STL RL	0.005	0.005	0.001	NA	0.010	0.010	NA	0.002	0.001	NA	NA	NA	0.010	NA	NA	NA	NA	NA	0.010		
STL Md	0.00006	0.0018	0.00002	NA	0.00074	0.00076	NA	0.00015	0.00003	NA	NA	NA	0.0017	NA	NA	NA	NA	NA	0.0068		

Notes:

- Due to potential improper practices, the ITS data cannot be used to draw any conclusions about groundwater quality at CSSA.
- January 1996 data represents re-test data.
- Samples were not analyzed for Alkalinity, TD_L, pH, and Resistivity prior to 1997.
- F = The analyte was positively identified but the associated numerical value is below the RL.
- J = The analyte was positively identified below quantitation limits; the quantitation is an estimate.
- R = The data are unusable with deficiencies in the ability to analyze the sample and meet QC criteria.
- U = The analyte was analyzed for, but not detected. The associated numerical value is at or below the method detection.
- NA = Not sampled for this parameter.

Shaded areas indicate analytical data analyzed by ITS Laboratories.

Bold	Value > or = MCL
Bold	MCL > Value > or = RL
Bold	RL > Value > MDL

¹ Indicates that data is screening analytical data only.