

FINAL
MARCH 2009

On-Post
Quarterly Groundwater Monitoring Report



Prepared For

Department of the Army
Camp Stanley Storage Activity
Boerne, Texas

September 2009

GEOSCIENTIST CERTIFICATION

March 2009 On-post Quarterly Groundwater Monitoring Report


For

Department of the Army

Camp Stanley Storage Activity

Boerne, Texas

I, Julie Burdey, P.G., hereby certify that the March 2009 On-post Quarterly Groundwater Monitoring Report for the Camp Stanley Storage Activity installation in Boerne, Texas accurately represents the site conditions of the subject area. This certification is limited only to geoscientific products contained in the subject report and is made on the basis of written and oral information provided by the CSSA Environmental Office, laboratory data provided by APPL Laboratories, and field data obtained during groundwater monitoring conducted at the site in March 2009, and is true and accurate to the best of my knowledge and belief.



Julie Burdey, P.G.
State of Texas
Geology License No. 1913

9/16/2009

Date

TABLE OF CONTENTS

GEOSCIENTIST CERTIFICATION	i
EXECUTIVE SUMMARY	iii
1.0 INTRODUCTION	1
2.0 POST-WIDE FLOW DIRECTION AND GRADIENT	2
3.0 MARCH ANALYTICAL RESULTS	8
3.1 Monitoring Wells	8
3.2 Westbay-equipped Wells	8
4.0 SUMMARY	9

APPENDICES

Appendix A Evaluation of Data Quality Objectives Attainment

Appendix B March 2009 Quarterly On-Post Groundwater Monitoring Analytical Results

Appendix C March 2009 Westbay Analytical Results

LIST OF TABLES

Table 3-1 Overview of the On-Post Monitoring Program	6
Table 3-2 March 2009 On-post Quarterly Groundwater Results, Detected Analytes	10
Table 3-3 March 2009 Westbay Analytical Results, Detected Analytes	11

LIST OF FIGURES

Figure 2-1 March 2009 Potentiometric Surface Map, LGR Wells Only.....	4
Figure 2-2 March 2009 Potentiometric Surface Map, BS Wells Only.....	4
Figure 2-3 March 2009 Potentiometric Surface Map, CC Wells Only	5
Figure 3-1 On-Post & Off-Post Well Sampling Locations for March 2009.....	9

EXECUTIVE SUMMARY

- Of the 24 wells scheduled to be sampled in March 2009, five wells were not sampled due to low water levels associated with the prolonged drought. Samples were submitted for VOC (CSSA short list) and metals (cadmium, chromium, lead, and mercury) analyses.
- Water levels have continued to decrease for the fifth consecutive quarter after the record high rainfall during the first half of 2007. CSSA received roughly 3 inches of rain between January and March 2009, and the average water level dropped about 6 feet.
- The maximum detection limit (MCL) was exceeded for chromium in well CS-MW1-LGR. In the remaining wells, chromium was detected above the method detection limit (MDL) but below the reporting limit (RL) in 7 of the 19 samples collected.
- Tetrachloroethene (PCE) and trichloroethene (TCE) concentrations exceeded the MCL in wells CS-MW1-LGR, CS-MW16-LGR, and CS-MW16-CC. The *cis*-1,2-dichloroethene (DCE) concentration exceeded the MCL in well CS-MW16-LGR.
- The Upper Glen Rose (UGR), Lower Glen Rose (LGR), Bexar Shale (BS), and Cow Creek (CC) zones of Westbay wells 01-04 were sampled this quarter. PCE was above the MCL in 16 of the 37 zones sampled. Westbay wells will be sampled again in September 2009.

MARCH 2009 GROUNDWATER MONITORING REPORT CAMP STANLEY STORAGE ACTIVITY, TEXAS

1.0 INTRODUCTION

This report presents results from the on-post quarterly sampling performed at Camp Stanley Storage Activity (CSSA) in March 2009. Laboratory analytical results are presented along with potentiometric contour figures. The purpose of this report is to present a summary of the sampling results. Results from all four 2009 quarterly monitoring events (March, June, September, and December) will be described in detail in an Annual Report. The Annual Report will also provide an interpretation of all analytical results and an evaluation of any temporal or spatial trends observed in the groundwater contaminant plume during investigations.

Groundwater monitoring at CSSA, scoped under the U.S. Army Corps of Engineers (USACE) Fort Worth District (CESWF), Contract W9126G-07-D-0028, Task Order (TO) DO11, was performed March 9, 2009 through March 20, 2009. On-post groundwater monitoring conducted under this TO began with this March 2009 sampling event.

Current objectives of the groundwater monitoring program are to determine groundwater flow direction and elevations, determine groundwater contaminant concentrations for characterization purposes, and identify meteorological and seasonal variations in physical and chemical properties. **Appendix A** identifies the data quality objectives (DQO) for CSSA's groundwater monitoring program, along with an evaluation of whether each DQO was attained. The objectives listed in Appendix A also reference appropriate sections of the **3008(h) Administrative Order on Consent** (Order).

The CSSA groundwater monitoring program follows the provisions of the groundwater monitoring program DQOs as well as the recommendations of the **Three-Tiered Long Term Monitoring Network Optimization Evaluation (Parsons 2005)** which provided recommendations for sampling based on a long-term monitoring optimization (LTMO) study performed for the CSSA groundwater monitoring program. LTMO study sampling frequencies were implemented on-post in December 2005, as approved by the Texas Commission on Environmental Quality (TCEQ) and the United States Environmental Protection Agency (USEPA).

2.0 POST-WIDE FLOW DIRECTION AND GRADIENT

Forty-seven water level measurements were recorded on March 9, 2009 from on-post monitoring wells completed in the Lower Glen Rose (LGR), Bexar Shale (BS), and Cow Creek (CC) formations. The groundwater potentiometric surface maps illustrating groundwater elevations from the LGR, BS, and CC zones in March 2009 are shown in **Figures 2-1, 2-2, and 2-3**.

The March 2009 potentiometric surface map for LGR-screened wells exhibited a wide range of groundwater elevations, from a minimum of 882.57 feet above mean sea level (MSL) at CS-MW10-CC to a maximum 1048.80 feet above MSL at FO-20. Groundwater elevations are generally higher in the northern and central portions of CSSA, and decrease to the southwest and southeast. Average groundwater elevations in March 2009 decreased 6.41 feet from the elevations measured in December 2008, reflecting the lack of significant rain in the area. From January 1, 2009 to March 20, 2009, weather station south (WS-S) recorded 15 rainfall events with 3.16 inches of rain. Weather station north (WS-N) recorded 13 rainfall events with a total of 2.58 inches of rain during the same period. Most of the rainfall was reported on March 11th and 12th, with approximately one inch of rainfall each day.

Well CS-MW4-LGR in the central portion of CSSA usually has one of the highest groundwater elevations of LGR-screened wells. The elevation is usually 20 to 40 feet higher than the nearest comparable wells (CS-MW2-LGR and CS-MW5-LGR). However, the prolonged drought of 2008-2009 has muted this effect to the point that the groundwater mounding is no longer evident in March 2009. This effect has been observed in the past, most recently in 2006. When groundwater in the vicinity of CS-MW4-LGR drops below about 970 feet MSL, the mounding effect is negated.

It should be noted that pumping of CSSA wells affects the potentiometric surface. Monitoring wells CS-MW16-LGR and CS-MW16-CC pumped groundwater continuously to the SWMU B-3 Bioreactor between January and March 2009. Drinking water wells CS-1 and CS-10 are cycled on and off periodically to maintain the drinking water system currently in place at CSSA. Influence from these pumping wells is depicted in **Figure 2-1**. In March 2009, the groundwater level in CS-MW2-LGR appears to be abnormally low compared to the surrounding groundwater wells. It is postulated that a measurement error during the field collection resulted in an erroneous groundwater depression at CS-MW2-LGR.

Historical groundwater monitoring at CSSA has demonstrated that the aquifer gradient is typically in a south-southeast direction. However, variable aquifer levels and well pumping scenarios all can affect the localized and regional gradients. In particular, pumping action at wells CS-1, CS-9, CS-10, and CS-MW16-LGR/CC can significantly alter the perceived groundwater gradient. Past groundwater reports have used several methods and strategies for determining an “average” groundwater gradient for the Middle Trinity aquifer water table (Lower Glen Rose component). The most recent reports have used a set number of well pairs to calculate and average the groundwater gradient, however, the use of these well pairs cannot be consistently applied across monitoring events for true directional gradient.

In order to simplify and standardize the regional gradient calculation, an overall groundwater gradient averaged across CSSA (as measured from CS-MWH-LGR to CS-MW21-LGR) will be employed for this and future reports. This approach will standardize the process and make comparisons between monitoring events more meaningful. For March 2009, the overall groundwater gradient is to the south-southeast at 0.00658 ft/ft.

Groundwater elevations have been measured and recorded since 1992. Previous droughts resulted in water levels decreasing substantially in 1996, 1999, 2000, and 2006. However, there was unusually high rainfall, 53.17 inches, in 2007. The current drought has caused groundwater elevations to decrease since the December 2007 event. Water levels in March 2009 are essentially equivalent to the groundwater lows that occurred in December 2006.






Figure 2-1
 March 2009 Potentiometric Surface Map, LGR Wells
 Camp Stanley Storage Activity
 Parsons







0 1,200 2,400 3,600 4,800 Feet

- Flow direction
- BS Groundwater Contours
- Outer fence
- BS Wells

Figure 2-2
 March 2009 Potentiometric
 Surface Map, BS Wells
 Camp Stanley Storage Activity
Parsons



-  Flow direction
-  CC Groundwater Contours
-  Outer fence
-  CC Wells


0 1,200 2,400 3,600 4,800
 Feet

Figure 2-3
 March 2009 Potentiometric
 Surface Map, CC Wells
 Camp Stanley Storage Activity
Parsons

**Table 3-1
Overview of the On-Post Monitoring Program**

Count	Well ID	Analytes	Last Sample Date	Mar-09	Jun-09	Sep-09	Dec-09	Sampling Frequency
1	CS-MW1-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
2	CS-MW1-BS	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
3	CS-MW1-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
4	CS-MW2-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
5	CS-MW2-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
6	CS-MW3-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
7	CS-MW4-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-08	S	NS	S	NS	Semi-annual
8	CS-MW5-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
9	CS-MW6-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
10	CS-MW6-BS	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	S	NS	Biennial
11	CS-MW6-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	S	NS	Biennial
12	CS-MW7-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
13	CS-MW7-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	S	NS	Biennial
14	CS-MW8-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NS	S	NS	NS	Every 9 months*
15	CS-MW8-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	S	NS	Biennial
16	CS-MW9-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
17	CS-MW9-BS	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
18	CS-MW9-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
19	CS-MW10-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NS	S	NS	NS	Every 9 months*
20	CS-MW10-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	S	NS	Biennial
21	CS-MW11A-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
22	CS-MW11B-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-08	S	NS	S	NS	Semi-annual
23	CS-MW12-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NS	S	NS	NS	Every 9 months*
24	CS-MW12-BS	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
25	CS-MW12-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
26	CS-MW16-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
27	CS-MW16-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
28	CW-MW17-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Dec-07	S	NS	NS	S	Every 9 months*
29	CS-MW18-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-08	S	NS	S	NS	Semi-annual
30	CS-MW19-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
31	CS-1	VOCs & metals (As,Ba,Cr, Cu,Cd,Hg,Pb,Zn)	Dec-08	NS	NS	S	NS	Every 9 months*
32	CS-2	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NS	S	NS	NS	Every 9 months*
33	CS-4	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
34	CS-9	VOCs & metals (As,Ba,Cr, Cu,Cd,Hg,Pb,Zn)	Dec-08	NS	NS	S	NS	Every 9 months*
35	CS-10	VOCs & metals (As,Ba,Cr, Cu,Cd,Hg,Pb,Zn)	Dec-08	NS	NS	S	NS	Every 9 months*
36	CS-11	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NS	S	NS	NS	Every 9 months*
37	CS-D	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	S	NS	S	NS	Semi-annual
38	CS-MWG-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NS	S	NS	NS	Every 9 months*
39	CS-MWH-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
40	CS-I	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-06	S	NS	NS	S	Every 9 months*
41	CS-MW20-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Dec-08	S	S	S	S	Quarterly**
42	CS-MW21-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Dec-08	S	S	S	S	Quarterly**
43	CS-MW22-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Dec-08	S	S	S	S	Quarterly**
44	CS-MW23-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Dec-08	S	S	S	S	Quarterly**
45	CS-MW24-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Dec-08	S	S	S	S	Quarterly**
46	CS-MW25-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Dec-08	S	S	S	S	Quarterly**

*Wells recommended for annual sampling frequency in the LTMO are scheduled every nine months (every third quarter) to gather seasonal data.

**Quarterly until LTMO Update Study can recommend a frequency.

S = Sample

NS = No Sample

3.0 MARCH ANALYTICAL RESULTS

3.1 Monitoring Wells

Under the provisions of the groundwater monitoring DQOs and the LTMO study, the schedule for sampling on-post in March 2009 included 24 on-post monitoring wells. **Table 3-1** provides a sampling overview for March 2009 and the schedule under the LTMO recommendations. The monitoring wells (CS-MW1-LGR, CS-MW2-LGR, CS-MW3-LGR, CS-MW4-LGR, CS-MW5-LGR, CS-MW6-LGR, CS-MW7-LGR, CS-MW9-LGR, CS-MW11A-LGR, CS-MW11B-LGR, CS-MW17-LGR, CS-MW18-LGR, CS-MW19-LGR, CS-MW20-LGR, CS-MW21-LGR, CS-MW22-LGR, CS-MW23-LGR, CS-MW24-LGR, CS-MW25-LGR, CS-D, and CS-4) were sampled using dedicated low-flow gas operated bladder pumps. Wells CS-MW16-LGR, CS-MW16-CC, CS-I were sampled using dedicated submersible pumps. Wells CS-MW11B-LGR, CS-MW17-LGR, CS-MW18-LGR, CS-4, and CS-D were not sampled because water levels were below the bladder pumps. **Figure 3-1** shows well sampling locations.

Wells sampled by low-flow pumps were purged until the field parameters stabilized. Field parameters including pH, temperature, and conductivity, were recorded to ensure stabilization during well purging. The on-post monitoring wells were sampled in March 2009 for the short list of volatile organic compounds (VOC), and metals (cadmium, lead, chromium, and mercury). Samples were analyzed by APPL Laboratories in Fresno, California. All detected concentrations of VOCs and metals are presented in **Table 3-2**. Full analytical results are presented in **Appendix B**.

Results from on-post monitoring wells are considered definitive data and are subject to data validation and verification under provisions of the CSSA Quality Assurance Project Plan (QAPP). Parsons data packages numbered DO-11- #27 through #29 containing the analytical results from this sampling event were received by Parsons April 3 - 10, 2009. Data validation was conducted and the data validation summary was submitted to CSSA. Cumulative historical analytical results can be found in [Tables 6 and 7](#) of the [Introduction to the Quarterly Groundwater Monitoring Program](#) (Parsons 2001) ([Volume 5, Groundwater](#)). Plume maps from this quarter will be included in the 2009 Annual Groundwater Report.

3.2 Westbay-equipped Wells





Under the provisions of the groundwater monitoring DQOs and the LTMO study, the schedule for on-post sampling in March 2009 included the UGR, LGR, and CC zones in Westbay wells CS-WB01, CS-WB02, CS-WB03, and CS-WB04. These wells are sampled on a semi-annual frequency as recommended in the LTMO study and will be sampled again during the September 2009 event. All detected concentrations of VOCs are presented in **Table 3-3**. Full analytical results are presented in **Appendix C**. The Westbay wells are sampled for VOCs: 1,1-dichloroethene, *cis*-1,2-DCE, *trans*-1,2-DCE, PCE, TCE, and vinyl chloride.

Westbay wells CS-WB05, CS-WB06, CS-WB07, and CS-WB08 are not sampled as part of the groundwater monitoring program but are sampled as part of the SWMU B-3 bioreactor monitoring. Results for those wells are presented in a separate report.

4.0 MARCH 2009 SUMMARY

- Of the 24 wells scheduled for sampling, 19 were sampled in March 2009. Five wells were not sampled because water levels were below the bladder pumps.
- From January 1 to March 20, 2009, weather stations north and south recorded 3.16 and 2.58 inches of rain, respectively.
- Water levels decreased an average of 6.41 feet per well since last quarter. The water levels have continued to decrease for the fifth consecutive quarter after record high rainfall in 2007.
- PCE and TCE were detected above the MCL in wells CS-MW1-LGR, CS-MW16-LGR, and CS-MW16-CC.
- *Cis*-1,2-DCE was detected above the MCL in well CS-MW16-LGR.
- Chromium was detected at a concentration 0.102 mg/L, which was slightly above the MCL (0.1 mg/L) in well CS-MW1-LGR this quarter. Chromium was also detected in seven other wells, all below the RL.
- Three of the four Westbay wells sampled showed the LGR-02 zone as dry. The UGR zone was also dry in 3 of the 4 Westbay wells.
- The MCL was exceeded for PCE in 16 Westbay wells zones and the MCL for TCE was exceeded in 11 of the Westbay well zones.
- Westbay well zone CS-WB03-UGR-01 reported PCE at a concentration of 1,700 µg/L. WB03 had detections of PCE above the MCL in every zone except CS-WB03-LGR-01 and CS-WB03-LGR-02, which were dry.
- In general, VOC levels in CS-MW16-LGR have been increasing since September 2007. In the past, VOC increases in CS-MW16-LGR were attributed to rainfall/recharge percolating through the contaminated vadose zone around SWMU B-3. However, because the CSSA area is currently under severe drought conditions, it is likely this latest increase in VOC contamination is a result of water infiltration at the Bioreactor and the enlarged capture zone around CS-MW16-LGR.

Inset Map B-3 Bioreactor



Sampled Wells

- >MCL (VOC's & Metals)
- >RL (VOC's only)
- >MDL (VOC's only)
- ND
- Other Wells
- Westbay Wells
- Fence Line

Figure 3-1

On-Post and Off-Post Well Sampling
Locations for March 2009

Camp Stanley Storage Activity

PARSONS

**Table 3-2
March 2009 Quarterly On-Post Groundwater Monitoring Analytical Results**

Well ID	Sample Date	Cadmium	Chromium	Lead	Mercury	Comments
CS-MW1-LGR	3/17/2009	--	0.102	--	--	This is the first time chromium has exceeded the MCL in this well.
CS-MW2-LGR	3/17/2009	--	--	--	--	
CS-MW3-LGR	3/16/2009	--	--	--	--	
CS-MW3-LGR FD	3/16/2009	--	--	--	--	
CS-MW4-LGR	3/17/2009	--	0.003F	--	--	Sporadic chromium detections.
CS-MW5-LGR	3/17/2009	--	--	--	--	
CS-MW6-LGR	3/18/2009	--	0.002F	--	--	
CS-MW7-LGR	3/12/2009	--	0.005F	--	--	
CS-MW9-LGR	3/16/2009	--	--	--	--	
CS-MW11A-LGR	3/12/2009	--	0.006F	--	--	
CS-MW16-LGR	3/12/2009	--	--	--	--	
CS-MW16-CC	3/12/2009	--	--	--	--	
CS-MW19-LGR	3/16/2009	--	0.002F	--	--	
CS-MW20-LGR	3/18/2009	--	--	--	--	
CS-MW21-LGR	3/18/2009	--	--	--	--	
CS-MW21-LGR FD	3/18/2009	--	--	--	--	
CS-MW22-LGR	3/18/2009	--	0.005F	0.0077F	--	Lead previously above the MCL.
CS-MW23-LGR	3/12/2009	--	--	--	--	
CS-MW24-LGR	3/12/2009	--	--	--	--	
CS-MW25-LGR	3/16/2009	--	0.002F	0.0020F	--	Lead previously above the MCL.
CS-I	3/16/2009	--	--	--	--	Last sampled June 2006, pump has since been repaired.

Comparison Criteria				
Method Detection Limit (MDL)	0.0005	0.001	0.0019	0.0001
Reporting Limit (RL)	0.007	0.01	0.025	0.001
Max. Contaminant Level (MCL)	0.005	0.1	AL=0.015	0.002

Well ID	Sample Date	1,1-DCE	cis-1,2-DCE	trans-1,2-DCE	PCE	TCE	Vinyl Chloride	Comments
CS-MW1-LGR	3/17/2009	--	15.16	0.43F	11.63	27.99	--	PCE and TCE constantly exceed the MCLs.
CS-MW2-LGR	3/17/2009	--	0.51F	--	0.45F	0.18F	--	
CS-MW3-LGR	3/16/2009	--	--	--	--	--	--	
CS-MW3-LGR FD	3/16/2009	--	--	--	--	--	--	
CS-MW4-LGR	3/17/2009	--	--	--	--	--	--	
CS-MW5-LGR	3/17/2009	--	0.99F	--	--	0.94F	--	
CS-MW6-LGR	3/18/2009	--	--	--	--	--	--	
CS-MW7-LGR	3/12/2009	--	--	--	--	--	--	
CS-MW9-LGR	3/16/2009	--	--	--	--	--	--	
CS-MW11A-LGR	3/12/2009	--	--	--	0.43F	--	--	
CS-MW16-LGR	3/12/2009	--	127.17	0.13F	193.36	161.07	--	PCE and TCE constantly exceed the MCLs.
CS-MW16-CC	3/12/2009	0.39F	37.79	2.09	11.15	53.28	--	PCE and TCE constantly exceed the MCLs.
CS-MW19-LGR	3/16/2009	--	--	--	0.56F	--	--	
CS-MW20-LGR	3/18/2009	--	--	--	0.97F	--	--	
CS-MW21-LGR	3/18/2009	--	--	--	--	--	--	
CS-MW21-LGR FD	3/18/2009	--	--	--	--	--	--	
CS-MW22-LGR	3/18/2009	--	--	--	--	--	--	
CS-MW23-LGR	3/12/2009	--	--	--	--	--	--	
CS-MW24-LGR	3/12/2009	--	--	--	--	--	--	
CS-MW25-LGR	3/16/2009	--	--	--	--	--	--	
CS-I	3/16/2009	--	--	--	--	--	--	

Comparison Criteria							
Method Detection Limit (MDL)	0.12	0.07	0.08	0.06	0.05	0.08	
Reporting Limit (RL)	1.2	1.2	0.6	1.4	1	1.1	
Max. Contaminant Level (MCL)	7	70	100	5	5	2	

BOLD	= Above the MDL
BOLD	= Above the RL
BOLD	= Above the MCL

Precipitation per Quarter:	
Weather Station North (WS-N):	2.58
Weather Station South (WS-S):	3.16

All samples were analyzed by APPL, Inc.
VOC data reported in ug/L & metals data reported in mg/L.

Abbreviations/Notes:
FD Field Duplicate
TCE Trichloroethene
PCE Tetrachloroethene
DCE Dichloroethene
AL Action Level
SS Secondary Standard
NA Not Analyzed for this parameter

Data Qualifiers
--The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.
F-The analyte was positively identified but the associated numerical value is below the RL.

Table 3-3
March 2009 Westbay Analytical Results, Detected Analytes

Well ID	Date Sampled	1,1-DCE (1,1-dichloroethene)	cis-1,2-DCE (cis-1,2-dichloroethene)	TCE (trichloroethene)	PCE (tetrachloroethene)	trans-1,2-DCE (trans-1,2-dichloroethene)	Vinyl Chloride
CS-WB01-LGR-01	3/16/2009	--	--	0.26J	6.4	--	--
CS-WB01-LGR-02	3/16/2009	--	--	4.2	11	--	--
CS-WB01-LGR-03	3/16/2009	--	--	9.4	2.8	--	--
CS-WB01-LGR-04	3/16/2009	--	--	0.24J	--	--	--
CS-WB01-LGR-05	3/16/2009	--	--	0.25J	--	--	--
CS-WB01-LGR-06	3/16/2009	--	--	0.62J	--	--	--
CS-WB01-LGR-07	3/16/2009	--	--	12	15	--	--
CS-WB01-LGR-08	3/16/2009	--	--	1.6	--	--	--
CS-WB01-LGR-09	3/16/2009	--	0.37J	20	18	--	--
CS-WB02-LGR-03	3/11/2009	--	--	4.4	9.8	--	--
CS-WB02-LGR-04	3/11/2009	--	--	13	3.3	--	--
CS-WB02-LGR-05	3/11/2009	--	--	5.0	0.22J	--	--
CS-WB02-LGR-06	3/11/2009	--	--	4.3	--	--	--
CS-WB02-LGR-07	3/11/2009	--	--	1.2	0.49J	--	--
CS-WB02-LGR-08	3/11/2009	--	0.16J	2.1	2.6	--	--
CS-WB03-UGR-01	3/10/2009	--	--	56J*	1,700*	--	--
CS-WB03-LGR-03	3/10/2009	--	0.21J	7.7	18	--	--
CS-WB03-LGR-04	3/10/2009	--	--	7.7	19	--	--
CS-WB03-LGR-05	3/10/2009	--	--	5.9	16	--	--
CS-WB03-LGR-06	3/10/2009	--	--	1.2	8.9	--	--
CS-WB03-LGR-07	3/10/2009	--	--	2.6	7.2	--	--
CS-WB03-LGR-08	3/10/2009	--	--	1.0	8.2	--	--
CS-WB03-LGR-09	3/10/2009	--	--	3.5	12	--	--
CS-WB04-LGR-01	3/10/2009	--	--	--	0.42J	--	--
CS-WB04-LGR-03	3/10/2009	--	--	--	0.17J	--	--
CS-WB04-LGR-04	3/10/2009	--	--	0.25J	0.23J	--	--
CS-WB04-LGR-06	3/10/2009	--	2.5	13	12	0.31J	--
CS-WB04-LGR-07	3/10/2009	--	2.1	10	7.0	--	--
CS-WB04-LGR-08	3/10/2009	--	--	0.70J	0.29J	--	--
CS-WB04-LGR-09	3/10/2009	--	--	7.0	9.3	--	--
CS-WB04-LGR-10	3/10/2009	--	--	0.69J	1.0J	--	--
CS-WB04-LGR-11	3/10/2009	--	--	--	--	--	--
CS-WB04-BS-01	3/10/2009	--	--	--	--	--	--
CS-WB04-BS-02	3/10/2009	--	--	0.18J	--	--	--
CS-WB04-CC-01	3/10/2009	--	0.37J	0.22J	--	--	--
CS-WB04-CC-02	3/10/2009	--	--	--	--	--	--
CS-WB04-CC-03	3/10/2009	--	--	0.20J	--	--	--
Comparison Criteria							
Method Detection Limit	MDL	0.3	0.16	0.16	0.15	0.19	0.23
Reporting Limit	RL	1.2	1.2	1	1.4	0.6	1.1
Max. Contaminant Level	MCL	7	70	5	5	100	2

Data Qualifiers

'--' indicates the result was non-detected.
 J-The analyte was positively identified; the quantitation is an estimation.
 * dilution of 100 run for this sample.
 All values are reported in µg/L.

BOLD	= Above the MDL.
BOLD	= Above the RL.
BOLD	= Above the MCL.

APPENDIX A

EVALUATION OF DATA QUALITY OBJECTIVES ATTAINMENT

Appendix A Evaluation of Data Quality Objectives Attainment

Activity	Objectives	Action	Objective Attained?	Recommendations
Field Sampling	Conduct field sampling in accordance with procedures defined in the project work plan, SAP, QAPP, and HSP.	All sampling was conducted in accordance with the procedures described in the project plans.	Yes.	NA
Characterization of Environmental Setting (Hydrogeology)	Prepare water-level contour and/or potentiometric maps for each formation of the Middle Trinity Aquifer (3.5.3).	Potentiometric surface maps were prepared based on water levels measured in each of CSSA's wells screened in three formations on March 9, 2009.	To the extent possible with data available. Due to the limited data available and the fact that wells are completed across multiple water-bearing units, potentiometric maps should only be used for regional water flow direction, not local. Ongoing pumping in the CSSA area likely affects the natural groundwater flow direction.	As additional wells are installed screened in distinct formations, future evaluations will eliminate reliance on wells screened across multiple formations.
	Describe the flow system, including the vertical and horizontal components of flow (2.1.9).	Potentiometric maps were created using March 9, 2009 water level data, and horizontal flow direction was tentatively identified. Insufficient data are currently available to determine vertical component of flow.	As described above, due to the lack of aquifer-specific water level information, potentiometric surface maps should only be used as an estimate of regional flow direction.	Same as above.
	Define formation(s) in the Middle Trinity Aquifer are impacted by the VOC contaminants (2.1.3).	Quarterly groundwater monitoring provides information on Middle Trinity Aquifer impacts. Monitoring wells equipped with Westbay® - multi-port samplers are sampled semiannually and will be sampled again during the September 2009 event.	Yes.	Continue sampling.

Activity	Objectives	Action	Objective Attained?	Recommendations
	Identify any temporal changes in hydraulic gradients due to seasonal influences (2.1.5).	Downloaded data from continuous-reading transducers in wells: CS-MW4-LGR, CS-MW18-LGR, CS-MW21-LGR, and CS-MW24-LGR. Additional continuous reading transducers were added to the program through the SCADA project. The following wells can be uploaded to see real time water level data: CS-MW9-LGR, CS-MW9-BS, CS-MW9-CC, CS-MW16-LGR, CS-MW16-CC, CS-MW1-LGR, CS-MW1-BS, CS-MW1-CC, CS-MW12-LGR, CS-MW12-BS, CS-MW12-CC, CS-MW10-LGR, CS-MW10-CC, CS-MW6-LGR, CS-MW6-BS, CS-MW6-CC, CS-9, CS-1, and CS-10. Data was also downloaded from the northern and southern continuous-reading weather stations WS-N and WS-S. Water levels will be graphed at these wells against precipitation data through March 2009 and included in the annual groundwater report.	Yes.	Continue collection of transducer data and possibly install transducers in other cluster wells.
Contamination Characterization (Ground Water Contamination)	Characterize the horizontal and vertical extent of any immiscible or dissolved plume(s) originating from the Facility (3.1.2).	Samples for laboratory analysis were collected from 19 of 46 CSSA wells. Of the 24 wells scheduled to be sampled in March 2009, 19 were sampled. Five wells were not sampled due to low water levels.	The horizontal and vertical extent of groundwater contamination is continuously monitored.	Continue groundwater monitoring and construct additional wells as necessary.

Activity	Objectives	Action	Objective Attained?	Recommendations																														
	Determine the horizontal and vertical concentration profiles of all constituents of concern (COC) in the groundwater that are measured by USEPA-approved procedures (3.1.2). COCs are those chemicals that have been detected in groundwater in the past and their daughter (breakdown) products.	Groundwater samples were collected from wells: CS-MW1-LGR, CS-MW2-LGR, CS-MW3-LGR, CS-MW4-LGR, CS-MW5-LGR, CS-MW6-LGR, CS-MW7-LGR, CS-MW9-LGR, CS-MW11A-LGR, CS-MW19-LGR, CS-MW20-LGR, CS-MW21-LGR, CS-MW22-LGR, CS-MW23-LGR, CS-MW24-LGR, CS-MW25-LGR, CS-MW16-LGR, CS-MW16-CC, and CS-I. Samples were analyzed for the short list of VOCs using USEPA method SW8260B, and metals (cadmium, lead, mercury, and chromium). Analyses were conducted in accordance with the AFCEE QAPP and approved variances. All RLs were below MCLs, as listed below:	Yes.	Continue sampling.																														
		<table border="1"> <thead> <tr> <th data-bbox="619 776 793 797">ANALYTE</th> <th data-bbox="793 776 961 797">RL (µg/L)</th> <th data-bbox="961 776 1129 797">MCL(µg/L)</th> </tr> </thead> <tbody> <tr> <td data-bbox="619 797 793 818">Chloroform</td> <td data-bbox="793 797 961 818">0.4</td> <td data-bbox="961 797 1129 818">100</td> </tr> <tr> <td data-bbox="619 818 793 839">Chloromethane</td> <td data-bbox="793 818 961 839">1.3</td> <td data-bbox="961 818 1129 839">--</td> </tr> <tr> <td data-bbox="619 839 793 860">Dibromochloromethane</td> <td data-bbox="793 839 961 860">0.5</td> <td data-bbox="961 839 1129 860">100</td> </tr> <tr> <td data-bbox="619 860 793 881">1,1-DCE</td> <td data-bbox="793 860 961 881">1.2</td> <td data-bbox="961 860 1129 881">7</td> </tr> <tr> <td data-bbox="619 881 793 902"><i>cis</i>-1,2-DCE</td> <td data-bbox="793 881 961 902">1.2</td> <td data-bbox="961 881 1129 902">70</td> </tr> <tr> <td data-bbox="619 902 793 924"><i>trans</i>-1,2-DCE</td> <td data-bbox="793 902 961 924">0.6</td> <td data-bbox="961 902 1129 924">100</td> </tr> <tr> <td data-bbox="619 924 793 945">Methylene Chloride</td> <td data-bbox="793 924 961 945">2</td> <td data-bbox="961 924 1129 945">5</td> </tr> <tr> <td data-bbox="619 945 793 966">PCE</td> <td data-bbox="793 945 961 966">1.4</td> <td data-bbox="961 945 1129 966">5</td> </tr> <tr> <td data-bbox="619 966 793 987">TCE</td> <td data-bbox="793 966 961 987">1.0</td> <td data-bbox="961 966 1129 987">5</td> </tr> </tbody> </table>	ANALYTE	RL (µg/L)	MCL(µg/L)	Chloroform	0.4	100	Chloromethane	1.3	--	Dibromochloromethane	0.5	100	1,1-DCE	1.2	7	<i>cis</i> -1,2-DCE	1.2	70	<i>trans</i> -1,2-DCE	0.6	100	Methylene Chloride	2	5	PCE	1.4	5	TCE	1.0	5		
ANALYTE	RL (µg/L)	MCL(µg/L)																																
Chloroform	0.4	100																																
Chloromethane	1.3	--																																
Dibromochloromethane	0.5	100																																
1,1-DCE	1.2	7																																
<i>cis</i> -1,2-DCE	1.2	70																																
<i>trans</i> -1,2-DCE	0.6	100																																
Methylene Chloride	2	5																																
PCE	1.4	5																																
TCE	1.0	5																																
		<table border="1"> <thead> <tr> <th data-bbox="619 1060 793 1081">ANALYTE</th> <th data-bbox="793 1060 961 1081">RL (µg/L)</th> <th data-bbox="961 1060 1129 1081">MCL (µg/L)</th> </tr> </thead> <tbody> <tr> <td data-bbox="619 1081 793 1102">Barium</td> <td data-bbox="793 1081 961 1102">5</td> <td data-bbox="961 1081 1129 1102">2,000</td> </tr> <tr> <td data-bbox="619 1102 793 1123">Chromium</td> <td data-bbox="793 1102 961 1123">10</td> <td data-bbox="961 1102 1129 1123">100</td> </tr> <tr> <td data-bbox="619 1123 793 1144">Copper</td> <td data-bbox="793 1123 961 1144">10</td> <td data-bbox="961 1123 1129 1144">1,300</td> </tr> <tr> <td data-bbox="619 1144 793 1166">Zinc</td> <td data-bbox="793 1144 961 1166">50</td> <td data-bbox="961 1144 1129 1166">5,000</td> </tr> <tr> <td data-bbox="619 1166 793 1187">Arsenic</td> <td data-bbox="793 1166 961 1187">20</td> <td data-bbox="961 1166 1129 1187">10</td> </tr> <tr> <td data-bbox="619 1187 793 1208">Cadmium</td> <td data-bbox="793 1187 961 1208">2</td> <td data-bbox="961 1187 1129 1208">5</td> </tr> <tr> <td data-bbox="619 1208 793 1229">Lead</td> <td data-bbox="793 1208 961 1229">2</td> <td data-bbox="961 1208 1129 1229">15</td> </tr> <tr> <td data-bbox="619 1229 793 1250">Mercury</td> <td data-bbox="793 1229 961 1250">1</td> <td data-bbox="961 1229 1129 1250">2</td> </tr> </tbody> </table>	ANALYTE	RL (µg/L)	MCL (µg/L)	Barium	5	2,000	Chromium	10	100	Copper	10	1,300	Zinc	50	5,000	Arsenic	20	10	Cadmium	2	5	Lead	2	15	Mercury	1	2					
ANALYTE	RL (µg/L)	MCL (µg/L)																																
Barium	5	2,000																																
Chromium	10	100																																
Copper	10	1,300																																
Zinc	50	5,000																																
Arsenic	20	10																																
Cadmium	2	5																																
Lead	2	15																																
Mercury	1	2																																

Activity	Objectives	Action	Objective Attained?	Recommendations
Contamination Characterization (Ground Water Contamination) (Continued)	Meet AFCEE QAPP quality assurance requirements.	Samples were analyzed in accordance with the CSSA QAPP and approved variances. Parsons chemists verified all data, and AFCEE approval was obtained.	Yes.	NA
		All data flagged with a “U,” “J,” and “F” are usable for characterizing contamination. All “R” flagged data are considered unusable.	Yes.	NA
		Previously, a method detection limit (MDL) study for arsenic, cadmium, and lead was not performed within a year of the analyses, as required by the AFCEE QAPP.	The laboratory performed new MDL studies in February 2001 for these metals and the new MDL values were found to be almost identical to the previous MDLs and all met the associated AFCEE QAPP requirements. MDLs for these three metals are well below MCLs. In addition, the laboratory performed daily calibrations and RL verifications for these metals, both of which demonstrate the laboratory’s ability to detect and quantitate these metals at RL levels. These daily analyses also indicate that concentrations above the laboratory RL for these compounds were not affected by the expired MDL study.	Use results for groundwater characterization purposes.
Remediation	Determine goals and create cost-effective and technologically appropriate methods for remediation (2.2.1).	Continued data collection will provide analytical results for accomplishing this objective.	Ongoing.	Continue sampling and evaluation, including quarterly groundwater monitoring teleconferences to address remediation.
	Determine placement of new wells for monitoring (2.3.1, 3.6)	Sampling frequency and sample locations to be monitored (including any new wells) will be based on trend data from monitoring event(s) (3.1.5).	Ongoing.	Continue quarterly groundwater teleconferences to discuss sampling frequency and placement of new monitor wells.

Activity	Objectives	Action	Objective Attained?	Recommendations
Project schedule/ Reporting	Produce a quarterly monitoring project schedule as a road map for sampling, analysis, validation, verification, reviews, and reports.	Prepare schedules and sampling guidelines prior to each quarterly sampling event.	Yes.	Continue sampling schedule preparation each quarter.

APPENDIX B

**QUARTERLY ON-POST GROUNDWATER
MONITORING ANALYTICAL RESULTS
MARCH 2009**

Appendix B
Quarterly On-Post Groundwater Monitoring Analytical Results, March 2009

Well ID	Sample Date	Arsenic	Barium	Cadmium	Chromium	Copper	Lead	Zinc	Mercury
CS-MW1-LGR	3/17/2009	NA	NA	0.0005U	0.102	NA	0.0019U	NA	0.0001U
CS-MW2-LGR	3/17/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW3-LGR	3/16/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW3-LGR FD	3/16/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW4-LGR	3/17/2009	NA	NA	0.0005U	0.003F	NA	0.0019U	NA	0.0001U
CS-MW5-LGR	3/17/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW6-LGR	3/18/2009	NA	NA	0.0005U	0.002F	NA	0.0019U	NA	0.0001U
CS-MW7-LGR	3/12/2009	NA	NA	0.0005U	0.005F	NA	0.0019U	NA	0.0001U
CS-MW9-LGR	3/16/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW11A-LGR	3/12/2009	NA	NA	0.0005U	0.006F	NA	0.0019U	NA	0.0001U
CS-MW16-LGR	3/12/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW16-CC	3/12/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW19-LGR	3/16/2009	NA	NA	0.0005U	0.002F	NA	0.0019U	NA	0.0001U
CS-MW20-LGR	3/18/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW21-LGR	3/18/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW21-LGR FD	3/18/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW22-LGR	3/18/2009	NA	NA	0.0005U	0.005F	NA	0.0077F	NA	0.0001U
CS-MW23-LGR	3/12/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW24-LGR	3/12/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW25-LGR	3/16/2009	NA	NA	0.0005U	0.002F	NA	0.0020F	NA	0.0001U
CS-I	3/16/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U

Well ID	Sample Date	1,1-DCE	cis-1,2-DCE	trans-1,2-DCE	PCE	TCE	Vinyl Chloride
CS-MW1-LGR	3/17/2009	0.12U	15.16	0.43F	11.63	27.99	0.08U
CS-MW2-LGR	3/17/2009	0.12U	0.51F	0.08U	0.45F	0.18F	0.08U
CS-MW3-LGR	3/16/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW3-LGR FD	3/16/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW4-LGR	3/17/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW5-LGR	3/17/2009	0.12U	0.99F	0.08U	0.06U	0.94F	0.08U
CS-MW6-LGR	3/18/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW7-LGR	3/12/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW9-LGR	3/16/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW11A-LGR	3/12/2009	0.12U	0.07U	0.08U	0.43F	0.05U	0.08U
CS-MW16-LGR	3/12/2009	0.12U	127.17	0.13F	193.36	161.07	0.08U
CS-MW16-CC	3/12/2009	0.39F	37.79	2.09	11.15	53.28	0.08U
CS-MW19-LGR	3/16/2009	0.12U	0.07U	0.08U	0.56F	0.05U	0.08U
CS-MW20-LGR	3/18/2009	0.12U	0.07U	0.08U	0.97F	0.05U	0.08U
CS-MW21-LGR	3/18/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW21-LGR FD	3/18/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW22-LGR	3/18/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW23-LGR	3/12/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW24-LGR	3/12/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW25-LGR	3/16/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-I	3/16/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U

BOLD	= Above the MDL
BOLD	= Above the RL
BOLD	= Above the MCL
All samples were analyzed by APPL, Inc.	
VOC data reported in ug/L & metals data reported in mg/L.	
Abbreviations/Notes:	
FD	Field Duplicate
TCE	Trichloroethene
PCE	Tetrachloroethene
DCE	Dichloroethene
NA	Not Analyzed for this parameter
Data Qualifiers	
U-The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.	
F-The analyte was positively identified but the associated numerical value is below the RL.	

APPENDIX C
WESTBAY ANALYTICAL RESULTS
MARCH 2009

Appendix C
March 2009 Westbay Analytical Results

Well ID	Date Sampled	1,1-DCE (1,1-dichloroethene)	cis-1,2-DCE (cis-1,2-dichloroethene)	TCE (trichloroethene)	PCE (tetrachloroethene)	trans-1,2-DCE (trans-1,2-dichloroethene)	Vinyl Chloride
CS-WB01-LGR-01	3/16/2009	<0.30	<0.16	0.26J	6.4	<0.19	<0.23
CS-WB01-LGR-02	3/16/2009	<0.30	<0.16	4.2	11	<0.19	<0.23
CS-WB01-LGR-03	3/16/2009	<0.30	<0.16	9.4	2.8	<0.19	<0.23
CS-WB01-LGR-04	3/16/2009	<0.30	<0.16	0.24J	<0.15	<0.19	<0.23
CS-WB01-LGR-05	3/16/2009	<0.30	<0.16	0.25J	<0.15	<0.19	<0.23
CS-WB01-LGR-06	3/16/2009	<0.30	<0.16	0.62J	<0.15	<0.19	<0.23
CS-WB01-LGR-07	3/16/2009	<0.30	<0.16	12	15	<0.19	<0.23
CS-WB01-LGR-08	3/16/2009	<0.30	<0.16	1.6	<0.15	<0.19	<0.23
CS-WB01-LGR-09	3/16/2009	<0.30	0.37J	20	18	<0.19	<0.23
CS-WB02-LGR-03	3/11/2009	<0.30	<0.16	4.4	9.8	<0.19	<0.23
CS-WB02-LGR-04	3/11/2009	<0.30	<0.16	13	3.3	<0.19	<0.23
CS-WB02-LGR-05	3/11/2009	<0.30	<0.16	5.0	0.22J	<0.19	<0.23
CS-WB02-LGR-06	3/11/2009	<0.30	<0.16	4.3	<0.15	<0.19	<0.23
CS-WB02-LGR-07	3/11/2009	<0.30	<0.16	1.2	0.49J	<0.19	<0.23
CS-WB02-LGR-08	3/11/2009	<0.30	0.16J	2.1	2.6	<0.19	<0.23
CS-WB03-UGR-01	3/10/2009	<30*	<16*	56J*	1,700*	<19*	<23*
CS-WB03-LGR-03	3/10/2009	<0.30	0.21J	7.7	18	<0.19	<0.23
CS-WB03-LGR-04	3/10/2009	<0.30	<0.16	7.7	19	<0.19	<0.23
CS-WB03-LGR-05	3/10/2009	<0.30	<0.16	5.9	16	<0.19	<0.23
CS-WB03-LGR-06	3/10/2009	<0.30	<0.16	1.2	8.9	<0.19	<0.23
CS-WB03-LGR-07	3/10/2009	<0.30	<0.16	2.6	7.2	<0.19	<0.23
CS-WB03-LGR-08	3/10/2009	<0.30	<0.16	1.0	8.2	<0.19	<0.23
CS-WB03-LGR-09	3/10/2009	<0.30	<0.16	3.5	12	<0.19	<0.23
CS-WB04-LGR-01	3/10/2009	<0.30	<0.16	<0.16	0.42J	<0.19	<0.23
CS-WB04-LGR-03	3/10/2009	<0.30	<0.16	<0.16	0.17J	<0.19	<0.23
CS-WB04-LGR-04	3/10/2009	<0.30	<0.16	0.25J	0.23J	<0.19	<0.23
CS-WB04-LGR-06	3/10/2009	<0.30	2.5	13	12	0.31J	<0.23
CS-WB04-LGR-07	3/10/2009	<0.30	2.1	10	7.0	<0.19	<0.23
CS-WB04-LGR-08	3/10/2009	<0.30	<0.16	0.70J	0.29J	<0.19	<0.23
CS-WB04-LGR-09	3/10/2009	<0.30	<0.16	7.0	9.3	<0.19	<0.23
CS-WB04-LGR-10	3/10/2009	<0.30	<0.16	0.69J	1.0J	<0.19	<0.23
CS-WB04-LGR-11	3/10/2009	<0.30	<0.16	<0.16	<0.15	<0.19	<0.23
CS-WB04-BS-01	3/10/2009	<0.30	<0.16	<0.16	<0.15	<0.19	<0.23
CS-WB04-BS-02	3/10/2009	<0.30	<0.16	0.18J	<0.15	<0.19	<0.23
CS-WB04-CC-01	3/10/2009	<0.30	0.37J	0.22J	<0.15	<0.19	<0.23
CS-WB04-CC-02	3/10/2009	<0.30	<0.16	<0.16	<0.15	<0.19	<0.23
CS-WB04-CC-03	3/10/2009	<0.30	<0.16	0.20J	<0.15	<0.19	<0.23

Data Qualifiers

J-The analyte was positively identified; the quantitation is an estimation.

* dilution of 100 run for this sample.

All values are reported in µg/L.

BOLD = Above the MDL.
BOLD = Above the RL.
BOLD = Above the MCL.