

FINAL
SEPTEMBER 2009

On-Post
Quarterly Groundwater Monitoring Report



Prepared For

Department of the Army
Camp Stanley Storage Activity
Boerne, Texas

February 2010

GEOSCIENTIST CERTIFICATION

September 2009 On-post Quarterly Groundwater Monitoring Report


For

Department of the Army

Camp Stanley Storage Activity

Boerne, Texas

I, Julie Burdey, P.G., hereby certify that the September 2009 On-post Quarterly Groundwater Monitoring Report for the Camp Stanley Storage Activity installation in Boerne, Texas accurately represents the site conditions of the subject area. This certification is limited only to geoscientific products contained in the subject report and is made on the basis of written and oral information provided by the CSSA Environmental Office, laboratory data provided by APPL Laboratories, and field data obtained during groundwater monitoring conducted at the site in September 2009, and is true and accurate to the best of my knowledge and belief.



Julie Burdey, P.G.
State of Texas
Geology License No. 1913

02/03/2010

Date

TABLE OF CONTENTS

GEOSCIENTIST CERTIFICATION	i
EXECUTIVE SUMMARY	iii
1.0 INTRODUCTION	1
2.0 POST-WIDE FLOW DIRECTION AND GRADIENT	1
3.0 SEPTEMBER ANALYTICAL RESULTS	8
3.1 Monitoring Wells	8
3.2 Westbay-equipped Wells	9
4.0 SUMMARY	9

APPENDICES

Appendix A Evaluation of Data Quality Objectives Attainment

Appendix B September 2009 Quarterly On-Post Groundwater Monitoring Analytical Results

Appendix C September 2009 Westbay Analytical Results

LIST OF TABLES

Table 3-1 Overview of the On-Post Monitoring Program	7
Table 3-2 September 2009 On-post Quarterly Groundwater Results, Detected Analytes..	11
Table 3-3 September 2009 Westbay Results, Detected Analytes	12

LIST OF FIGURES

Figure 2-1 September 2009 Potentiometric Surface Map, LGR Wells Only	4
Figure 2-2 September 2009 Potentiometric Surface Map, BS Wells Only	5
Figure 2-3 September 2009 Potentiometric Surface Map, CC Wells Only.....	6
Figure 3-1 On-Post & Off-Post Well Sampling Locations for September 2009.....	10

EXECUTIVE SUMMARY

- Of the 39 wells scheduled for sampling, 28 were sampled in September 2009. Eleven wells were not sampled because the water level was below the bladder pumps. Samples were submitted for selected volatile organic compounds (VOC) (CSSA short list) and cadmium, chromium, lead, and mercury analyses. Drinking water wells (CS-1, CS-9, and CS-10) and possible future drinking water well CS-12 were also analyzed for arsenic, barium, copper, and zinc.
- Average groundwater elevations in September 2009 decreased 7.59 feet from the elevations measured in June 2009, reflecting the recent drought conditions. On September 9 and 10 five inches of rain fell. Post-wide water levels were recorded September 8 before the significant rainfall. The potentiometric maps reflect all-time low water levels since monitoring began in 1999.
- The maximum contaminant level (MCL) and action level (AL) were exceeded for mercury and lead in well CS-9 and for lead in CS-MW9-BS. Wells CS-MW1-LGR, CS-MW16-LGR, CS-MW16-CC and CS-D had VOC detections above the MCL for tetrachloroethene (PCE), trichloroethene (TCE), and/or dichloroethene (*cis*-1,2-DCE) in September 2009.
- The multi-port Westbay wells CS-WB01 through CS-WB04 Upper Glen Rose (UGR) and Lower Glen Rose (LGR) zones were sampled in September 2009. Eighteen of the 31 zones sampled were above the MCL for PCE and/or TCE. Ten zones were not sampled because they were dry.

SEPTEMBER 2009 GROUNDWATER MONITORING REPORT CAMP STANLEY STORAGE ACTIVITY, TEXAS

1.0 INTRODUCTION

This report presents results from the on-post quarterly sampling performed at Camp Stanley Storage Activity (CSSA) in September 2009. Laboratory analytical results are presented along with potentiometric contour figures. The purpose of this report is to present a summary of the September 2009 sampling results. Results from all four 2009 quarterly monitoring events (March, June, September, and December) will be described in detail in an Annual Report. The Annual Report will also provide an interpretation of all analytical results and an evaluation of any temporal or spatial trends observed in the groundwater contaminant plume during investigations.

Groundwater monitoring at CSSA, scoped under the U.S. Army Corps of Engineers (USACE) Fort Worth District (CESWF), Contract W9126G-07-D-0028, Task Order (TO) DO11, was performed September 7 through 18, 2009. On-post groundwater monitoring conducted under this TO began with the March 2009 sampling event.

Current objectives of the groundwater monitoring program are to determine groundwater flow direction and elevations, determine groundwater contaminant concentrations for characterization purposes, and identify meteorological and seasonal variations in physical and chemical properties. **Appendix A** identifies the data quality objectives (DQO) for CSSA's groundwater monitoring program, along with an evaluation of whether each DQO was attained. The objectives listed in Appendix A also reference appropriate sections of the **3008(h) Administrative Order on Consent** (Order).

The CSSA groundwater monitoring program follows the provisions of the groundwater monitoring program DQOs as well as the recommendations of the **Three-Tiered Long Term Monitoring Network Optimization Evaluation (Parsons 2005)** which provided recommendations for sampling based on a long-term monitoring optimization (LTMO) study performed for the CSSA groundwater monitoring program. LTMO study sampling frequencies were implemented on-post in December 2005, as approved by the Texas Commission on Environmental Quality (TCEQ) and the United States Environmental Protection Agency (USEPA). The LTMO evaluation will be updated in 2010 using groundwater data from monitoring conducted between 2005 and 2010.

2.0 POST-WIDE FLOW DIRECTION AND GRADIENT

Forty-five water level measurements were recorded on September 8, 2009 from on-post monitoring wells completed in the Lower Glen Rose (LGR), Bexar Shale (BS), and Cow Creek (CC) formations. The groundwater potentiometric surface maps illustrating groundwater elevations from the LGR, BS, and CC zones in September 2009 are shown in **Figures 2-1, 2-2, and 2-3**.

The September 2009 potentiometric surface map for LGR-screened wells exhibited a wide range of groundwater elevations, from a minimum of 875.06 feet above mean sea level (msl) at CS-MW10-CC to a maximum of 1028.00 feet above msl at FO-20. One LGR well, CS-MW11B-LGR, was dry. Groundwater elevations are generally higher in the northern and central portions of CSSA, and decrease to the southwest and southeast. Average groundwater elevations in September 2009 decreased 7.76 feet from the elevations measured in June 2009, reflecting the recent drought conditions. From June 15 to September 19, 2009, weather station south (WS-S) recorded 15 rainfall events with 7.41 inches of rain. Weather station north (WS-N) began experiencing power problems on September 9, 2009; it was disconnected and sent in for repairs and calibration from September 28 to November 4, 2009. On September 9 and 10, five inches of rain fell. Post-wide water levels were recorded September 8, before the significant rainfall. All other rainfall events were sporadic. With the increased rainfall amounts, the area has begun to recover from the severe drought earlier this year.

Well CS-MW4-LGR in the central portion of CSSA usually has one of the highest groundwater elevations of LGR-screened wells. The elevation is usually 20 to 40 feet higher than the nearest comparable wells (CS-MW2-LGR and CS-MW5-LGR). However, the prolonged drought of 2008-2009 has muted this effect to the point that the groundwater mounding is no longer evident in September 2009. This effect has been observed in the past, most recently in 2006. When groundwater in the vicinity of CS-MW4-LGR drops below about 970 feet MSL, the mounding effect is negated.

It should be noted that well pumping on and around CSSA affects the potentiometric surface. On-post monitoring wells CS-MW16-LGR and CS-MW16-CC pumped groundwater periodically to the SWMU B-3 Bioreactor between June and September 2009. CSSA drinking water wells CS-1 and CS-10 are cycled on and off to maintain the drinking water system currently in place at CSSA. Well CS-12 pumped water continuously to the Bioreactor and will be added to the potentiometric maps when it has been surveyed. Influence from these pumping wells is depicted in **Figure 2-1**. Drinking water wells CS-9 and CS-11 were not in use between June and September 2009. Off-post water supply wells along Ralph Fair Road and in the Leon Springs Villas area may also exert a subtle influence to gradients along the western and southern boundaries of the post.

Historical groundwater monitoring at CSSA has demonstrated that the aquifer gradient is typically in a south-southeast direction. However, variable aquifer levels and well pumping scenarios all can affect the localized and regional gradients. In particular, pumping action at wells CS-1, CS-10, and CS-MW16-LGR/CC can significantly alter the perceived groundwater gradient. Past groundwater reports have used several methods and strategies for determining an “average” groundwater gradient for the Middle Trinity aquifer water table (Lower Glen Rose component). The most recent reports have used a set number of well pairs to calculate and average the groundwater gradient; however, the use of these well pairs cannot be consistently applied across monitoring events for true directional gradient.

The regional gradient calculation, an overall groundwater gradient averaged across CSSA (as measured from CS-MWH-LGR to CS-MW21-LGR), was employed in 2008 and will be used

for this and future reports. This approach will standardize the process and make comparisons between monitoring events more meaningful. For September 2009, the overall groundwater gradient is to the south-southeast at 0.00536 ft/ft.

Groundwater elevations have been measured and recorded since 1992. Previous droughts resulted in water levels decreasing substantially in 1996, 1999, 2000, and 2006. However, there was unusually high rainfall, 53.17 inches, in 2007. The current drought has caused groundwater elevations to decrease since the December 2007 event. Water levels in September 2009 correspond closely to water levels from the past drought years mentioned above. Note that 5.05 inches of rain fell 2 days after water levels were measured, but before most of the groundwater samples were collected.





Figure 2-1
 September 2009 Potentiometric Surface Map, LGR Wells
 Camp Stanley Storage Activity

PARSONS

Flow direction
 LGR Groundwater Contours
 Outer fence
 LGR Wells and groundwater elevation (ft above msl)
 Drinking water wells (may be completed in LGR, BS, and/or CC)
 * Not a fully penetrating well into LGR. Groundwater elevation not used in contouring

0 1,200 2,400 3,600 4,800 Feet



0 1,200 2,400 3,600 4,800 Feet






-  Flow direction
-  BS Groundwater Contours
-  Outer fence
-  BS Wells and groundwater elevation (ft above msl)

Figure 2-2

September 2009 Potentiometric
Surface Map, BS Wells

Camp Stanley Storage Activity

PARSONS



0 1,200 2,400 3,600 4,800
Feet





-  Flow direction
-  CC Groundwater Contours
-  Outer fence
-  CC Wells and groundwater elevation (ft above msl)

Figure 2-3

September 2009 Potentiometric
Surface Map, CC Wells

Camp Stanley Storage Activity

PARSONS

**Table 3-1
Overview of the On-Post Monitoring Program**

Count	Well ID	Analytes	Last Sample Date	Mar-09	Jun-09	Sep-09	Dec-09	Sampling Frequency
1	CS-MW1-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
2	CS-MW1-BS	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
3	CS-MW1-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
4	CS-MW2-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
5	CS-MW2-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	NSWL	NS	Biennial
6	CS-MW3-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
7	CS-MW4-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	NSWL	NS	Semi-annual
8	CS-MW5-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
9	CS-MW6-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
10	CS-MW6-BS	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	S	NS	Biennial
11	CS-MW6-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	NSWL	NS	Biennial
12	CS-MW7-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
13	CS-MW7-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	NSWL	NS	Biennial
14	CS-MW8-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	NS	S	NS	NS	Every 9 months*
15	CS-MW8-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	NSWL	NS	Biennial
16	CS-MW9-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
17	CS-MW9-BS	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
18	CS-MW9-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	NSWL	NS	Biennial
19	CS-MW10-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NS	NSWL	NS	NS	Every 9 months*
20	CS-MW10-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Oct-07	NS	NS	NSWL	NS	Biennial
21	CS-MW11A-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
22	CS-MW11B-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-08	NSWL	NS	NSWL	NS	Semi-annual
23	CS-MW12-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	NS	S	NS	NS	Every 9 months*
24	CS-MW12-BS	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
25	CS-MW12-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	NSWL	NS	Biennial
26	CS-MW16-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
27	CS-MW16-CC	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
28	CW-MW17-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Dec-07	NSWL	NS	NS	S	Every 9 months*
29	CS-MW18-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-08	NSWL	NS	NSWL	NS	Semi-annual
30	CS-MW19-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	S	NS	Semi-annual
31	CS-1	VOCs & metals (As,Ba,Cr, Cu,Cd,Hg,Pb,Zn)	Jun-09	NS	NS	S	S	Quarterly
32	CS-2	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	NS	S	NS	NS	Every 9 months*
33	CS-4	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NSWL	NS	NSWL	NS	Semi-annual
34	CS-9	VOCs & metals (As,Ba,Cr, Cu,Cd,Hg,Pb,Zn)	Jun-09	NS	NS	S	NS	Every 9 months*
35	CS-10	VOCs & metals (As,Ba,Cr, Cu,Cd,Hg,Pb,Zn)	Jun-09	NS	NS	S	S	Quarterly
36	CS-11	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	NS	S	NS	NS	Every 9 months*
37	CS-12	VOCs & metals (As,Ba,Cr, Cu,Cd,Hg,Pb,Zn)				S	S	Quarterly
38	CS-D	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-08	NSWL	NS	S	NS	Semi-annual
39	CS-MWG-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	NS	S	NS	NS	Every 9 months*
40	CS-MWH-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Sep-07	NS	NS	S	NS	Biennial
41	CS-I	VOCs & metals (Cr, Cd, Hg, Pb)	Mar-09	S	NS	NS	S	Every 9 months*
42	CS-MW20-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	S	S	S	S	Quarterly**
43	CS-MW21-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	S	S	S	S	Quarterly**
44	CS-MW22-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	S	S	S	S	Quarterly**
45	CS-MW23-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	S	S	S	S	Quarterly**
46	CS-MW24-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	S	S	S	S	Quarterly**
47	CS-MW25-LGR	VOCs & metals (Cr, Cd, Hg, Pb)	Jun-09	S	S	S	S	Quarterly**

*Wells recommended for annual sampling frequency in the LTMO are scheduled every nine months (every third quarter) to gather seasonal data.

**Quarterly until LTMO Update Study can recommend a frequency.

S = Sample

NS = No Sample

NSWL = No Sample due to low water level

3.0 SEPTEMBER ANALYTICAL RESULTS

3.1 Monitoring Wells

Under the provisions of the groundwater monitoring DQOs and the LTMO study, the schedule for sampling on-post in September 2009 included 39 on-post monitoring wells. **Table 3-1** provides a sampling overview for September 2009 and the schedule under the LTMO recommendations. The monitoring wells (CS-MW1-LGR, CS-MW1-BS, CS-MW1-CC, CS-MW2-LGR, CS-MW3-LGR, CS-MW5-LGR, CS-MW6-LGR, CS-MW6-BS, CS-MW7-LGR, CS-MW9-LGR, CS-MW9-BS, CS-MW11A-LGR, CS-MW12-BS, CS-MW16-LGR, CS-MW16-CC, CS-MW19-LGR, CS-D, CS-MWH-LGR, CS-MW20-LGR, CS-MW21-LGR, CS-MW22-LGR, CS-MW23-LGR, CS-MW24-LGR, and CS-MW25-LGR) were sampled using dedicated low-flow gas operated bladder pumps. Wells CS-1, CS-9, CS-10, and CS-12 were sampled using dedicated submersible pumps. Wells CS-MW2-LGR, CS-MW4-LGR, CS-MW6-CC, CS-MW7-CC, CS-MW8-CC, CS-MW9-CC, CS-MW10-CC, CS-MW11B-LGR, CS-MW12-CC, CS-MW18-LGR, and CS-4 were not sampled due to the water level falling below the bladder pump. **Figure 3-1** shows well sampling locations.

Wells sampled by low-flow pumps were purged until the field parameters stabilized. Field parameters including pH, temperature, and conductivity, were recorded to ensure stabilization during well purging. The on-post monitoring wells were sampled in September 2009 for the short list of volatile organic compounds (VOC), and metals (cadmium, lead, chromium, and mercury). Drinking water system wells CS-1, CS-9, and CS-10, and new well CS-12 were analyzed for additional metals (arsenic, barium, copper, and zinc). Well CS-9 has not been used for drinking water since June 2006 due to recent metals detections. Well CS-12 is not connected to the drinking water system. Samples were analyzed by APPL Laboratories in Clovis, California. All detected concentrations of VOCs and metals are presented in **Table 3-2**. Full analytical results are presented in **Appendix B**.

Of the 39 wells scheduled for sampling, 28 were sampled in September 2009. Eleven wells were not sampled because the water level was below the bladder pumps. PCE and TCE were detected above the MCL in wells CS-MW1-LGR, CS-MW16-LGR, CS-MW16-CC and CS-D sampled in September 2009. Well CS-9 had lead and mercury detections above the AL/MCL, and well CS-MW9-BS had lead above the AL.

Results from on-post monitoring wells are considered definitive data and are subject to data validation and verification under provisions of the CSSA Quality Assurance Project Plan (QAPP). Parsons data packages numbered DO-11 #64, #65, and #67 containing the analytical results from this sampling event were received by Parsons September 2 - 9, 2009. Data validation was conducted and the data validation summary was submitted to CSSA. Cumulative historical analytical results can be found in [Tables 6 and 7](#) of the [Introduction to the Quarterly Groundwater Monitoring Program](#) (Parsons 2001) ([Volume 5, Groundwater](#)). Plume maps from this quarter will be included in the 2009 Annual Groundwater Report.

3.2 Westbay-equipped Wells

Under the provisions of the groundwater monitoring DQOs and the LTMO study, the schedule for on-post sampling in September 2009 did include the UGR and LGR zones of Westbay wells CS-WB01, CS-WB02, CS-WB03, and CS-WB04. These wells are sampled on a semi-annual frequency as recommended in the LTMO study and will be sampled again during the March 2010 event.

Thirty-one of the 41 Westbay UGR and LGR zones were sampled in September 2009. Ten zones (CS-WB01-UGR, CS-WB02-UGR, CS-WB02-LGR-01, CS-WB02-LGR-02, CS-WB02-LGR-09, CS-WB03-UGR, CS-WB03-LGR-01, CS-WB03-LGR-02, CS-WB04-UGR, CS-WB04-LGR-02) were not sampled because they were dry. Eighteen of the 31 zones sampled reported PCE and/or TCE above the MCL.

Westbay wells CS-WB05, CS-WB06, CS-WB07, and CS-WB08 are not sampled as part of the groundwater monitoring program but are sampled as part of the SWMU B-3 bioreactor monitoring. Results for those wells are presented in a separate report.

4.0 SEPTEMBER 2009 SUMMARY

- Of the 39 wells scheduled for sampling, 28 were sampled in September 2009. Eleven wells (CS-MW2-LGR, CS-MW4-LGR, CS-MW6-CC, CS-MW7-CC, CS-MW8-CC, CS-MW9-CC, CS-MW10-CC, CS-MW11B-LGR, CS-MW12-CC, CS-MW18-LGR, and CS-4) were not sampled because the water level was below the bladder pumps.
- From June 15 to September 19, 2009, weather station south recorded 7.41 inches of rain. Weather station north was down for calibration. The area received an equal amount of rain this quarter as it did the entire first half of the year.
- Water levels decreased an average of 7.59 feet per well since last quarter. Although a significant amount of rain fell this quarter, 5.36 inches fell September 9 through 12, just after water levels were collected September 8, 2009.
- PCE and TCE were detected above the MCL in wells CS-MW1-LGR, CS-MW16-LGR, CS-MW16-CC, and CS-D in September 2009. CS-MW16-LGR was also above the MCL for *cis*-1,2-DCE.
- PCE was above the RL in CS-MW20-LGR and CS-MW11A-LGR. TCE and *cis*-1,2-DCE was above the RL in CS-MW5-LGR.
- Lead and mercury were above the AL/MCL in well CS-9. Well CS-9 is a former drinking water well that is no longer used to supply water to the CSSA drinking water system. Lead and mercury have been above the AL/MCL since June 2006.
- Lead was detected in CS-MW9-BS above the AL. This well was last above the AL in September 2007 the last time it was sampled. Lead was not detected in CS-MW9-LGR.
- UGR and LGR zones of the southern Westbays were sampled in September 2009. Ten zones were not sampled because they were dry. Eighteen of the 31 zones sampled were above the MCL for PCE and/or TCE.



**Inset Map
B-3 Bioreactor**



Sampled Wells September 2009

- > MCL (VOC's only)
- > RL (VOC's only)
- > MDL (VOC's only)
- ND
- Other Wells
- Westbay Wells
- Fence Line



0 1,250 2,500 3,750 5,000
Feet

Figure 3-1

On-Post and Off-Post Well Sampling
Locations for September 2009
Camp Stanley Storage Activity

PARSONS

Table 3-2
September 2009 On-post Quarterly Groundwater Results, Detected Analytes

Well ID	Sample Date	Metals (mg/L)								VOC's (ug/L)						Comments
		Arsenic	Barium	Cadmium	Chromium	Copper	Lead	Zinc	Mercury	1,1-DCE	cis-1,2-DCE	trans-1,2-DCE	PCE	TCE	Vinyl Chloride	
CS-MW1-LGR	9/9/2009	NA	NA	--	0.003F	NA	--	NA	--	--	18.37	0.37F	13.71	34.44	--	Significant decrease in Cr since Mar 09
CS-MW1-CC	9/9/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	--	--	--	
CS-MW1-BS	9/9/2009	NA	NA	--	--	NA	--	NA	--	--	0.45F	--	--	--	--	
CS-MW2-LGR	9/10/2009	NA	NA	--	--	NA	--	NA	--	--	1.18F	--	--	--	--	
CS-MW3-LGR	9/14/2009	NA	NA	--	0.002F	NA	--	NA	--	--	--	--	--	--	--	First Cr detection since 2001.
CS-MW5-LGR	9/10/2009	NA	NA	--	--	NA	--	NA	--	--	1.73	--	0.99F	1.25	--	
CS-MW6-LGR	9/10/2009	NA	NA	--	0.004F	NA	--	NA	--	--	--	--	--	--	--	
CS-MW6-BS	9/10/2009	NA	NA	--	0.003F	NA	--	NA	--	--	--	--	--	--	--	First Cr detection since 2001.
CS-MW7-LGR	9/11/2009	NA	NA	--	0.002F	NA	--	NA	--	--	--	--	0.49F	--	--	
CS-MW7-LGR FD	9/11/2009	NA	NA	--	0.002F	NA	--	NA	--	--	--	--	0.46F	--	--	
CS-MW9-LGR	9/14/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	--	--	--	Last PCE detection was in June 08.
CS-MW9-BS	9/14/2009	NA	NA	--	0.003F	NA	0.0302	NA	--	--	--	--	--	--	--	Pb also above MCL in Sept. 08 when last sampled.
CS-MW11A-LGR	9/15/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	1.61	--	--	
CS-MW12-BS	9/16/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	--	--	--	
CS-MW16-LGR	9/9/2009	NA	NA	--	--	NA	--	NA	--	--	152.57*	0.48F	176.82	177.44*	--	PCE/TCE consistently above the MCL.
CS-MW16-CC	9/9/2009	NA	NA	--	--	NA	--	NA	--	0.63F	43.17	5.33	7.17	51.93	--	
CS-MW19-LGR	9/11/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	0.69F	--	--	Consistant low level of PCE.
CS-MW20-LGR	9/16/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	1.63	--	--	
CS-MW20-LGR FD	9/16/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	1.30F	--	--	
CS-MW21-LGR	9/15/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	--	--	--	No VOCs ever detected in this well.
CS-MW22-LGR	9/15/2009	NA	NA	--	--	NA	0.0030F	NA	--	--	--	--	--	--	--	Pb initially above the MCL in June 07.
CS-MW23-LGR	9/15/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	--	--	--	Hg intially above the MCL in June 07.
CS-MW24-LGR	9/10/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	--	--	--	
CS-MW25-LGR	9/14/2009	NA	NA	--	--	NA	--	NA	--	--	--	--	--	--	--	First quarter since June 07 with no metals detections.
CS-MWH-LGR	9/14/2009	NA	NA	--	--	NA	0.0038F	NA	--	--	--	--	--	--	--	Pb last above the MCL in 2001.
CS-D	9/15/2009	NA	NA	--	--	NA	0.0056F	NA	--	--	65.81	1.37	68.94	87.11	--	PCE/TCE consistently above the MCL.
CSSA Drinking Water Well System																
CS-1	9/16/2009	--	0.0297	--	--	0.009F	0.0028F	0.274	--	--	--	--	--	0.37F	--	
CS-9	9/16/2009	--	0.0391	--	--	0.013	0.0296	2.718	0.0082	--	--	--	--	--	--	Pb & Hg sporadically above the MCL since 2006
CS-10	9/14/2009	--	0.037	--	--	0.004F	--	0.169	--	--	--	--	--	--	--	
CS-10 FD	9/14/2009	--	0.039	--	--	--	--	0.167	--	--	--	--	--	--	--	
CS-12	9/14/2009	--	0.029	--	--	0.012	0.0045F	0.266	--	--	--	--	--	--	--	First quarterly sample for this well.
Comparison Criteria																
Method Detection Limit (MDL)	0.00022	0.0003	0.0005	0.001	0.003	0.0019	0.008	0.0001	0.12	0.07	0.08	0.06	0.05	0.08		
Reporting Limit (RL)	0.03	0.005	0.007	0.01	0.01	0.025	0.05	0.001	1.2	1.2	0.6	1.4	1	1.1		
Max. Contaminant Level (MCL)	0.01	2.0	0.005	0.1	AL=1.3	AL=0.015	SS=5	0.002	7	70	100	5	5	2		

BOLD = Above the MDL
BOLD = Above the RL
BOLD = Above the MCL

Precipitation per Quarter:	Mar-09	Jun-09	Sep-09
Weather Station South (WS-S)	3.16	4.41	7.41
Weather Station North (WS-N)	2.58	3.77	NA*

* weather station sent in for calibration

All samples were analyzed by APPL, Inc.
VOC data reported in ug/L & metals data reported in mg/L.
Abbreviations/Notes:
FD Field Duplicate
TCE Trichloroethene
PCE Tetrachloroethene
DCE Dichloroethene
AL Action Level
SS Secondary Standard
NA Not Analyzed for this parameter
Data Qualifiers:
--The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.
F-The analyte was positively identified but the associated numerical value is below the RL.
* dilution of 5 run for this sample.

**Table 3-3
September 2009 Westbay Results, Detected Analytes**

Well ID	Date Sampled	1,1-DCE (1,1-dichloroethene)	cis-1,2-DCE (cis-1,2-dichloroethene)	TCE (trichloroethene)	PCE (tetrachloroethene)	trans-1,2-DCE (trans-1,2-dichloroethene)	Vinyl Chloride
CS-WB01-LGR-01	9/2/2009	--	--	0.26J	5.1	--	--
CS-WB01-LGR-02	9/2/2009	--	--	3.7	11	--	--
CS-WB01-LGR-03	9/2/2009	--	--	8.2	3.1	--	--
CS-WB01-LGR-04	9/2/2009	--	--	0.26J	0.53J	--	--
CS-WB01-LGR-05	9/2/2009	--	--	--	0.31J	--	--
CS-WB01-LGR-06	9/2/2009	--	--	0.33J	0.36J	--	--
CS-WB01-LGR-07	9/2/2009	--	--	17	22	--	--
CS-WB01-LGR-08	9/2/2009	--	--	3.5	1.4	--	--
CS-WB01-LGR-09	9/2/2009	--	0.44J	25	19	--	--
CS-WB02-LGR-03	9/3/2009	--	--	5.7	10	--	--
CS-WB02-LGR-04	9/3/2009	--	--	17	4.7	--	--
CS-WB02-LGR-05	9/3/2009	--	--	5	1.6	--	--
CS-WB02-LGR-06	9/3/2009	--	--	4.5	1.2J	--	--
CS-WB02-LGR-07	9/3/2009	--	--	0.85J	0.89J	--	--
CS-WB02-LGR-08	9/3/2009	--	--	2	2.5	--	--
CS-WB03-LGR-03	9/4/2009	--	0.34J	12	29	--	--
CS-WB03-LGR-04	9/4/2009	--	--	10	25	--	--
CS-WB03-LGR-05	9/4/2009	--	--	9.4	30	--	--
CS-WB03-LGR-06	9/4/2009	--	--	1.1	8.4	--	--
CS-WB03-LGR-07	9/4/2009	--	--	2.1	9.3	--	--
CS-WB03-LGR-08	9/4/2009	--	--	1.3	10	--	--
CS-WB03-LGR-09	9/4/2009	--	--	4	19	--	--
CS-WB04-LGR-01	9/3/2009	--	--	0.20J	0.86J	--	--
CS-WB04-LGR-03	9/3/2009	--	--	--	0.27J	--	--
CS-WB04-LGR-04	9/3/2009	--	--	--	--	--	--
CS-WB04-LGR-06	9/3/2009	--	4	20	33	0.65	--
CS-WB04-LGR-07	9/3/2009	--	3.6	14	19	--	--
CS-WB04-LGR-08	9/3/2009	--	--	1.1	0.62J	--	--
CS-WB04-LGR-09	9/3/2009	--	--	9.1	9.9	--	--
CS-WB04-LGR-10	9/3/2009	--	--	0.93J	1.2J	--	--
CS-WB04-LGR-11	9/3/2009	--	--	--	0.33J	--	--
Comparison Criteria							
Method Detection Limit	MDL	0.3	0.16	0.16	0.15	0.19	0.23
Reporting Limit	RL	1.2	1.2	1	1.4	0.6	1.1
Max. Contaminant Level	MCL	7	70	5	5	100	2

Data Qualifiers

'--' indicates the result was non-detect.

J-The analyte was positively identified; the quantitation is an estimation.

All values are reported in µg/L.

BOLD	= Above the MDL.
BOLD	= Above the RL.
BOLD	= Above the MCL.

APPENDIX A
EVALUATION OF DATA QUALITY OBJECTIVES ATTAINMENT

Appendix A Evaluation of Data Quality Objectives Attainment

Activity	Objectives	Action	Objective Attained?	Recommendations
Field Sampling	Conduct field sampling in accordance with procedures defined in the project work plan, SAP, QAPP, and HSP.	All sampling was conducted in accordance with the procedures described in the project plans.	Yes.	NA
Characterization of Environmental Setting (Hydrogeology)	Prepare water-level contour and/or potentiometric maps for each formation of the Middle Trinity Aquifer (3.5.3).	Potentiometric surface maps were prepared based on water levels measured in each of CSSA's wells screened in three formations on September 8, 2009.	To the extent possible with data available. Due to the limited data available and the fact that wells are completed across multiple water-bearing units, potentiometric maps should only be used for regional water flow direction, not local. Ongoing pumping in the CSSA area likely affects the natural groundwater flow direction.	As additional wells are installed screened in distinct formations, future evaluations will eliminate reliance on wells screened across multiple formations.
	Describe the flow system, including the vertical and horizontal components of flow (2.1.9).	Potentiometric maps were created using September 9, 2009 water level data, and horizontal flow direction was tentatively identified. Insufficient data are currently available to determine vertical component of flow.	As described above, due to the lack of aquifer-specific water level information, potentiometric surface maps should only be used as an estimate of regional flow direction.	Same as above.
	Define formation(s) in the Middle Trinity Aquifer are impacted by the VOC contaminants (2.1.3).	Quarterly groundwater monitoring provides information on Middle Trinity Aquifer impacts. Monitoring wells equipped with Westbay® - multi-port samplers are sampled semiannually and will be sampled again during the March 2010 event.	Yes.	Continue sampling.

Activity	Objectives	Action	Objective Attained?	Recommendations
	Identify any temporal changes in hydraulic gradients due to seasonal influences (2.1.5).	Downloaded data from continuous-reading transducers in wells: CS-MW4-LGR, CS-MW18-LGR, CS-MW21-LGR, and CS-MW24-LGR. Additional continuous reading transducers were added to the program through the SCADA project. The following wells can be uploaded to see real time water level data: CS-MW9-LGR, CS-MW9-BS, CS-MW9-CC, CS-MW16-LGR, CS-MW16-CC, CS-MW1-LGR, CS-MW1-BS, CS-MW1-CC, CS-MW12-LGR, CS-MW12-BS, CS-MW12-CC, CS-MW10-LGR, CS-MW10-CC, CS-MW6-LGR, CS-MW6-BS, CS-MW6-CC, CS-1, and CS-10. Data was also downloaded from the northern and southern continuous-reading weather stations WS-N and WS-S. Water levels will be graphed at these wells against precipitation data through September 2009 and included in the annual groundwater report.	Yes.	Continue collection of transducer data and possibly install transducers in other cluster wells.
Contamination Characterization (Ground Water Contamination)	Characterize the horizontal and vertical extent of any immiscible or dissolved plume(s) originating from the Facility (3.1.2).	Samples for laboratory analysis were collected from 28 of 46 CSSA wells. Of the 39 wells scheduled to be sampled in September 2009, 28 were sampled. Eleven wells were not sampled due to low water levels.	The horizontal and vertical extent of groundwater contamination is continuously monitored.	Continue groundwater monitoring and construct additional wells as necessary.

Activity	Objectives	Action	Objective Attained?	Recommendations																											
	<p>Determine the horizontal and vertical concentration profiles of all constituents of concern (COC) in the groundwater that are measured by USEPA-approved procedures (3.1.2). COCs are those chemicals that have been detected in groundwater in the past and their daughter (breakdown) products.</p>	<p>Groundwater samples were collected from wells: CS-MW1-LGR, CS-MW1-BS, CS-MW1-CC, CS-MW2-LGR, CS-MW3-LGR, CS-MW5-LGR, CS-MW6-LGR, CS-MW6-BS, CS-MW7-LGR, CS-MW9-LGR, CS-MW8-BS, CS-MW11A-LGR, CS-MW12-BS, CS-MW16-LGR, CS-MW16-CC, CS-MW19-LGR, CS-MW20-LGR, CS-MW21-LGR, CS-MW22-LGR, CS-MW23-LGR, CS-MW24-LGR, CS-MW25-LGR, CS-MWH-LGR, and CS-D. Samples were analyzed for the short list of VOCs using USEPA method SW8260B, and metals (cadmium, lead, mercury, and chromium). The drinking water wells (CS-1, CS-9, CS-10 and CS-12) were also sampled for 4 additional metals (arsenic, barium, copper and zinc). Analyses were conducted in accordance with the AFCEE QAPP and approved variances. All RLs were below MCLs, as listed below:</p>	<p>Yes.</p>	<p>Continue sampling.</p>																											
		<table border="1"> <thead> <tr> <th data-bbox="617 1105 793 1133">ANALYTE</th> <th data-bbox="793 1105 953 1133">RL (µg/L)</th> <th data-bbox="953 1105 1131 1133">MCL(µg/L)</th> </tr> </thead> <tbody> <tr> <td data-bbox="617 1133 793 1161">1,1-DCE</td> <td data-bbox="793 1133 953 1161">1.2</td> <td data-bbox="953 1133 1131 1161">7</td> </tr> <tr> <td data-bbox="617 1161 793 1188"><i>cis</i>-1,2-DCE</td> <td data-bbox="793 1161 953 1188">1.2</td> <td data-bbox="953 1161 1131 1188">70</td> </tr> <tr> <td data-bbox="617 1188 793 1216"><i>trans</i>-1,2-DCE</td> <td data-bbox="793 1188 953 1216">0.6</td> <td data-bbox="953 1188 1131 1216">100</td> </tr> <tr> <td data-bbox="617 1216 793 1243">PCE</td> <td data-bbox="793 1216 953 1243">1.4</td> <td data-bbox="953 1216 1131 1243">5</td> </tr> <tr> <td data-bbox="617 1243 793 1271">TCE</td> <td data-bbox="793 1243 953 1271">1.0</td> <td data-bbox="953 1243 1131 1271">5</td> </tr> <tr> <td data-bbox="617 1271 793 1299">Vinyl chloride</td> <td data-bbox="793 1271 953 1299">1.1</td> <td data-bbox="953 1271 1131 1299">2</td> </tr> </tbody> </table>	ANALYTE	RL (µg/L)	MCL(µg/L)	1,1-DCE	1.2	7	<i>cis</i> -1,2-DCE	1.2	70	<i>trans</i> -1,2-DCE	0.6	100	PCE	1.4	5	TCE	1.0	5	Vinyl chloride	1.1	2								
ANALYTE	RL (µg/L)	MCL(µg/L)																													
1,1-DCE	1.2	7																													
<i>cis</i> -1,2-DCE	1.2	70																													
<i>trans</i> -1,2-DCE	0.6	100																													
PCE	1.4	5																													
TCE	1.0	5																													
Vinyl chloride	1.1	2																													
		<table border="1"> <thead> <tr> <th data-bbox="617 1105 793 1133">ANALYTE</th> <th data-bbox="793 1105 953 1133">RL (µg/L)</th> <th data-bbox="953 1105 1131 1133">MCL/AL (µg/L)</th> </tr> </thead> <tbody> <tr> <td data-bbox="617 1138 793 1166">Barium</td> <td data-bbox="793 1138 953 1166">5</td> <td data-bbox="953 1138 1131 1166">2,000</td> </tr> <tr> <td data-bbox="617 1166 793 1193">Chromium</td> <td data-bbox="793 1166 953 1193">10</td> <td data-bbox="953 1166 1131 1193">100</td> </tr> <tr> <td data-bbox="617 1193 793 1221">Copper</td> <td data-bbox="793 1193 953 1221">10</td> <td data-bbox="953 1193 1131 1221">1,300</td> </tr> <tr> <td data-bbox="617 1221 793 1248">Zinc</td> <td data-bbox="793 1221 953 1248">50</td> <td data-bbox="953 1221 1131 1248">5,000</td> </tr> <tr> <td data-bbox="617 1248 793 1276">Arsenic</td> <td data-bbox="793 1248 953 1276">30</td> <td data-bbox="953 1248 1131 1276">10</td> </tr> <tr> <td data-bbox="617 1276 793 1304">Cadmium</td> <td data-bbox="793 1276 953 1304">7</td> <td data-bbox="953 1276 1131 1304">5</td> </tr> <tr> <td data-bbox="617 1304 793 1331">Lead</td> <td data-bbox="793 1304 953 1331">25</td> <td data-bbox="953 1304 1131 1331">15</td> </tr> <tr> <td data-bbox="617 1331 793 1359">Mercury</td> <td data-bbox="793 1331 953 1359">1</td> <td data-bbox="953 1331 1131 1359">2</td> </tr> </tbody> </table>	ANALYTE	RL (µg/L)	MCL/AL (µg/L)	Barium	5	2,000	Chromium	10	100	Copper	10	1,300	Zinc	50	5,000	Arsenic	30	10	Cadmium	7	5	Lead	25	15	Mercury	1	2		
ANALYTE	RL (µg/L)	MCL/AL (µg/L)																													
Barium	5	2,000																													
Chromium	10	100																													
Copper	10	1,300																													
Zinc	50	5,000																													
Arsenic	30	10																													
Cadmium	7	5																													
Lead	25	15																													
Mercury	1	2																													

Activity	Objectives	Action	Objective Attained?	Recommendations
Contamination Characterization (Ground Water Contamination) (Continued)	Meet AFCEE QAPP quality assurance requirements.	Samples were analyzed in accordance with the CSSA QAPP and approved variances. Parsons chemists verified all data, and AFCEE approval was obtained.	Yes.	NA
		<p>All data flagged with a “U,” “J,” and “F” are usable for characterizing contamination. All “R” flagged data are considered unusable.</p> <p>Previously, a method detection limit (MDL) study for arsenic, cadmium, and lead was not performed within a year of the analyses, as required by the AFCEE QAPP.</p>	<p>Yes.</p> <p>The laboratory performed new MDL studies in February 2001 for these metals and the new MDL values were found to be almost identical to the previous MDLs and all met the associated AFCEE QAPP requirements. MDLs for these three metals are well below MCLs. In addition, the laboratory performed daily calibrations and RL verifications for these metals, both of which demonstrate the laboratory’s ability to detect and quantitate these metals at RL levels. These daily analyses also indicate that concentrations above the laboratory RL for these compounds were not affected by the expired MDL study.</p>	<p>NA</p> <p>Use results for groundwater characterization purposes.</p>
Remediation	Determine goals and create cost-effective and technologically appropriate methods for remediation (2.2.1).	Continued data collection will provide analytical results for accomplishing this objective.	Ongoing.	Continue sampling and evaluation, including quarterly groundwater monitoring teleconferences to address remediation.
	Determine placement of new wells for monitoring (2.3.1, 3.6)	Sampling frequency and sample locations to be monitored (including any new wells) will be based on trend data from monitoring event(s) (3.1.5).	Ongoing.	Continue quarterly groundwater teleconferences to discuss sampling frequency and placement of new monitor wells.

Activity	Objectives	Action	Objective Attained?	Recommendations
Project schedule/ Reporting	Produce a quarterly monitoring project schedule as a road map for sampling, analysis, validation, verification, reviews, and reports.	Prepare schedules and sampling guidelines prior to each quarterly sampling event.	Yes.	Continue sampling schedule preparation each quarter.

APPENDIX B

**QUARTERLY ON-POST GROUNDWATER
MONITORING ANALYTICAL RESULTS
SEPTEMBER 2009**

Appendix B
September 2009 Quarterly On-Post Groundwater Monitoring Analytical Results

Well ID	Sample Date	Arsenic	Barium	Cadmium	Chromium	Copper	Lead	Zinc	Mercury
CS-MW1-LGR	9/9/2009	NA	NA	0.0005U	0.003F	NA	0.0019U	NA	0.0001U
CS-MW1-CC	9/9/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW1-BS	9/9/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW2-LGR	9/10/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW3-LGR	9/14/2009	NA	NA	0.0005U	0.002F	NA	0.0019U	NA	0.0001U
CS-MW5-LGR	9/10/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW6-LGR	9/10/2009	NA	NA	0.0005U	0.004F	NA	0.0019U	NA	0.0001U
CS-MW6-BS	9/10/2009	NA	NA	0.0005U	0.003F	NA	0.0019U	NA	0.0001U
CS-MW7-LGR	9/11/2009	NA	NA	0.0005U	0.002F	NA	0.0019U	NA	0.0001U
CS-MW7-LGR FD	9/11/2009	NA	NA	0.0005U	0.002F	NA	0.0019U	NA	0.0001U
CS-MW9-LGR	9/14/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW9-BS	9/14/2009	NA	NA	0.0005U	0.003F	NA	0.0302	NA	0.0001U
CS-MW11A-LGR	9/15/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW12-BS	9/16/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW16-LGR	9/9/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW16-CC	9/9/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW19-LGR	9/11/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW20-LGR	9/16/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW20-LGR FD	9/16/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW21-LGR	9/15/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW22-LGR	9/15/2009	NA	NA	0.0005U	0.001U	NA	0.0030F	NA	0.0001U
CS-MW23-LGR	9/15/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW24-LGR	9/10/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MW25-LGR	9/14/2009	NA	NA	0.0005U	0.001U	NA	0.0019U	NA	0.0001U
CS-MWH-LGR	9/14/2009	NA	NA	0.0005U	0.001U	NA	0.0038F	NA	0.0001U
CS-D	9/15/2009	NA	NA	0.0005U	0.001U	NA	0.0056F	NA	0.0001U
CS-12	9/14/2009	0.0002U	0.029	0.0005U	0.001U	0.012	0.0045F	0.266	0.0001U
CSSA Drinking Water Well System									
CS-1	9/16/2009	0.0002U	0.0297	0.0005U	0.001U	0.009F	0.0028F	0.274	0.0001U
CS-9	9/16/2009	0.0002U	0.0391	0.0005U	0.001U	0.013	0.0296	2.718	0.0082
CS-10	9/14/2009	0.0002U	0.037	0.0005U	0.001U	0.004F	0.0019U	0.169	0.0001U
CS-10 FD	9/14/2009	0.0002U	0.039	0.0005U	0.001U	0.003U	0.0019U	0.167	0.0001U

BOLD	= Above the MDL
BOLD	= Above the RL
BOLD	= Above the MCL

All samples were analyzed by APPL, Inc.
VOC data reported in ug/L. & metals data reported in mg/L.

Abbreviations/Notes:

FD Field Duplicate
TCE Trichloroethene
PCE Tetrachloroethene
DCE Dichloroethene
AL Action Level
SS Secondary Standard
NA Not Analyzed for this parameter

Data Qualifiers

U-The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.
F-The analyte was positively identified but the associated numerical value is below the RL.
* The analyte was run at a dilution of 5.

Appendix B
September 2009 Quarterly On-Post Groundwater Monitoring Analytical Results

Well ID	Sample Date	1,1-DCE	cis-1,2-DCE	trans-1,2-DCE	PCE	TCE	Vinyl Chloride
CS-MW1-LGR	9/9/2009	0.12U	18.37	0.37F	13.71	34.44	0.08U
CS-MW1-CC	9/9/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW1-BS	9/9/2009	0.12U	0.45F	0.08U	0.06U	0.05U	0.08U
CS-MW2-LGR	9/10/2009	0.12U	1.18F	0.08U	0.06U	0.05U	0.08U
CS-MW3-LGR	9/14/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW5-LGR	9/10/2009	0.12U	1.73	0.08U	0.99F	1.25	0.08U
CS-MW6-LGR	9/10/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW6-BS	9/10/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW7-LGR	9/11/2009	0.12U	0.07U	0.08U	0.49F	0.05U	0.08U
CS-MW7-LGR FD	9/11/2009	0.12U	0.07U	0.08U	0.46F	0.05U	0.08U
CS-MW9-LGR	9/14/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW9-BS	9/14/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW11A-LGR	9/15/2009	0.12U	0.07U	0.08U	1.61	0.05U	0.08U
CS-MW12-BS	9/16/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW16-LGR	9/9/2009	0.12U	152.57*	0.48F	176.82	177.44*	0.08U
CS-MW16-CC	9/9/2009	0.63F	43.17	5.33	7.17	51.93	0.08U
CS-MW19-LGR	9/11/2009	0.12U	0.07U	0.08U	0.69F	0.05U	0.08U
CS-MW20-LGR	9/16/2009	0.12U	0.07U	0.08U	1.63	0.05U	0.08U
CS-MW20-LGR FD	9/16/2009	0.12U	0.07U	0.08U	1.30F	0.05U	0.08U
CS-MW21-LGR	9/15/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW22-LGR	9/15/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW23-LGR	9/15/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW24-LGR	9/10/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MW25-LGR	9/14/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-MWH-LGR	9/14/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-D	9/15/2009	0.12U	65.81	1.37	68.94	87.11	0.08U
CS-12	9/14/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CSSA Drinking Water Well System							
CS-1	9/16/2009	0.12U	0.07U	0.08U	0.06U	0.37F	0.08U
CS-9	9/16/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-10	9/14/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U
CS-10 FD	9/14/2009	0.12U	0.07U	0.08U	0.06U	0.05U	0.08U

BOLD	= Above the MDL
BOLD	= Above the RL
BOLD	= Above the MCL

All samples were analyzed by APPL, Inc.
VOC data reported in ug/L & metals data reported in mg/L.

Abbreviations/Notes:
FD Field Duplicate
TCE Trichloroethene
PCE Tetrachloroethene
DCE Dichloroethene
AL Action Level
SS Secondary Standard
NA Not Analyzed for this parameter

Data Qualifiers
U-The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.
F-The analyte was positively identified but the associated numerical value is below the RL.
* The analyte was run at a dilution of 5.

APPENDIX C

SEPTEMBER 2009 WESTBAY ANALYTICAL RESULTS

Appendix C
September 2009 Westbay Analytical Results

Well ID	Date Sampled	1,1-DCE (1,1-dichloroethene)	cis-1,2-DCE (cis-1,2-dichloroethene)	TCE (trichloroethene)	PCE (tetrachloroethene)	trans-1,2-DCE (trans-1,2-dichloroethene)	Vinyl Chloride
CS-WB01-LGR-01	9/2/2009	<0.30	<0.16	0.26J	5.1	<0.19	<0.23
CS-WB01-LGR-02	9/2/2009	<0.30	<0.16	3.7	11	<0.19	<0.23
CS-WB01-LGR-03	9/2/2009	<0.30	<0.16	8.2	3.1	<0.19	<0.23
CS-WB01-LGR-04	9/2/2009	<0.30	<0.16	0.26J	0.53J	<0.19	<0.23
CS-WB01-LGR-05	9/2/2009	<0.30	<0.16	<0.16	0.31J	<0.19	<0.23
CS-WB01-LGR-06	9/2/2009	<0.30	<0.16	0.33J	0.36J	<0.19	<0.23
CS-WB01-LGR-07	9/2/2009	<0.30	<0.16	17	22	<0.19	<0.23
CS-WB01-LGR-08	9/2/2009	<0.30	<0.16	3.5	1.4	<0.19	<0.23
CS-WB01-LGR-09	9/2/2009	<0.30	0.44J	25	19	<0.19	<0.23
CS-WB02-LGR-03	9/3/2009	<0.30	<0.16	5.7	10	<0.19	<0.23
CS-WB02-LGR-04	9/3/2009	<0.30	<0.16	17	4.7	<0.19	<0.23
CS-WB02-LGR-05	9/3/2009	<0.30	<0.16	5	1.6	<0.19	<0.23
CS-WB02-LGR-06	9/3/2009	<0.30	<0.16	4.5	1.2J	<0.19	<0.23
CS-WB02-LGR-07	9/3/2009	<0.30	<0.16	0.85J	0.89J	<0.19	<0.23
CS-WB02-LGR-08	9/3/2009	<0.30	<0.16	2	2.5	<0.19	<0.23
CS-WB03-LGR-03	9/4/2009	<0.30	0.34J	12	29	<0.19	<0.23
CS-WB03-LGR-04	9/4/2009	<0.30	<0.16	10	25	<0.19	<0.23
CS-WB03-LGR-05	9/4/2009	<0.30	<0.16	9.4	30	<0.19	<0.23
CS-WB03-LGR-06	9/4/2009	<0.30	<0.16	1.1	8.4	<0.19	<0.23
CS-WB03-LGR-07	9/4/2009	<0.30	<0.16	2.1	9.3	<0.19	<0.23
CS-WB03-LGR-08	9/4/2009	<0.30	<0.16	1.3	10	<0.19	<0.23
CS-WB03-LGR-09	9/4/2009	<0.30	<0.16	4	19	<0.19	<0.23
CS-WB04-LGR-01	9/3/2009	<0.30	<0.16	0.20J	0.86J	<0.19	<0.23
CS-WB04-LGR-03	9/3/2009	<0.30	<0.16	<0.16	0.27J	<0.19	<0.23
CS-WB04-LGR-04	9/3/2009	<0.30	<0.16	<0.16	<0.15	<0.19	<0.23
CS-WB04-LGR-06	9/3/2009	<0.30	4	20	33	0.65	<0.23
CS-WB04-LGR-07	9/3/2009	<0.30	3.6	14	19	<0.19	<0.23
CS-WB04-LGR-08	9/3/2009	<0.30	<0.16	1.1	0.62J	<0.19	<0.23
CS-WB04-LGR-09	9/3/2009	<0.30	<0.16	9.1	9.9	<0.19	<0.23
CS-WB04-LGR-10	9/3/2009	<0.30	<0.16	0.93J	1.2J	<0.19	<0.23
CS-WB04-LGR-11	9/3/2009	<0.30	<0.16	<0.16	0.33J	<0.19	<0.23

Data Qualifiers

J-The analyte was positively identified; the quantitation is an estimation.
All values are reported in µg/L.

BOLD	= Above the MDL.
BOLD	= Above the RL.
BOLD	= Above the MCL.